

# **SAFETY DATA SHEET**

Classified as hazardous in accordance with the criteria of EPA New Zealand

### Section 1 - Identification

Product Identifier	
Product Name	Piperidine
CAS No	110-89-4
Synonyms	Azacyclohexane; Cyclopentimine; Hexahydropyridine
Molecular Formula Molecular Weight	C5 H11 N 85.15
Recommended Use Uses advised against	Laboratory chemicals. No Information available
Product Code	A12442
Address	Thermo Fisher Scientific New Zealand Ltd 244 Bush Road, Albany, Auckland, New Zealand
Emergency Tel.	CHEMTREC® 09 980 6780 or +64 9 980 6780
Telephone / Fax Numbers	Tel: 09 980 6700 Fax: 09 980 6788
E-mail address	ANZinfo@thermofisher.com

### Section 2 - Hazard(s) Identification

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR001260

**GHS Classification** 

Physical hazards Flammable liquids

#### Health hazards

Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity - Vapors Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Reproductive Toxicity

#### **Environmental hazards**

Chronic aquatic toxicity



Category 2

Category 2

Category 3

Category 3 Category 1 A

Category 1

Category 2

Category 4



### Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Piperidine	110-89-4	>95

### Section 4 - First Aid Measures

Description of first aid measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
New Zealand Emergency Tel.	CHEMTREC® 09 980 6780 or +64 9 980 6780
Inhalation	Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. If not breathing, give artificial respiration.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
First Aid Facilities	Eyewash, safety shower and washroom.
Most important symptoms and effects	Causes burns by all exposure routes. Difficulty in breathing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically.

### Section 5 - Fire Fighting Measures

#### Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NOx), Thermal decomposition can lead to release of irritating gases and vapors.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### Section 6 - Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

#### Emergency procedures

Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

#### Precautions for Safe Handling

#### Advice on safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for Safe Storage, Including any Incompatibilities

#### Storage Conditions

Corrosives area. Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### Incompatible Materials

Strong oxidizing agents. Acids.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

### Section 8 - Exposure Controls and Personal Protection

#### Control parameters

#### **Exposure limits**

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Piperidine	TWA: 1 ppm TWA: 3.5 mg/m³ Skin	TWA: 1 ppm TWA: 3.5 mg/m <sup>3</sup>		STEL: 3 ppm 15 min STEL: 10.5 mg/m <sup>3</sup> 15 min TWA: 1 ppm 8 hr TWA: 3 5 mg/m <sup>3</sup> 8 hr
				Skin

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Appropriate engineering controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Individual protection measures, such as personal protective equipment

Eye Protection	Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)
Hand Protection	Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments	•
Natural rubber, Nitrile	See manufacturers	-	AS/NZS 2161	(minimum requirement)	
rubber, Neoprene, PVC.	recommendations				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Repiratory Protection	Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of repiratory protective devices
Recommended Filter type:	Particulates filter conforming to EN 143 Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387 (or AUS/NZ equivalent)
Recommended half mask:-	Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent) When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

### Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Colorless	
Odor	Amine compounds	
Odor Threshold	<2 ppm	
pH	12.6 @ 20°C	100 g
Melting Point/Range	-11 °C / 12.2 °F	
Softening Point	No data available	
Boiling Point/Range	106 °C / 222.8 °F	
Flammability (liquid)	Highly flammable	On ba
Flammability (solid,gas)	Not applicable	Liquic
Explosion Limits	Lower 1.3 Vol%	
•	Upper 10.3 Vol%	
Flash Point	16 °C / 60.8 °F	Meth
Autoignition Temperature	320 - °C / 608 - °F	
Decomposition Temperature	No data available	

100 g/L aq.sol

On basis of test data Liquid

Method - Abel-Pensky (DIN 51755)

### SAFETY DATA SHEET

Viscosity	1.46 mPa s at 20 °C	
Water Solubility	Miscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wat	er)	
Component	log Pow	
Piperidine	0.67	
Vapor Pressure	14.7 mmHg @ 20 °C	
Density / Specific Gravity	0.862	
Bulk Density	Not applicable	Liquid
Vapor Density	3.0 (Air = 1.0)	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	( )
Other information		
Molecular Formula Molecular Weight Explosive Properties	C5 H11 N 85.15 Vapors may form explosive mixtures	with air

### Section 10 - Stability and Reactivity

Reactivity	None known, based on information available
Stability	Stable under normal conditions.
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
Conditions to Avoid	Incompatible products, Excess heat, Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents, Acids.
Hazardous Decomposition Products	Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.

### Section 11 - Toxicological Information

#### Acute Effects

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	Toxic by inhalation. Causes burns. Harmful by inhalation.
Eyes	Causes burns. Corrosive to the eyes and may cause severe damage including blindness.
-	Risk of serious damage to eyes.
Skin	Toxic in contact with skin. Causes burns.
Ingestion	Causes burns. May be harmful if swallowed. Ingestion causes burns of the upper digestive
	and respiratory tracts. Can burn mouth, throat, and stomach, Harmful if swallowed.

Numerical measures of toxicity

(a) acute toxicity;	
Oral	Category 4
Dermal	Category 3
Inhalation	Category 3

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Piperidine	LD50 = 337 mg/kg (Rat)	LD50 = 275 mg/kg (Rabbit)	LC50 = 1390 ppm (Rat) 4 h
(b) skin corrosion/irritation;	Category 1 B		
(c) serious eye damage/irritation;	Category 1		
(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available		
(e) germ cell mutagenicity;	No data available		
(f) carcinogenicity;	There are no known carcinoge	enic chemicals in this product	
(g) reproductive toxicity;			
(h) STOT-single exposure;	No data available		
(i) STOT-repeated exposure;	No data available		
Target Organs	No information available.		
(j) aspiration hazard;	No data available		

#### Symptoms / effects,both acute and delayed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

## Section 12 - Ecological Information

#### **Ecotoxicity**

#### Aquatic ecotoxicity

Do not empty into drains. .

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Piperidine	LC50: >46-<100			
	mg/L/96h (Leuciscus			
	idus)			
Terrestrial ecotoxicity	There is no data for th	is product		
Persistence and Degradability	Readily biodegradable			
Persistence	Persistence is unlikely.			
Bioaccumulative Potential	Potential Bioaccumulation is unlikely			

Component	log Pow	Bioconcentration factor (BCF)
Piperidine	0.67	No data available

Mobility

The product is water soluble, and may spread in water systems. . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

Other adverse effects

Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
Persistent Organic Pollutant	This product does not contain any known or suspected substance
Ozone Depletion Potential	This product does not contain any known or suspected substance

### Section 13 - Disposal Considerations

#### Waste treatment methods

Waste from Residues/Unused Products	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
Other Information	Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge.

### Section 14 - Transport Information

Component		Hazcher	Hazchem Code		
Piperidine 110-89-4 ( >95 )		2W	Έ		
NZS 5433:2020					
UN-No Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group	UN2401 PIPERIDINE 8 3 I				
IATA					
UN-No Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group	UN2401 PIPERIDINE 8 3 I				
IMDG/IMO					
UN-No	UN2401				
ALFAAA12442	Version 3	16-Mar-2023	Page 8/1		

Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group	PIPERIDINE 8 3 I
Environmental hazards	No hazards identified
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable, packaged goods
Special Precautions	No special precautions required. Please refer to the applicable dangerous goods regulations for additional information.
Additional information	None known

### Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR001260
----------------------	-----------

#### **National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

#### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

International Regulations	
Ozone Depletion Potential	This product does not contain any known or suspected substance
Persistent Organic Pollutant	This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** 

Not applicable

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	IMDG Marine Pollutant
Piperidine	50 tonne	200 tonne	

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Piperidine	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

#### International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
Piperidine	110-89-4	Х	Х	203-813-0	-	-	KE-28769	Х	Х
Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive		DSL	NDSL	PICCS	ISHL	ENCS
Piperidine	110-89-4	Х	AC	ΓIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### Section 16 - Other Information

## This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

#### Legend NZIOC - New Zealand Inventory of Chemicals AICS - Australian Inventory of Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) **EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Inventory Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic ENCS - Japanese Existing and New Chemical Substances Substances List KECL - Korean Existing and Evaluated Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances **CAS** - Chemical Abstracts Service TWA - Time Weighted Average ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer **PNEC** - Predicted No Effect Concentration NZS 5433:2020 - Transport of Dangerous Goods on Land **OECD** - Organisation for Economic Co-operation and Development ICAO/IATA - International Civil Aviation Organization/International Air IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code Transport Association MARPOL - International Convention for the Prevention of Pollution from ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail Ships LD50 - Lethal Dose 50% LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50% ATE - Acute Toxicity Estimate **RPE** - Respiratory Protective Equipment WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level NOEC - No Observed Effect Concentration POW - Partition coefficient Octanol:Water BCF - Bioconcentration factor vPvB - very Persistent, very Bioaccumulative PBT - Persistent, Bioaccumulative, Toxic VOC - (Volatile Organic Compound) Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID). https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date	16-Mar-2023
Revision Summary	Not applicable

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**