

ALFAA10820

# Nickel(II) sulfate hydrate

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	硫酸镍(II)水合物
Product Description:	Nickel(II) sulfate hydrate
Cat No. :	<b>10820</b>
CAS No	15244-37-8
Molecular Formula	NiO4 S. xH2 O (x=6)
Supplier	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	For information <b>US</b> call: 001-800-227-6701 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US</b> :001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99 <b>CHEMTREC</b> Tel. No. <b>US</b> :001-800-424-9300 / <b>Europe:</b> 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

### **SECTION 2. HAZARD IDENTIFICATION**

Physical State	Appearance	<b>Odor</b>
Solid Crystalline	Green	Odorless
Harmful if swallowed. Causes skin irritation. I symptoms or breathing difficulties if inhaled. S fertility or the unborn child. Causes damage to	Suspected of causing genetic defects. Ma	ay cause cancer by inhalation. May damage

### Classification of the substance or mixture

Acute Oral Toxicity	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/Irritation	Category 2
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1B
Specific target organ toxicity - (repeated exposure)	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

### Label Elements

### Nickel(II) sulfate hydrate



### Signal Word

Danger

### Hazard Statements

#### H315 - Causes skin irritation

- H317 May cause an allergic skin reaction
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H341 Suspected of causing genetic defects
- H350i May cause cancer by inhalation
- H372 Causes damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects
- H302 + H332 Harmful if swallowed or if inhaled
- H360 May damage fertility or the unborn child

### **Precautionary Statements**

#### Prevention

- P201 Obtain special instructions before use
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P272 Contaminated work clothing should not be allowed out of the workplace
- P202 Do not handle until all safety precautions have been read and understood
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P284 In case of inadequate ventilation wear respiratory protection

### Response

- P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P330 Rinse mouth
- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor
- P362 + P364 Take off contaminated clothing and wash it before reuse

### Storage

P403 - Store in a well-ventilated place

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### **Physical and Chemical Hazards**

### None identified.

#### **Health Hazards**

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer by inhalation. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

### Environmental hazards

Very toxic to aquatic life with long lasting effects.

This product does not contain any known or suspected endocrine disruptors.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Nickel(II) sulfate hydrate	15244-37-8	<=100

#### Nickel(II) sulfate hydrate

### **SECTION 4. FIRST AID MEASURES**

#### General Advice

If symptoms persist, call a physician.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

#### Most important symptoms and effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Notes to Physician

Treat symptomatically.

### **SECTION 5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained. Do not allow material to contaminate ground water system. Prevent product from entering drains.

#### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

Nickel(II) sulfate hydrate

Refer to protective measures listed in Sections 8 and 13.

### SECTION 7. HANDLING AND STORAGE

#### Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### Storage

Protect from moisture.

### Specific Use(s)

Use in laboratories

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Nickel(II) sulfate hydrate			IDLH: 10 mg/m <sup>3</sup>	-	
			TWA: 0.015 mg/m <sup>3</sup>		

#### Monitoring methods

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

#### Exposure Controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

Eye Protection	Wear safety glasses with side shields (or goggles) (Europea	an standard - EN 166)
----------------	---	-----------------------

Hand Protection	Protective gloves
-----------------	-------------------

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

### Nickel(II) sulfate hydrate

Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Physical State	Green Solid Crystalline	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range	Odorless No data available 4.3 No data available No data available No information available	(100 g/l @ 20°C)
Flash Point Evaporation Rate Flammability (solid,gas)	No information available Not applicable No information available	<b>Method -</b> No information available Solid
Explosion Limits	No data available	
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents	No data available Not applicable 2.07 g/cm3 No data available No information available No information available	Solid @ 20 °C
Partition Coefficient (n-octanol/wat Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	er) No data available No data available Not applicable No information available No information available	Solid
Molecular Formula Molecular Weight	NiO4 S. xH2 O (x=6) 154.77(anhy)	

### SECTION 10. STABILITY AND REACTIVITY

Stability	Moisture sensitive.
Hazardous Reactions Hazardous Polymerization	None under normal processing. No information available.
Conditions to Avoid	None known.
Materials to avoid	No information available.

Hazardous Decomposition Products None under normal use conditions.

Nickel(II) sulfate hydrate

### SECTION 11. TOXICOLOGICAL INFORMATION

Product Information	
(a) acute toxicity;	
(b) skin corrosion/irritation;	Category 2
(c) serious eye damage/irritation;	No data available
(d) respiratory or skin sensitization; Respiratory Skin	Category 1 Category 1
	May cause sensitization by skin contact
(e) germ cell mutagenicity;	Category 2
(f) carcinogenicity;	Category 1A
	There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	Category 1B
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	Category 1
Route of exposure Target Organs	Inhalation Respiratory system.
(j) aspiration hazard;	Not applicable
	Solid
Symptoms / effects,both acute and delayed	
	Solid Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling
	Solid Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
delayed	Solid Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing <b>SECTION 12. ECOLOGICAL INFORMATION</b> Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the

### Nickel(II) sulfate hydrate

Nickel(II) sulfate hydrate						
Mobility in soil	No information available					
Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance					
	SECTION 13. DISPOSAL CONSIDERATIONS					
Waste from Residues/Unused Products	Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.					
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.					
Other Information	Do not flush to sewer. Do not empty into drains. Waste codes should be assigned by the user based on the application for which the product was used. Do not let this chemical enter the environment.					
	SECTION 14. TRANSPORT INFORMATION					
Road and Rail Transport						

Proper Shipping Name T Technical Shipping Name (I	JN3288 Toxic solid, inorganic, n.o.s. Nickel(II) sulfate hydrate) A1 I
--	--

### IMDG/IMO

UN-No	UN3288
Proper Shipping Name	Toxic solid, inorganic, n.o.s.
Technical Shipping Name	(Nickel(II) sulfate hydrate)
Hazard Class	6.1
Packing Group	III
•	

### <u>IATA</u>

UN-No	UN3288
Proper Shipping Name	Toxic solid, inorganic, n.o.s.
Technical Shipping Name	(Nickel(II) sulfate hydrate)
Hazard Class	6.1
Packing Group	III

**Special Precautions for User** 

No special precautions required

## **SECTION 15. REGULATORY INFORMATION**

International Inventories X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)	0	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Nickel(II) sulfate	-	-	Х	-	-	-	-	-	-		-	-

Nickel(II) sulfate hydrate

hydrate						

### **National Regulations**

	SECTION 16. OTH	IER INFORMATION						
Prepared By Revision Date	ision Date 06-Apr-2024							
Revision Summary	New emergency telephon	e response service provider.						
hygiene.		ety Data Sheets (SDS), Personal Protective Equipment (PPE) and						
and standards.	including the use of eye wash an	tion, compatibility, breakthrough thresholds, care, maintenance, fit d safety showers.						
	Lec	gend						
CAS - Chemical Abstracts Service		<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory						
EINECS/ELINCS - European Inven Substances/EU List of Notified Che PICCS - Philippines Inventory of Ch IECSC - Chinese Inventory of Exist KECL - Korean Existing and Evalua	mical Substances nemicals and Chemical Substances ing Chemical Substances	DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals						
WEL - Workplace Exposure Limit ACGIH - American Conference of C DNEL - Derived No Effect Level RPE - Respiratory Protective Equip LC50 - Lethal Concentration 50% NOEC - No Observed Effect Conce PBT - Persistent, Bioaccumulative,	ment	<ul> <li>TWA - Time Weighted Average</li> <li>IARC - International Agency for Research on Cancer</li> <li>PNEC - Predicted No Effect Concentration</li> <li>LD50 - Lethal Dose 50%</li> <li>EC50 - Effective Concentration 50%</li> <li>POW - Partition coefficient Octanol:Water</li> <li>vPvB - very Persistent, very Bioaccumulative</li> </ul>						
ICAO/IATA - International Civil Avia Transport Association ADR - European Agreement Conce Dangerous Goods by Road OECD - Organisation for Economic BCF - Bioconcentration factor	rning the International Carriage of	IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)						
Key literature references and https://echa.europa.eu/informat Suppliers safety data sheet, Ch		TECS						
	this Safety Data Sheet is correct	laimer ct to the best of our knowledge, information and belief at the nly as a guidance for safe handling, use, processing, storage,						

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of Safety Data Sheet