# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/8
Revision Date 12-May-2024
Version 3

ALFAA14089

## **Magnesium Aluminum Zinc rod**

#### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 镁铝锌棒

Product Description: Magnesium Aluminum Zinc rod

Cat No.: 14089

Molecular Formula Mg:Al:Zn; 96:3:1 wt%

**Supplier** Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals. Uses advised against No Information available

## **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorSolidSilverOdorless

#### **Emergency Overview**

The product contains no substances which at their given concentration are considered to be hazardous to health.

Classification of the substance or mixture

#### **Label Elements**

None required

#### **Health Hazards**

The product contains no substances which at their given concentration are considered to be hazardous to health. **Environmental hazards** 

Page 2/8 Revision Date 12-May-2024

#### Magnesium Aluminum Zinc rod

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil.

This product does not contain any known or suspected endocrine disruptors.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Magnesium	7439-95-4	96.0
Aluminum	7429-90-5	3.0
Zinc metal	7440-66-6	1.0

#### **SECTION 4. FIRST AID MEASURES**

#### **General Advice**

If symptoms persist, call a physician.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

#### Most important symptoms and effects

None reasonably foreseeable.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## **Notes to Physician**

Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

approved class D extinguishers. Do not use water or foam.

#### Extinguishing media which must not be used for safety reasons

Water may be ineffective.

## **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Page 3/8 Revision Date 12-May-2024

#### **Magnesium Aluminum Zinc rod**

Encure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. No special pressultions

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. No special precautions required.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Pick up and transfer to properly labelled containers.

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### **Storage**

Keep in a dry place. Keep away from acids.

#### Specific Use(s)

Use in laboratories

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	China	Taiwan	Thailand	Hong Kong
Aluminum	TWA: 3 mg/m <sup>3</sup>	-	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
			TWA: 5 mg/m <sup>3</sup>	

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Aluminum	TWA: 1 mg/m <sup>3</sup>	(Vacated) TWA: 15	TWA: 10 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup> 15	
		mg/m³	TWA: 5 mg/m <sup>3</sup>	min	
		(Vacated) TWA: 5		STEL: 12 mg/m <sup>3</sup> 15	
		mg/m³		min	
		TWA: 15 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup> 8 hr	
		TWA: 5 mg/m <sup>3</sup>		TWA: 4 mg/m <sup>3</sup> 8 hr	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry MDHS 99 Metals in air by ICP-AES

#### **Exposure Controls**

#### **Engineering Measures**

None under normal use conditions. .

## Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Page 4/8 Revision Date 12-May-2024

Magnesium Aluminum Zinc rod

**Hand Protection** No special protective equipment required

Breakthrough time Glove thickness **EU** standard Glove comments **Glove material** Disposable gloves See manufacturers EN 374 (minimum requirement) recommendations

Long sleeved clothing Skin and body protection

No special protective equipment required. **Respiratory Protection** 

Large scale/emergency use In case of insufficient ventilation, wear suitable respiratory equipment

Small scale/Laboratory use No personal respiratory protective equipment normally required

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Solid

Solid

Solid

Method - No information available

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Silver **Appearance Physical State** Solid

Odorless Odor

**Odor Threshold** No data available Not applicable pН No data available **Melting Point/Range** No data available **Softening Point** 

**Boiling Point/Range** No information available No information available Flash Point

**Evaporation Rate** Not applicable

No information available Flammability (solid,gas)

**Explosion Limits** No data available

**Vapor Pressure** No data available **Vapor Density** Not applicable

Specific Gravity / Density No data available **Bulk Density** No data available **Water Solubility** Insoluble in water Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Autoignition Temperature** No data available **Decomposition Temperature** No data available **Viscosity** Not applicable

No information available

**Explosive Properties** No information available **Oxidizing Properties** 

Molecular Formula Mg:Al:Zn; 96:3:1 wt%

## **SECTION 10. STABILITY AND REACTIVITY**

Stability Stable under normal conditions.

Page 5 / 8 Revision Date 12-May-2024

## **Magnesium Aluminum Zinc rod**

Hazardous Reactions None under normal processing.

Hazardous Polymerization No information available.

Conditions to Avoid None known.

Materials to avoid Acids. Oxidizing agent.

Hazardous Decomposition Products Fumes of aluminum or aluminum oxide. Zinc oxide. Magnesium oxides.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

(a) acute toxicity;

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation			
Magnesium	LD50 = 230 mg/kg (Rat)					
Aluminum			LC50 > 0.888 mg/L (Rat) 4 h			
Zinc metal	LD50 = 630 mg/kg ( Rat )					

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available

delayed

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects**The product contains following substances which are hazardous for the environment.

Page 6 / 8 Revision Date 12-May-2024

#### Magnesium Aluminum Zinc rod

Contains a substance which is:. Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Zinc metal	LC50: = 0.41 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.59 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 2.16 - 3.05 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.211 - 0.269 mg/L, 96h semi-static (Pimephales promelas) LC50: = 2.66 mg/L, 96h static (Pimephales promelas) LC50: = 30 mg/L, 96h (Cyprinus carpio) LC50: = 30 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 7.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.24 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 3.5 mg/L, 96h static (Lepomis macrochirus)	mg/L, 48h Static (Daphnia magna)	EC50: 0.09 - 0.125 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: 0.11 - 0.271 mg/L, 96h static (Pseudokirchneriella subcapitata)	

Persistend	ce and Dec	aradability

Persistence Degradability

Degradation in sewage treatment plant

Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary Insoluble in water, May persist.

Not relevant for inorganic substances.

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

#### **Bioaccumulative Potential**

May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

## Mobility in soil

Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility

## Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

## **SECTION 13. DISPOSAL CONSIDERATIONS**

# Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

## **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

#### **Other Information**

Do not flush to sewer. Waste codes should be assigned by the user based on the

Page 7/8 Revision Date 12-May-2024

Magnesium Aluminum Zinc rod

application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not

empty into drains.

#### **SECTION 14. TRANSPORT INFORMATION**

**Road and Rail Transport** Not Regulated

IMDG/IMO Not regulated

**IATA** Not regulated

**Special Precautions for User** No special precautions required

#### **SECTION 15. REGULATORY INFORMATION**

#### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)		TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Magnesium	X	X	Χ	Х	231-104-6	Х	X	Х	Χ		Χ	KE-22673
Aluminum	X	X	Χ	Х	231-072-3	Х	X	Х	Х		Χ	KE-00881
Zinc metal	X	Х	X	Х	231-175-3	Х	Х	Х	Х		Х	KE-35518

#### **National Regulations**

## **SECTION 16. OTHER INFORMATION**

**Prepared By** Health, Safety and Environmental Department

**Revision Date** 12-May-2024

**Revision Summary** New emergency telephone response service provider.

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

#### Legend

**CAS** - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances NZIoC - New Zealand Inventory of Chemicals

Page 8/8 Revision Date 12-May-2024

#### Magnesium Aluminum Zinc rod

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Physical hazards** On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**