

ALFAA22642

Barium aluminum oxide

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| 产品说明: | 氧化铝钡 |
|----------------------------|---|
| Product Description: | Barium aluminum oxide |
| Cat No. : | 22642 |
| CAS No | 12004-04-5 |
| Molecular Formula | BaAl2 O4 (approximate formula) |
| Supplier | Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608 |
| Emergency Telephone Number | For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe: 001-703-527-3887 |
| E-mail address | begel.sdsdesk@thermofisher.com |
| Recommended Use | Laboratory chemicals. |
| Uses advised against | No Information available |

SECTION 2. HAZARD IDENTIFICATION

| Physical | State |
|----------|-------|
| Solid | b |

Appearance No information available Odor Odorless

Emergency Overview

Harmful if swallowed. Harmful if inhaled. Moisture sensitive.

Classification of the substance or mixture

| Acute Oral Toxicity | Category 4 |
|---|------------|
| Acute Inhalation Toxicity - Dusts and Mists | Category 4 |

Label Elements



Signal Word

Warning

Hazard Statements H302 + H332 - Harmful if swallowed or if inhaled

Barium aluminum oxide

Precautionary Statements

Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P271 - Use only outdoors or in a well-ventilated area **Response**P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312 - Call a POISON CENTER or doctor if you feel unwell
P330 - Rinse mouth **Storage**P403 - Store in a well-ventilated place **Disposal**P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards None identified. Health Hazards Harmful if swallowed. Harmful if inhaled. Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS No | Weight % |
|----------------------------------|------------|----------|
| Aluminate (AlO21-), barium (2:1) | 12004-04-5 | <=100 |

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

SECTION 4. FIRST AID MEASURES

General Advice

If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Most important symptoms and effects

None reasonably foreseeable.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Barium aluminum oxide

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Not combustible.

Extinguishing media which must not be used for safety reasons No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

Environmental Precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage

Protect from moisture.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| Component | China | Taiwa | า | Т | hailand | Hong Kong |
|----------------------------------|----------------------------|--------------------|---------|---------------------|------------------|-------------------------------------|
| Aluminate (AlO21-), barium (2:1) | - TWA: 0.5 mg | | ng/m³ | TWA | : 0.5 mg/m³ | - |
| Component | ACGIH TLV | OSHA PEL | NIC | OSH | The United Kingd | om European Union |
| Aluminate (AlO21-), barium | TWA: 0.5 mg/m ³ | (Vacated) TWA: 0.5 | | 0 mg/m ³ | <u>v</u> | 15 TWA: 0.5 mg/m ³ (8hr) |
| (2:1) | - | mg/m ³ | TWA: 0. | | min | |

TWA: 0.5 mg/m3 8 hr

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

Barium aluminum oxide

OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

| Eye Protection | Wear safety glasses with side shields (or goggles) (European standard - EN 166) | | |) (European standard - EN 166) |
|---|---|-----------------|-----------------------|---|
| Hand Protection | Protectiv | ve gloves | | |
| Glove material Natural rubber Nitrile rubber Neoprene PVC | Breakthrough time See manufacturers recommendations | Glove thickness | EU standard EN 374 | Glove comments (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Skin and body protection | Long sleeved clothing |
|---------------------------------|--|
| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted |
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. |
| Environmental exposure controls | No information available. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appeara | nce |
|----------|-------|
| Physical | State |

Odor Odor Threshold pH Solid

Odorless No data available No information available

Barium aluminum oxide

| Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) | No data available No data available No information available No information available Not applicable No information available | Method - No information available Solid |
|--|--|--|
| Explosion Limits | No data available | |
| Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wa | No data available Not applicable No data available No data available No information available No information available | Solid |
| Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties | No data available No data available Not applicable No information available No information available | Solid |
| Molecular Formula Molecular Weight | BaAl2 O4 (approximate formula) 561.98 | |

SECTION 10. STABILITY AND REACTIVITY

| Stability | Moisture sensitive. |
|---|--|
| Hazardous Reactions Hazardous Polymerization | None under normal processing. No information available. |
| Conditions to Avoid | None known. |
| Materials to avoid | Oxidizing agent. |

Hazardous Decomposition Products Barium oxides. Fumes of aluminum or aluminum oxide.

SECTION 11. TOXICOLOGICAL INFORMATION

(a) acute toxicity;

- (b) skin corrosion/irritation; No data available
- (c) serious eye damage/irritation; No data available
- (d) respiratory or skin sensitization; Respiratory No data available Skin No data available
- (e) germ cell mutagenicity; No data available
- (f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

Barium aluminum oxide

| (g) reproductive toxicity; | No data available |
|--|---|
| (h) STOT-single exposure; | No data available |
| (i) STOT-repeated exposure; | No data available |
| Target Organs | No information available. |
| (j) aspiration hazard; | Not applicable Solid |
| Symptoms / effects,both acute and delayed | No information available |
| | SECTION 12. ECOLOGICAL INFORMATION |
| Ecotoxicity effects | Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. |
| Persistence and Degradability Degradability | No information available Not relevant for inorganic substances. |
| Bioaccumulative Potential | No information available |
| Mobility in soil | No information available |
| Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential | This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance |
| | SECTION 13. DISPOSAL CONSIDERATIONS |
| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. |
| Other Information | Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. |
| | SECTION 14. TRANSPORT INFORMATION |

Road and Rail Transport

| UN-No | UN1564 |
|-------------------------|-------------------------|
| Proper Shipping Name | Barium compound, n.o.s. |
| Technical Shipping Name | (Barium aluminum oxide) |
| Hazard Class | 6.1 |
| Packing Group | III |

Barium aluminum oxide

IMDG/IMO

| UN-No | UN1564 |
|------------------------------|-----------------------------|
| Proper Shipping Name | Barium compound, n.o.s. |
| Technical Shipping Name | (Barium aluminum oxide) |
| Hazard Class | 6.1 |
| Packing Group | III |
| IATA | |
| UN-No | UN1564 |
| Proper Shipping Name | Barium compound, n.o.s. |
| Technical Shipping Name | (Barium aluminum oxide) |
| Hazard Class | 6.1 |
| Packing Group | III |
| Special Precautions for User | No special precautions requ |

No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component | | List of dangerous goods GB 12268 - 2012 | TCSI | IECSC | EINECS | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL |
|-------------------------------------|---|---|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Aluminate (AIO21-), barium (2:1) | - | Х | Х | - | 234-445-9 | Х | - | - | - | | - | KE-09682 |

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

National Regulations

SECTION 16. OTHER INFORMATION

Prepared By Revision Date Revision Summary Health, Safety and Environmental Department 01-May-2024 New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Legend

Barium aluminum oxide

| CAS - Chemical Abstracts Service | TSCA - United States Toxic Substances Control Act Section 8(b) Inventory |
|---|---|
| EINECS/ELINCS - European Inventory of Existing Commercial Chemica | , |
| Substances/EU List of Notified Chemical Substances | Substances List |
| PICCS - Philippines Inventory of Chemicals and Chemical Substances | ENCS - Japanese Existing and New Chemical Substances |
| IECSC - Chinese Inventory of Existing Chemical Substances | AICS - Australian Inventory of Chemical Substances |
| KECL - Korean Existing and Evaluated Chemical Substances | NZIOC - New Zealand Inventory of Chemicals |
| WEL - Workplace Exposure Limit | TWA - Time Weighted Average |
| ACGIH - American Conference of Governmental Industrial Hygienists | IARC - International Agency for Research on Cancer |
| DNEL - Derived No Effect Level | PNEC - Predicted No Effect Concentration |
| RPE - Respiratory Protective Equipment | LD50 - Lethal Dose 50% |
| LC50 - Lethal Concentration 50% | EC50 - Effective Concentration 50% |
| NOEC - No Observed Effect Concentration | POW - Partition coefficient Octanol:Water |
| PBT - Persistent, Bioaccumulative, Toxic | vPvB - very Persistent, very Bioaccumulative |
| ICAO/IATA - International Civil Aviation Organization/International Air Transport Association | IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code |
| ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road | MARPOL - International Convention for the Prevention of Pollution from Ships |
| OECD - Organisation for Economic Co-operation and Development | ATE - Acute Toxicity Estimate |
| OECD - Organisation for Economic Co-operation and Development | VOC - (Volatile Organic Compound) |

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet