

ALFAA36187

# Sodium selenide

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	硒化钠
Product Description:	Sodium selenide
Cat No. :	<b>36187</b>
CAS No	1313-85-5
Molecular Formula	Na2 Se
Supplier	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	For information <b>US</b> call: 001-800-227-6701 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US</b> :001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99 <b>CHEMTREC</b> Tel. No. <b>US</b> :001-800-424-9300 / <b>Europe:</b> 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical State Solid Crystalline	<b>Appearance</b> Grey - Pink	

Odor No information available

**Emergency Overview** 

Toxic if swallowed. Toxic if inhaled. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects. Moisture sensitive. Air sensitive. Hygroscopic.

#### Classification of the substance or mixture

Acute Oral Toxicity	Category 3
Acute Inhalation Toxicity - Dusts and Mists	Category 3
Specific target organ toxicity - (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Label Elements



### Sodium selenide

### Signal Word

Danger

#### **Hazard Statements**

H373 - May cause damage to organs through prolonged or repeated exposure H410 - Very toxic to aquatic life with long lasting effects H301 + H331 - Toxic if swallowed or if inhaled

## **Precautionary Statements**

#### Prevention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area **Response**P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P311 - Call a POISON CENTER or doctor
P330 - Rinse mouth **Storage**P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up **Disposal**P501 - Dispose of contents/ container to an approved waste disposal plant

**Physical and Chemical Hazards** 

# Hygroscopic.

# Health Hazards

Toxic if swallowed. Toxic if inhaled. May cause damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

Very toxic to aquatic life with long lasting effects. Is not likely mobile in the environment. Decomposes in contact with water.

This product does not contain any known or suspected endocrine disruptors.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Sodium selenide (Na2Se)	1313-85-5	<=100

## **SECTION 4. FIRST AID MEASURES**

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Most important symptoms and effects

None reasonably foreseeable.

### Sodium selenide

### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### Notes to Physician

Treat symptomatically.

# **SECTION 5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Not combustible.

Extinguishing media which must not be used for safety reasons No information available.

#### **Specific Hazards Arising from the Chemical**

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

## Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

#### Storage

Store under an inert atmosphere. Keep container tightly closed in a dry and well-ventilated place. Protect from moisture.

#### Specific Use(s)

Use in laboratories

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control Parameters**

## Sodium selenide

Component	China	Taiwan	Thailand	Hong Kong
Sodium selenide (Na2Se)	-	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	-

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Sodium selenide (Na2Se)	TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 0.2	IDLH: 1 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup> 15	
		mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	min	
				TWA: 0.1 mg/m <sup>3</sup> 8 hr	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

## Exposure Controls

## Engineering Measures

Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (European standard - EN 166)

## Hand Protection Protective gloves

Glove material     Breakthrough time     Glove thickness     EU standard     Glove comments       Natural rubber     See manufacturers     -     EN 374     (minimum requirement)       Nitrile rubber     recommendations     -     EN 374     (minimum requirement)       Neoprene     PVC     -     -     EN 374     -
---

# Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

## Sodium selenide

## Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Physical State	Grey - Pink Solid Crystalline	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	No information available No data available No information available > 875 °C / 1607 °F No data available No information available No information available Not applicable No information available No data available	<b>Method -</b> No information available Solid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents	No data available Not applicable 2.625 g/cm3 No data available Decomposes in contact with water No information available	Solid @ 20 °C
Partition Coefficient (n-octanol/wa Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties		Solid
Molecular Formula Molecular Weight	Na2 Se 124.94	

# **SECTION 10. STABILITY AND REACTIVITY**

ic.

Stability	Air sensitive. Moisture sensitive. Hygroscopi
Hazardous Reactions Hazardous Polymerization	None under normal processing. No information available.
Conditions to Avoid	Exposure to moist air or water.
Materials to avoid	Acids. Water. Oxidizing agent.

Hazardous Decomposition Products Selenium oxide. Sodium oxides. Hydrogen selenide.

# SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

# Sodium selenide

(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	Category 2
Target Organs	Liver.
(j) aspiration hazard;	Not applicable Solid
Symptoms / effects,both acute and delayed	No information available
	SECTION 12. ECOLOGICAL INFORMATION
Ecotoxicity effects	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Reacts with water so no ecotoxicity data for the substance is available. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.
Persistence and Degradability Persistence Degradability Degradation in sewage	Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary May persist, based on information available. Not relevant for inorganic substances, Decomposes in contact with water.
treatment plant	Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. Decomposes in contact with water.
	-
treatment plant	water treatment plants. Decomposes in contact with water. Product has a high potential to bioconcentrate; Product does not bioaccumulate due to
treatment plant Bioaccumulative Potential	water treatment plants. Decomposes in contact with water. Product has a high potential to bioconcentrate; Product does not bioaccumulate due to reaction with water

# SECTION 13. DISPOSAL CONSIDERATIONS

# Sodium selenide

Waste from Residues/Unused Products	Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

# SECTION 14. TRANSPORT INFORMATION

## Road and Rail Transport

UN-No Proper Shipping Name Technical Shipping Name Hazard Class Packing Group	UN3283 SELENIUM COMPOUND, SOLID, N.O.S. (Sodium selenide) 6.1 II
IMDG/IMO	
UN-No Proper Shipping Name Technical Shipping Name Hazard Class Packing Group	UN3283 SELENIUM COMPOUND, SOLID, N.O.S. (Sodium selenide) 6.1 II
IATA	
UN-No	LIN3283

UN-NoUN3283Proper Shipping NameSELENIUM COMPOUND, SOLID, N.O.S.Technical Shipping Name(Sodium selenide)Hazard Class6.1Packing GroupII

**Special Precautions for User** 

No special precautions required

# **SECTION 15. REGULATORY INFORMATION**

### **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Inventory of Hazardous Chemicals (2015 Edition)	goods GB										
Sodium selenide (Na2Se)	-	Х	X	-	215-212-0	Х	-	-	-		-	KE-12375

## **National Regulations**

Sodium selenide

## **SECTION 16. OTHER INFORMATION**

Prepared ByHealth, Safety and EnvironmeRevision Date01-May-2024Revision SummaryNew emergency telephone re	
---	--

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

#### Legend

CAS - Chemical Abstracts Service	<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory
<b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances <b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances <b>IECSC</b> - Chinese Inventory of Existing Chemical Substances	I DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances
<b>KECL</b> - Korean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit	TWA - Time Weighted Average
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	PNEC - Predicted No Effect Concentration
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%
NOEC - No Observed Effect Concentration	<b>POW</b> - Partition coefficient Octanol:Water
<b>PBT</b> - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative

Dangerous Goods Code

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

MARPOL - International Convention for the Prevention of Pollution from Ships
 ATE - Acute Toxicity Estimate
 VOC - (Volatile Organic Compound)

IMO/IMDG - International Maritime Organization/International Maritime

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of Safety Data Sheet