

Page 1 / 8 Creation Date 24-Nov-2010 Revision Date 07-Mar-2024 Version 3

ALFAA40402

# Platinum(IV) oxide, anhydrous

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	氧化铂(IV),无水, PremionTM, 99.95% (metals basis), Pt 84.4%最低
Product Description:	Platinum(IV) oxide, anhydrous
Cat No. :	<b>40402</b>
Synonyms	Adams` catalyst
CAS No	1314-15-4
Molecular Formula	O2 Pt
Supplier	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	For information <b>US</b> call: 001-800-227-6701 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US:</b> 001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99 <b>CHEMTREC</b> Tel. No. <b>US:</b> 001-800-424-9300 / <b>Europe:</b> 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical State	
Powder Solid	

Appearance Brown Odor No information available

**Emergency Overview** May cause fire or explosion; strong oxidizer.

## Classification of the substance or mixture

Oxidizing solids

Label Elements



Signal Word

Danger

Hazard Statements H271 - May cause fire or explosion; strong oxidizer Category 1

## Platinum(IV) oxide, anhydrous

## **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P220 - Keep away from clothing and other combustible materials

P221 - Take any precaution to avoid mixing with combustibles

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P283 - Wear fire resistant or flame retardant clothing

#### Response

P306 + P360 - IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P371 + P380 + P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion

# Storage

P403 - Store in a well-ventilated place

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### Physical and Chemical Hazards

Oxidizing. Contact with combustible material may cause fire.

#### Health Hazards

The product contains no substances which at their given concentration are considered to be hazardous to health.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil.

This product does not contain any known or suspected endocrine disruptors.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Platinum oxide (PtO2)	1314-15-4	>95

## **SECTION 4. FIRST AID MEASURES**

#### General Advice

If symptoms persist, call a physician.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

#### Most important symptoms and effects

None reasonably foreseeable.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### Notes to Physician

Treat symptomatically.

Platinum(IV) oxide, anhydrous

# SECTION 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

# Extinguishing media which must not be used for safety reasons

No information available.

### Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire. After use: spent catalysts may become explosive. Keep product and empty container away from heat and sources of ignition. May ignite combustibles (wood paper, oil, clothing, etc.).

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

### **Environmental Precautions**

Should not be released into the environment.

### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing. Keep away from clothing and other combustible materials.

#### Storage

Do not store near combustible materials. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### Specific Use(s)

Use in laboratories

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control Parameters**

#### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

### Exposure Controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the

# Platinum(IV) oxide, anhydrous

workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

## Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)							
Hand Protection	Protective gloves							
Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Appearance Physical State	Brown Powder Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	No information available No data available No information available No information available No data available No information available No information available Not applicable No information available No data available	<b>Method -</b> No information available Solid
Vapor Pressure Vapor Density Specific Gravity / Density	negligible Not applicable No data available	Solid

# Platinum(IV) oxide, anhydrous

Bulk Density Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wa	No data available Insoluble No information available	
Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	Not applicable 450 °C Not applicable No information available Oxidizer	Solid
Molecular Formula Molecular Weight	O2 Pt 227.09	

# SECTION 10. STABILITY AND REACTIVITY

Stability	Oxidizer: Contact with combustible/organic material may cause fire.					
Hazardous Reactions Hazardous Polymerization	None under normal processing. Hazardous polymerization does not occur.					
Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat. Combustible material.					
Materials to avoid	Strong oxidizing agents. Metals. Strong reducing agents. Combustible material.					

Hazardous Decomposition Products No information available.

	SECTION 11. TOXICOLOGICAL INFORMATION
Product Information (a) acute toxicity;	No acute toxicity information is available for this product
(b) skin corrosion/irritation;	No data available
(c) serious eye damage/irritation;	No data available
(d) respiratory or skin sensitization Respiratory Skin	No data available No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.

# Platinum(IV) oxide, anhydrous

(j) aspiration hazard;	Not applicable
(),	Solid
Other Adverse Effects	The toxicological properties have not been fully investigated.
Symptoms / effects,both acute and delayed	No information available
	SECTION 12. ECOLOGICAL INFORMATION
Ecotoxicity effects	
Persistence and Degradability Persistence Degradability	Insoluble in water. Not relevant for inorganic substances.
Bioaccumulative Potential	May have some potential to bioaccumulate
Mobility in soil	Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility
Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance
	SECTION 13. DISPOSAL CONSIDERATIONS
Waste from Residues/Unused Products	<b>SECTION 13. DISPOSAL CONSIDERATIONS</b> Dispose of in accordance with local regulations. After use: spent catalysts may become explosive. Risk of ignition. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste.
	Dispose of in accordance with local regulations. After use: spent catalysts may become explosive. Risk of ignition. Waste is classified as hazardous. Dispose of in accordance with
Products	Dispose of in accordance with local regulations. After use: spent catalysts may become explosive. Risk of ignition. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste.
Products Contaminated Packaging	Dispose of in accordance with local regulations. After use: spent catalysts may become explosive. Risk of ignition. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of this container to hazardous or special waste collection point. Waste codes should be assigned by the user based on the application for which the product
Products Contaminated Packaging Other Information	Dispose of in accordance with local regulations. After use: spent catalysts may become explosive. Risk of ignition. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of this container to hazardous or special waste collection point. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.
Products Contaminated Packaging	Dispose of in accordance with local regulations. After use: spent catalysts may become explosive. Risk of ignition. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of this container to hazardous or special waste collection point. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.
Products Contaminated Packaging Other Information Road and Rail Transport UN-No Proper Shipping Name Technical Shipping Name Hazard Class	Dispose of in accordance with local regulations. After use: spent catalysts may become explosive. Risk of ignition. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of this container to hazardous or special waste collection point. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. <b>SECTION 14. TRANSPORT INFORMATION</b> UN1479 Oxidizing solid, n.o.s. Platinum dioxide

## Platinum(IV) oxide, anhydrous

## <u>IATA</u>

UN-No	UN1479
Proper Shipping Name	Oxidizing solid, n.o.s.
Technical Shipping Name	Platinum dioxide
Hazard Class	5.1
Packing Group	I

Special Precautions for User

No special precautions required

## **SECTION 15. REGULATORY INFORMATION**

### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
		dangerous goods GB 12268 - 2012										
Platinum oxide (PtO2)	-	-	X	Х	215-223-0	Х	Х	Х	Х	Х	Х	KE-28820

## **National Regulations**

# **SECTION 16. OTHER INFORMATION**

Prepared By	Health, Safety and Environmental Department
Creation Date	24-Nov-2010
Revision Date	07-Mar-2024
Revision Summary	New emergency telephone response service provider.

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

# Legend

CAS - Chemical Abstracts Service	<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	,
WEL - Workplace Exposure Limit	TWA - Time Weighted Average
<b>ACGIH</b> - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	PNEC - Predicted No Effect Concentration
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water

Platinum(IV) oxide, anhydrous

## PBT - Persistent, Bioaccumulative, Toxic

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**