

ALFAA41105

Tellurium(IV) ethoxide

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| 产品说明: | 四乙氧基碲(IV), tech. 85%, 剩余物为乙醇 |
|----------------------------|---|
| Product Description: | Tellurium(IV) ethoxide |
| Cat No. : | 41105 |
| CAS No | 2017-01-8 |
| Molecular Formula | Te(OC2 H5)4 |
| Supplier | Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608 |
| Emergency Telephone Number | For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe: 001-703-527-3887 |
| E-mail address | begel.sdsdesk@thermofisher.com |
| Recommended Use | Laboratory chemicals. |
| Uses advised against | No Information available |

SECTION 2. HAZARD IDENTIFICATION

| Physical State |
|-----------------------|
| Liquid |

Appearance Dark yellow Odor Alcohol

Category 3

Emergency Overview Flammable liquid and vapor.

Classification of the substance or mixture

Flammable liquids.

Label Elements



Signal Word

Warning

Hazard Statements H226 - Flammable liquid and vapor

Tellurium(IV) ethoxide

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

- P242 Use non-sparking tools
- P243 Take action to prevent static discharges

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Flammable liquid. Vapors may cause flash fire or explosion.

Health Hazards

The product contains no substances which at their given concentration are considered to be hazardous to health.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its volatility. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS No | Weight % |
|------------------------|-----------|----------|
| Tellurium(IV) ethoxide | 2017-01-8 | <=100 |

SECTION 4. FIRST AID MEASURES

General Advice

If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

Ingestion

Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

Tellurium(IV) ethoxide

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Storage

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Tellurium(IV) ethoxide

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

| Eye Protection | Wear safety glasses with side shields (or goggles) | (European standard - EN 166) |
|----------------|--|------------------------------|
| | | |

Hand Protection Protective gloves

| Glove material Nitrile rubber Neoprene Natural rubber PVC | Breakthrough time See manufacturers recommendations | Glove thickness | EU standard EN 374 | Glove comments (minimum requirement) |
|---|---|-----------------|-----------------------|---|
|---|---|-----------------|-----------------------|---|

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Skin and body protection | Long sleeved clothing |
|---------------------------------|---|
| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted |
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. |
| Environmental exposure controls | No information available. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance Physical State | Dark yellow Liquid | |
|--|---|--|
| Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point | Alcohol No data available No information available < 0 °C / 32 °F No data available 88 - 90 °C / 190.4 - 194 °F 27 °C / 80.6 °F | Method - No information available |

Tellurium(IV) ethoxide

| Evaporation Rate Flammability (solid,gas) | No data available Not applicable | Liquid |
|--|-------------------------------------|--|
| Explosion Limits | No data available | - 1 |
| Vapor Pressure | No data available | |
| Vapor Density | No data available | (Air = 1.0) |
| Specific Gravity / Density | 1.52 g/cm3 | @ 20 °C |
| Bulk Density | Not applicable | Liquid |
| Water Solubility | No information available | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/v | vater) | |
| Autoignition Temperature | No data available | |
| Decomposition Temperature | No data available | |
| Viscosity | No data available | |
| Explosive Properties | | explosive air/vapour mixtures possible |
| Oxidizing Properties | No information available | |
| Molecular Formula Molecular Weight | Te(OC2 H5)4 307.84 | |
| | JU1.07 | |

SECTION 10. STABILITY AND REACTIVITY

| Stability | Stable under normal conditions. |
|---|---|
| Hazardous Reactions Hazardous Polymerization | None under normal processing. No information available. |
| Conditions to Avoid | Keep away from open flames, hot surfaces and sources of ignition. |
| Materials to avoid | No information available. |

Hazardous Decomposition Products None under normal use conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

| Product miormation | Product | Information |
|--------------------|---------|-------------|
|--------------------|---------|-------------|

- (a) acute toxicity;(b) skin corrosion/irritation;No data available(c) serious eye damage/irritation;No data available(d) respiratory or skin sensitization;
Respiratory
SkinNo data available
No data available
No data available(e) germ cell mutagenicity;No data available
- (f) carcinogenicity; No data available
 - There are no known carcinogenic chemicals in this product
- (g) reproductive toxicity; No data available

(h) STOT-single exposure;

SAFETY DATA SHEET

Tellurium(IV) ethoxide

| (i) STOT-repeated exposure; | No data available |
|--|---|
| Target Organs | No information available. |
| (i) conjustion horord. | No data available |
| (j) aspiration hazard; | no data avaliable |
| Symptoms / effects,both acute and delayed | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| | SECTION 12. ECOLOGICAL INFORMATION |
| | |
| Ecotoxicity effects | Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. |
| | |
| | |
| Persistence and Degradability Persistence | No information available Persistence is unlikely, based on information available. |
| Bioaccumulative Potential | Bioaccumulation is unlikely |
| Bioaccumulative Potential | |
| | The product contains valatile organic compounds (1/OC) which will even active from all |
| Mobility in soil | The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces Will likely be mobile in the environment due to its volatility Disperses rapidly in air |
| Endocrine Disruptor Information | This product does not contain any known or supported and arised disruptors |
| Persistent Organic Pollutant | This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance |
| Ozone Depletion Potential | This product does not contain any known or suspected substance |
| | SECTION 13. DISPOSAL CONSIDERATIONS |
| | |

No data available

Waste from Residues/Unused Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Products **Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

| UN-No Proper Shipping Name | UN1993 Flammable liquid, n.o.s. |
|-------------------------------|------------------------------------|
| Technical Shipping Name | (Tellurium(IV) ethoxide, ethanol) |
| Hazard Class | 3 |
| Packing Group | III |

Tellurium(IV) ethoxide

IMDG/IMO

| UN-No | UN1993 |
|------------------------------|-----------------------------------|
| Proper Shipping Name | Flammable liquid, n.o.s. |
| Technical Shipping Name | (Tellurium(IV) ethoxide, ethanol) |
| Hazard Class | 3 |
| Packing Group | III |
| IATA | |
| UN-No | UN1993 |
| Proper Shipping Name | Flammable liquid, n.o.s. |
| Technical Shipping Name | (Tellurium(IV) ethoxide, ethanol) |
| Hazard Class | 3 |
| Packing Group | III |
| Special Precautions for User | No special precautions required |

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| | | List of dangerous | TCSI | IECSC | EINECS | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL |
|------------------------|---|-----------------------------|------|-------|--------|------|-----|-------|------|------|------|------|
| | Hazardous Chemicals (2015 Edition) | goods GB 12268 - 2012 | | | | | | | | | | |
| Tellurium(IV) ethoxide | - | - | Х | - | - | - | - | - | - | | - | - |

National Regulations

SECTION 16. OTHER INFORMATION

| Prepared By | Health, Safety and Environmental Department |
|------------------|--|
| Revision Date | 01-May-2024 |
| Revision Summary | New emergency telephone response service provider. |

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Legend

| CAS - Chemical Abstracts Service | TSCA - United States Toxic Substances Control Act Section 8(b) |
|--|---|
| | Inventory |
| EINECS/ELINCS - European Inventory of Existing Commercial Chemical | DSL/NDSL - Canadian Domestic Substances List/Non-Domestic |
| Substances/EU List of Notified Chemical Substances | Substances List |
| PICCS - Philippines Inventory of Chemicals and Chemical Substances | ENCS - Japanese Existing and New Chemical Substances |
| IECSC - Chinese Inventory of Existing Chemical Substances | AICS - Australian Inventory of Chemical Substances |
| KECL - Korean Existing and Evaluated Chemical Substances | NZIOC - New Zealand Inventory of Chemicals |

Tellurium(IV) ethoxide

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

 $\ensuremath{\text{OECD}}$ - Organisation for Economic Co-operation and Development $\ensuremath{\text{BCF}}$ - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

TWA - Time Weighted Average IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet