

ALFAA41986

Potassium hydrogen iodate, primary standard

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	氢碘酸钾
Product Description:	Potassium hydrogen iodate, primary standard
Cat No. :	41986
Synonyms	Iodic acid (HIO3), potassium salt (2:1).; Potassium biiodate
CAS No	13455-24-8
Molecular Formula	H I2 K O6
Supplier	Alfa Aesar Avocado Research Chemicals, Ltd. Shore Road Port of Heysham Industrial Park Heysham, Lancashire LA3 2XY United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	Call Carechem 24 at +44 (0) 1865 407333 (English only); +44 (0) 1235 239670 (Multi-language)
E-mail address	uktech@alfa.com www.alfa.com Product Safety Department
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical State Solid	Appearance Off-white	Odor Odorless
	Emergency Overview	
May intensify fire; oxidizer. Ca	uses severe skin burns and eye damage. H	ygroscopic. Sensitivity to light.

Classification of the substance or mixture

Oxidizing solids	Category 2
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1

Label Elements



Potassium hydrogen iodate, primary standard

Signal Word

Danger

Hazard Statements

H272 - May intensify fire; oxidizer H314 - Causes severe skin burns and eye damage

Precautionary Statements

Prevention

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P220 - Keep/Store away from clothing/ combustible materials

P221 - Take any precaution to avoid mixing with combustibles

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Oxidizing. Contact with combustible material may cause fire. Hygroscopic.

Health Hazards

Corrosive. Causes skin and eye burns.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

Other Hazards

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
lodic acid (HIO3), potassium salt (2:1)	13455-24-8	>95

SECTION 4. FIRST AID MEASURES

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately. Do not use

Potassium hydrogen iodate, primary standard

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Ingestion

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.

Most important symptoms and effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

Environmental Precautions

Should not be released into the environment. Do not allow material to contaminate ground water system.

Methods for Containment and Clean Up

Avoid dust formation. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from clothing and other combustible materials.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Corrosives area.

Potassium hydrogen iodate, primary standard

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)
Hand Protection	Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber Nitrile rubber	See manufacturers recommendations	-	EN 374	(minimum requirement)
Neoprene	recommendations			

PVC Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

Potassium hydrogen iodate, primary standard

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State	Off-white Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point	Odorless No data available 1-2 No data available No data available	5% aq. sol
Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	No information available No information available Not applicable No information available No data available	Method - No information available Solid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents	No information available Not applicable No data available No data available 13 g/l@15°C No information available	Solid
Partition Coefficient (n-octanol/wat Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	ter) No data available No data available Not applicable No information available Oxidizer	Solid
Molecular Formula Molecular Weight	H I2 K O6 389.9	

SECTION 10. STABILITY AND REACTIVITY

Stability	Oxidizer: Contact with combustible/organic material may cause fire. Hygroscopic. Light sensitive.
Hazardous Reactions Hazardous Polymerization	None under normal processing. Hazardous polymerization does not occur.
Conditions to Avoid	Incompatible products. Excess heat. Combustible material. Avoid dust formation. Exposure to moist air or water. Exposure to light.
Materials to avoid	Strong oxidizing agents. Reducing Agent. Sulfides. Finely powdered metals. Strong reducing agents. Combustible material.

Hazardous Decomposition Products Potassium oxides. Hydrogen iodide.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

Potassium hydrogen iodate, primary standard

(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available	
(e) germ cell mutagenicity;	No data available	
(f) carcinogenicity;	No data available	
	There are no known carcinogenic chemicals in this product	
(g) reproductive toxicity;	No data available	
(h) STOT-single exposure;	No data available	
(i) STOT-repeated exposure;	No data available	
Target Organs	No information available.	
(j) aspiration hazard;	Not applicable Solid	
Other Adverse Effects	The toxicological properties have not been fully investigated.	
Symptoms / effects,both acute and delayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	
	SECTION 12. ECOLOGICAL INFORMATION	
Ecotoxicity effects		
Ecotoxicity effects Persistence and Degradability Persistence Degradability	SECTION 12. ECOLOGICAL INFORMATION	
Persistence and Degradability Persistence	Soluble in water, Persistence is unlikely, based on information available.	
Persistence and Degradability Persistence Degradability	SECTION 12. ECOLOGICAL INFORMATION Do not empty into drains. Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances.	
Persistence and Degradability Persistence Degradability Bioaccumulative Potential	SECTION 12. ECOLOGICAL INFORMATION Do not empty into drains. Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. Bioaccumulation is unlikely The product is water soluble, and may spread in water systems Will likely be mobile in the	
Persistence and Degradability Persistence Degradability Bioaccumulative Potential Mobility in soil Endocrine Disruptor Information Persistent Organic Pollutant	SECTION 12. ECOLOGICAL INFORMATION Do not empty into drains. Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. Bioaccumulation is unlikely The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance	

Potassium hydrogen iodate, primary standard

Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

UN-No	UN3085
Proper Shipping Name	Oxidizing solid, corrosive, n.o.s.
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	II

IMDG/IMO

UN-No	UN3085
Proper Shipping Name	Oxidizing solid, corrosive, n.o.s.
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	II

<u>IATA</u>

UN-No Proper Shipping Name	UN3085 OXIDIZING SOLID, CORROSIVE, N.O.S.*
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	II

Special Precautions for User

No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Inventory of Hazardous Chemicals (2015 Edition)	•										
lodic acid (HIO3), potassium salt (2:1)	Х	-	Х	Х	236-650-9	Х	Х	Х	Х	Х	Х	KE-29130

National Regulations

SECTION 16. OTHER INFORMATION

Prepared By Creation Date Health, Safety and Environmental Department 26-Jan-2010

Potassium hydrogen iodate, primary standard

Revision Date	22-Jan-2021						
Revision Summary	Not applicable.						
Training Advice							
Chemical hazard awareness training, hygiene.	incorporating labelling, Sa	afety Data Sheets (SDS), Personal Protective Equipment (PPE) and					
	, covering appropriate sele	ection, compatibility, breakthrough thresholds, care, maintenance, fit					
First aid for chemical exposure, includ	ling the use of eye wash a	nd safety showers.					
Legend							
CAS - Chemical Abstracts Service		TSCA - United States Toxic Substances Control Act Section 8(b) Inventory					
EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances							
PICCS - Philippines Inventory of Chemical		ENCS - Japanese Existing and New Chemical Substances					
IECSC - Chinese Inventory of Existing Che		AICS - Australian Inventory of Chemical Substances					
KECL - Korean Existing and Evaluated Ch	nemical Substances	NZIOC - New Zealand Inventory of Chemicals					
WEL - Workplace Exposure Limit		TWA - Time Weighted Average					
ACGIH - American Conference of Govern	mental Industrial Hygienists	IARC - International Agency for Research on Cancer					
DNEL - Derived No Effect Level		Predicted No Effect Concentration (PNEC)					
RPE - Respiratory Protective Equipment		LD50 - Lethal Dose 50%					
LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration	2	EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water					
PBT - Persistent, Bioaccumulative, Toxic	1	vPvB - very Persistent, very Bioaccumulative					
ADR - European Agreement Concerning t	he International Carriage of	ICAO/IATA - International Civil Aviation Organization/International Air					
Dangerous Goods by Road		Transport Association					
IMO/IMDG - International Maritime Organi. Dangerous Goods Code	MARPOL - International Convention for the Prevention of Pollution from Ships						
OECD - Organisation for Economic Co-op	eration and Development	ATE - Acute Toxicity Estimate					
BCF - Bioconcentration factor VOC (volatile organic compound)							

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet