

Page 1 / 8 Creation Date 13-Jan-2011 Revision Date 29-Apr-2024 Version 3

ALFAA87913

Thallium (III) trifluoroacetate

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| 产品说明: | 三氟乙酸铊(III), 95% |
|----------------------------|---|
| Product Description: | Thallium (III) trifluoroacetate |
| Cat No. : | 87913 |
| Synonyms | TTFA; Trifluoroacetic acid, thallium(III) salt |
| CAS No | 23586-53-0 |
| Molecular Formula | C6 F9 O6 TI |
| Supplier | Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608 |
| Emergency Telephone Number | For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe: 001-703-527-3887 |
| E-mail address | begel.sdsdesk@thermofisher.com |
| Recommended Use | Laboratory chemicals. |
| Uses advised against | No Information available |

SECTION 2. HAZARD IDENTIFICATION

| Physical State | Appearance | Odor |
|---|--|--------------|
| Powder Solid | Beige | vinegar-like |
| Fatal if swallowed. Fatal if inhaled. May cau | Emergency Overview use damage to organs through prolonged with long lasting effects. | |

Classification of the substance or mixture

| Acute Oral Toxicity | Category 2 |
|--|------------|
| Acute Inhalation Toxicity - Dusts and Mists | Category 2 |
| Specific target organ toxicity - (repeated exposure) | Category 2 |
| Chronic aquatic toxicity | Category 2 |

Label Elements



Thallium (III) trifluoroacetate

Signal Word

Danger

Hazard Statements

H373 - May cause damage to organs through prolonged or repeated exposure H411 - Toxic to aquatic life with long lasting effects H300 + H330 - Fatal if swallowed or if inhaled

Precautionary Statements

Prevention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P284 - Wear respiratory protection **Response**P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P310 - Immediately call a POISON CENTER or doctor
P330 - Rinse mouth **Storage**P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up **Disposal**P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards
None identified.
Health Hazards
Very toxic if swallowed. Fatal if inhaled. May cause damage to organs through prolonged or repeated exposure.
Environmental hazards
Toxic to aquatic life with long lasting effects.

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS No | Weight % |
|--|------------|----------|
| Acetic acid, trifluoro-, thallium(3+) salt | 23586-53-0 | >95 |

SECTION 4. FIRST AID MEASURES

Eye Contact

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention. Take off contaminated clothing and shoes immediately.

Inhalation

Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Immediate medical attention is required.

Ingestion

Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician immediately. If possible drink milk afterwards.

Most important symptoms and effects

No information available.

Self-Protection of the First Aider

Thallium (III) trifluoroacetate

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Avoid contact with skin and eves, Avoid contact with skin and clothing. Remove and wash contaminated clothing and gloves. including the inside, before re-use. Avoid breathing vapors or mists. Do not ingest. If swallowed then seek immediate medical assistance. Wash thoroughly after handling.

Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep locked up.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| Component | China | Taiwan | Thailand | Hong Kong |
|--------------------------|-------|--------|----------------------------|-----------|
| Acetic acid, trifluoro-, | - | - | TWA: 0.1 mg/m ³ | - |
| thallium(3+) salt | | | | |

| Component | ACGIH TLV | OSHA PEL | NIOSH | The United Kingdom | European Union |
|--------------------------|-----------------------------|----------|----------------------------|--------------------------------|----------------|
| Acetic acid, trifluoro-, | TWA: 0.02 mg/m ³ | Skin | IDLH: 15 mg/m ³ | STEL: 0.3 mg/m ³ 15 | |

Thallium (III) trifluoroacetate

| thallium(3+) salt | Skin | TWA: 0.1 mg/m ³ | min | |
|-------------------|------|----------------------------|---------------------------------|--|
| | | | TWA: 0.1 mg/m ³ 8 hr | |
| | | | Skin | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Exposure Controls

Engineering Measures

Ventilation systems. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

| Eye Protection | Goggles | (European standard | 1 - EN 166) | |
|--|---|----------------------|-----------------------|----|
| Hand Protection | Protectiv | /e gloves | | |
| Glove material Nitrile rubber Neoprene Natural rubber | Breakthrough time See manufacturers recommendations | Glove thickness - | EU standard EN 374 | (n |

Glove comments minimum requirement)

PVC Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Skin and body protection | Wear appropriate protective gloves and clothing to prevent skin exposure |
|---------------------------------|--|
| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted |
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. |
| Environmental exposure controls | Prevent product from entering drains. Do not allow material to contaminate ground water system. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance Physical State | Beige Powder Solid | |
|--------------------------------------|--------------------------|-----------------------------------|
| Odor | vinegar-like | |
| Odor Threshold | No data available | |
| рН | No information available | |
| Melting Point/Range | No data available | |
| Softening Point | No data available | |
| Boiling Point/Range | No information available | |
| Flash Point | No information available | Method - No information available |
| Evaporation Rate | Not applicable | Solid |
| Flammability (solid,gas) | No information available | |
| Explosion Limits | No data available | |
| Vapor Pressure | No data available | |
| Vapor Density | Not applicable | Solid |
| Specific Gravity / Density | No data available | |
| Bulk Density | No data available | |
| Water Solubility | No information available | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/wat | er) | |
| Autoignition Temperature | No data available | |
| Decomposition Temperature | No data available | |
| Viscosity | Not applicable | Solid |
| Explosive Properties | No information available | |
| Oxidizing Properties | No information available | |
| Molecular Formula | C6 F9 O6 TI | |
| | | |

SECTION 10. STABILITY AND REACTIVITY

| Stability | Stable under normal conditions. |
|---|--|
| Hazardous Reactions Hazardous Polymerization | No information available. No information available. |
| Conditions to Avoid | Incompatible products. |
| Materials to avoid | Strong oxidizing agents. |

543.42

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

Molecular Weight

(a) acute toxicity;

- (b) skin corrosion/irritation; No data available
- (c) serious eye damage/irritation; No data available
- (d) respiratory or skin sensitization; Respiratory No data available

Thallium (III) trifluoroacetate

| Skin | No data available |
|--|---|
| (e) germ cell mutagenicity; | No data available |
| (f) carcinogenicity; | No data available |
| | There are no known carcinogenic chemicals in this product |
| (g) reproductive toxicity; | No data available |
| (g) reproductive toxicity, | |
| (h) STOT-single exposure; | No data available |
| (i) STOT-repeated exposure; | Category 2 |
| Target Organs | Central nervous system (CNS), Liver, Lungs. |
| (j) aspiration hazard; | Not applicable Solid |
| Other Adverse Effects | The toxicological properties have not been fully investigated. |
| Symptoms / effects,both acute and delayed | No information available |
| | SECTION 12. ECOLOGICAL INFORMATION |
| Ecotoxicity effects | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. |
| Persistence and Degradability Degradation in sewage treatment plant | No information available Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. |
| Bioaccumulative Potential | No information available |
| Mobility in soil | No information available |
| Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential | This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance |
| | SECTION 13. DISPOSAL CONSIDERATIONS |
| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. |
| Other Information | Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this |
| | |

Thallium (III) trifluoroacetate

chemical enter the environment.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

IMDG/IMO

| UN-No | UN1707 |
|----------------------|---------------------------|
| Proper Shipping Name | THALLIUM COMPOUND, N.O.S. |
| Hazard Class | 6.1 |
| Packing Group | II |

IATA

| UN-No Proper Shipping Name | UN1707 THALLIUM COMPOUND, N.O.S. |
|-------------------------------|-------------------------------------|
| Hazard Class | 6.1 |
| Packing Group | II |

Special Precautions for User

No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component | | List of dangerous goods GB 12268 - 2012 | TCSI | IECSC | EINECS | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL |
|---|---|---|------|-------|-----------|------|-----|-------|------|------|------|------|
| Acetic acid, trifluoro-, thallium(3+) salt | - | Х | Х | Х | 245-761-1 | Х | - | Х | - | | х | - |

National Regulations

SECTION 16. OTHER INFORMATION

| Prepared By |
|-------------------------|
| Creation Date |
| Revision Date |
| Revision Summary |

Health, Safety and Environmental Department 13-Jan-2011 29-Apr-2024 New emergency telephone response service provider.

Training Advice Chemical incident response training.

Legend

Thallium (III) trifluoroacetate

| CAS - Chemical Abstracts Serv | ice |
|-------------------------------|-----|
|-------------------------------|-----|

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road **OECD** - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet