# **Thermo Fisher**

# SAFETY DATA SHEET

Page 1/9 Revision Date 08-May-2024 Version 3

ALFAA88070

# Holmium, AAS standard solution, Specpure®, Ho 1000µg/ml

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 钬, AAS标准溶液, Specpure®, Ho 1000 µg/m 1

**Product Description:** Holmium, AAS standard solution, Specpure®, Ho 1000µg/ml

Cat No.:

Molecular Formula Ho2 O3 in 5% HN O3

**Supplier** Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

**Emergency Telephone Number** For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

> Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

**Recommended Use** Laboratory chemicals. Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

**Physical State Appearance** Odor No information available Liquid Clear

**Emergency Overview** 

Causes severe skin burns and eye damage. May be corrosive to metals.

# Classification of the substance or mixture

Substances/mixtures corrosive to metal	Category 1
Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1

### **Label Elements**



Signal Word **Danger** 

**Hazard Statements** 

H290 - May be corrosive to metals

# Holmium, AAS standard solution, Specpure®, Ho 1000µg/ml

H314 - Causes severe skin burns and eye damage

#### **Precautionary Statements**

#### Prevention

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P390 - Absorb spillage to prevent material damage

P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### **Physical and Chemical Hazards**

May be corrosive to metals.

#### **Health Hazards**

Corrosive. Causes skin and eye burns. Causes serious eye damage.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Water	7732-18-5	94.89
Nitric acid% [C ≤ 70 %]	7697-37-2	5
Holmium oxide (Ho2O3)	12055-62-8	0.11

# **SECTION 4. FIRST AID MEASURES**

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### **Eve Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.

#### Inhalation

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

### Ingestion

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician

Page 3/9 Revision Date 08-May-2024

# Holmium, AAS standard solution, Specpure®, Ho 1000µg/ml

immediately.

#### Most important symptoms and effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

# **Notes to Physician**

Treat symptomatically.

# **SECTION 5. FIRE-FIGHTING MEASURES**

# **Suitable Extinguishing Media**

Not combustible. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

# Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### Storage

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

# Specific Use(s)

Use in laboratories

Page 4/9 Revision Date 08-May-2024

Holmium, AAS standard solution, Specpure®, Ho 1000µg/ml

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	China	Taiwan	Thailand	Hong Kong
Nitric acid% [C ≤ 70 %]	-	TWA: 2 ppm	TWA: 2 ppm	TWA: 2 ppm
		TWA: 5.2 mg/m <sup>3</sup>	• •	TWA: 5.2 mg/m <sup>3</sup>
		_		STEL: 4 ppm
				STEL: 10 mg/m <sup>3</sup>

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Nitric acid% [C ≤ 70 %]	TWA: 2 ppm	(Vacated) TWA: 2 ppm	IDLH: 25 ppm	STEL: 1 ppm 15 min	STEL: 1 ppm (15min)
	STEL: 4 ppm	(Vacated) TWA: 5	TWA: 2 ppm	STEL: 2.6 mg/m <sup>3</sup> 15	STEL: 2.6 mg/m <sup>3</sup>
		mg/m³	TWA: 5 mg/m <sup>3</sup>	min	(15min)
		(Vacated) STEL: 4	STEL: 4 ppm		
		ppm	STEL: 10 mg/m <sup>3</sup>		
		(Vacated) STEL: 10			
		mg/m³			
		TWA: 2 ppm			
		TWA: 5 mg/m <sup>3</sup>			

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

# **Monitoring methods**

MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry MDHS 99 Metals in air by ICP-AES

### **Exposure Controls**

### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

# Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
١	Neoprene	See manufacturers	-	EN 374	(minimum requirement)
١		recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use In case of insufficient ventilation, wear suitable respiratory equipment

Recommended Filter type: Acid gases filter

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

Page 5/9 Revision Date 08-May-2024

Holmium, AAS standard solution, Specpure®, Ho 1000µg/ml

limits are exceeded or if irritation or other symptoms are experienced.

Method - No information available

Liquid

(Air = 1.0)

Liquid

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** Clear **Physical State** Liquid

No information available Odor **Odor Threshold** No data available

pН

Melting Point/Range No data available **Softening Point** No data available **Boiling Point/Range** No information available **Flash Point** No information available

**Evaporation Rate** No data available Flammability (solid,gas) Not applicable

**Explosion Limits** No data available

23 hPa @ 20 °C **Vapor Pressure Vapor Density** No data available

Specific Gravity / Density No data available **Bulk Density** Not applicable

Water Solubility Miscible

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

log Pow Component Nitric acid ...% [C ≤ 70 %] -2.3

**Autoignition Temperature** No data available **Decomposition Temperature** No data available **Viscosity** No data available **Explosive Properties** No information available **Oxidizing Properties** No information available

Ho2 O3 in 5% HN O3 Molecular Formula

# **SECTION 10. STABILITY AND REACTIVITY**

Stability Stable under normal conditions.

**Hazardous Reactions** None under normal processing. **Hazardous Polymerization** No information available.

**Conditions to Avoid** None known. Materials to avoid Strong bases.

Hazardous Decomposition Products Nitrogen oxides (NOx). Metal oxides.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

**Product Information** 

Page 6/9 Revision Date 08-May-2024

Holmium, AAS standard solution, Specpure®, Ho 1000µg/ml

(a) acute toxicity;

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Nitric acid% [C ≤ 70 %]			LC50 = 2500 ppm. (Rat) 1h

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

No data available Respiratory No data available Skin

No data available (e) germ cell mutagenicity;

No data available (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

No data available (g) reproductive toxicity;

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

(j) aspiration hazard; No data available

delayed

Symptoms / effects, both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Contains a substance which is:. Harmful to aquatic organisms. The product contains

following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water

system.

Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

**Persistence** based on information available, May persist.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**Bioaccumulative Potential** May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Nitric acid% [C ≤ 70 %]	-2.3	No data available

Page 7 / 9 Revision Date 08-May-2024

Holmium, AAS standard solution, Specpure®, Ho 1000µg/ml

Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will

affect pH and harm aquatic organisms.

# **SECTION 14. TRANSPORT INFORMATION**

### Road and Rail Transport

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (NITRIC ACID)

Hazard Class 8
Packing Group

# IMDG/IMO

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (NITRIC ACID)

Hazard Class 8
Packing Group III

IATA

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (NITRIC ACID)

Hazard Class 8
Packing Group || ||

Special Precautions for User No special precautions required

### **SECTION 15. REGULATORY INFORMATION**

# International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Inventory of	dangerous										
	Hazardous	goods GB										
	Chemicals	12268 -										
	(2015	2012										
	Edition)											

Page 8 / 9 Revision Date 08-May-2024

# Holmium, AAS standard solution, Specpure®, Ho 1000µg/ml

Water	=	=	Х	Х	231-791-2	Х	Х	Х	Х		Х	KE-35400
Nitric acid% [C ≤ 70 %]	Х	Х	X	Х	231-714-2	Х	Х	Х	Х	Х	Х	KE-25911
Holmium oxide (Ho2O3)	-	-	X	X	235-015-3	Х	-	-	Х	Х	Х	KE-19961

# **National Regulations**

# **SECTION 16. OTHER INFORMATION**

Prepared By Health, Safety and Environmental Department

Revision Date 08-May-2024

**Revision Summary** New emergency telephone response service provider.

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

### Legend

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

**ENCS** - Japanese Existing and New Chemical Substances **AICS** - Australian Inventory of Chemical Substances

PNEC - Predicted No Effect Concentration

NZIoC - New Zealand Inventory of Chemicals

LD50 - Lethal Dose 50%

Substances List

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

 $\mbox{\bf MARPOL}$  - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

ALFAA88070

# **SAFETY DATA SHEET**

Page 9/9 Revision Date 08-May-2024

Holmium, AAS standard solution, Specpure®, Ho 1000µg/ml

materials or in any process, unless specified in the text

**End of Safety Data Sheet**