

SAFETY DATA SHEET

ALFAA88092

Samarium, AAS standard solution, Specpure®, Sm 1000µg/ml

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING


产品说明:	钐, A A S 标准溶液, Specpure TM , Sm 1000 /g /m 1
Product Description:	Samarium, AAS standard solution, Specpure®, Sm 1000µg/ml
Cat No. :	88092
Molecular Formula	Sm2 O3 in 5% HN O3
Supplier	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US: 001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US: 001-800-424-9300 / Europe: 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical State	Appearance	Odor
Liquid	Clear	No information available
Causes severe skin bur	Emergency Overview as and eye damage. May be corrosive to	o metals. Harmful if inhaled.

Classification of the substance or mixture

Substances/mixtures corrosive to metal	Category 1
Acute Inhalation Toxicity - Vapors	Category 4
Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1



Page 1

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

Precautionary Statements

Prevention

P234 - Keep only in original packaging

P271 - Use only outdoors or in a well-ventilated area

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P390 - Absorb spillage to prevent material damage

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

May be corrosive to metals.

Health Hazards

Corrosive. Causes skin and eye burns. Causes serious eye damage. Harmful if inhaled.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Water	7732-18-5	94.88
Nitric acid …% [C ≤ 70 %]	7697-37-2	5.00
Samarium oxide (Sm2O3)	12060-58-1	0.12

SECTION 4. FIRST AID MEASURES

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.

Inhalation

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

Ingestion

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.

Most important symptoms and effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Not combustible. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Storage

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	China	Taiwan	Thailand	Hong Kong
Nitric acid …% [C ≤ 70 %]	-	TWA: 2 ppm TWA: 5.2 mg/m³	TWA: 2 ppm	TWA: 2 ppm TWA: 5.2 mg/m ³ STEL: 4 ppm STEL: 10 mg/m ³

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Nitric acid% [C ≤ 70 %]	TWA: 2 ppm STEL: 4 ppm	(Vacated) TWA: 2 ppm (Vacated) TWA: 5 mg/m ³ (Vacated) STEL: 4 ppm (Vacated) STEL: 10 mg/m ³ TWA: 2 ppm TWA: 5 mg/m ³	IDLH: 25 ppm TWA: 2 ppm TWA: 5 mg/m ³ STEL: 4 ppm STEL: 10 mg/m ³	STEL: 1 ppm 15 min STEL: 2.6 mg/m ³ 15 min	STEL: 1 ppm (15min) STEL: 2.6 mg/m ³ (15min)

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Monitoring methods

MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry MDHS 99 Metals in air by ICP-AES

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)
Hand Protection	Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Neoprene	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	In case of insufficient ventilation, wear suitable respiratory equipment Recommended Filter type: Acid gases filter

Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State	Clear Liquid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range	No information available No data available <2 No data available No data available No information available	
Flash Point	No information available	Method - No information available
Evaporation Rate	No data available	
Flammability (solid,gas) Explosion Limits	Not applicable No data available	Liquid
Explosion Limits	No data avaliable	
Vapor Pressure	23 hPa @ 20 °C	
Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	No data available	1 famile
Bulk Density Water Solubility	Not applicable Miscible	Liquid
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wat	er)	
Component	log Pow	
Nitric acid …% [C ≤ 70 %]	-2.3	
Autoignition Temperature	No data available	
Decomposition Temperature Viscosity	No data available No data available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	
Molecular Formula	Sm2 O3 in 5% HN O3	

SECTION 10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Hazardous Reactions Hazardous Polymerization	None under normal processing. No information available.
Conditions to Avoid	None known.
Materials to avoid	Strong bases.

Hazardous Decomposition Products Nitrogen oxides (NOx). Metal oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity; Toxicology data for the components

Water - - Nitic acid % (5 ≤ 7%) -	Component	LD50 Oral	LD50 D	ermal	LC50 Inhalation		
Samarium oxide (Sm203) LD50 > 5 g/kg (Rat) (b) skin corrosion/irritation; Category 1 B (c) serious eye damage/irritation; Category 1 (d) respiratory or skin sensitization; No data available Skin No data available (e) germ cell mutagenicity; No data available (f) carcinogenicity; No data available (f) carcinogenicity; No data available (f) reproductive toxicity; No data available (g) reproductive toxicity; No data available (h) STOT-single exposure; No data available (i) STOT-repeated exposure; No data available Target Organs No information available. (j) aspiration hazard; No data available Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possibe perforation Sectoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Spec pre-treatment is necessary pre-treatment is necessary pre-treatment is necessary based on information available, May persist. Posgradation in sewage		-	-		-		
(b) skin corrosion/irritation; Category 1 B (c) serious eye damage/irritation; Category 1 (d) respiratory or skin sensitization; Respiratory Respiratory No data available Skin No data available (e) germ cell mutagenicity; No data available (f) carcinogenicity; No data available (f) carcinogenicity; No data available (g) reproductive toxicity; No data available (h) STOT-single exposure; No data available (f) STOT-repeated exposure; No data available Target Organs No information available. (j) aspiration hazard; No data available Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Prossible perforation of stomach or esophagus should be investigated'. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment must be avoided. Spec pre-treatment is necessary persist. Persistence and Degradability Product contains heavy metals. Discharge into the environment or not degradable in w water treatment plants. Bioaccumulative Potential May have some potential to bioaccumulate <th></th> <th></th> <th></th> <th></th> <th>LC50 = 2500 ppm. (Rat) 1h</th>					LC50 = 2500 ppm. (Rat) 1h		
(c) serious eye damage/irritation; Category 1 (d) respiratory or skin sensitization; Respiratory Skin No data available No data available (e) germ cell mutagenicity; No data available (f) carcinogenicity; No data available (f) reproductive toxicity; No data available (h) STOT-single exposure; No data available (h) STOT-repeated exposure; No data available (i) STOT-repeated exposure; No data available (j) aspiration hazard; No data available Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence and Degradability Prefutement is necessary Persistence Product contains heavy metals. Discharge into the environment or not degradable in w water treatment plants. Bioaccumulative Potential May h	Samarium oxide (Sm2O3)	LD50 > 5 g/kg (Rat)					
(d) respiratory or skin sensitization; Respiratory No data available No data available No data available (e) germ cell mutagenicity; No data available (f) carcinogenicity; No data available (g) reproductive toxicity; No data available (h) STOT-single exposure; No data available (i) STOT-repeated exposure; No data available (i) STOT-repeated exposure; No data available (i) aspiration hazard; No data available Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence persistence Degradability Product contains heavy metals. Discharge into the environment must be avoided. Speci pre-treatment is necessary based on information available, May persist. Degradation in sewage treatment plant. Bioaccumulative Potential May have some potential to bioaccumulate	(b) skin corrosion/irritation;	Category 1 B					
Respiratory Skin No data available No data available (e) germ cell mutagenicity; No data available (f) carcinogenicity; No data available There are no known carcinogenic chemicals in this product (g) reproductive toxicity; No data available (h) STOT-single exposure; No data available (h) STOT-repeated exposure; No data available (i) STOT-repeated exposure; No data available Target Organs No information available. (ii) aspiration hazard; No data available Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: lingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence pegradation in sewage treatment plant Product contains heavy metals. Discharge into the environment or not degradable in w water treatment plants. Bioaccumulative Potential May have some potential to bioaccumulate	(c) serious eye damage/irritation;	Category 1					
(f) carcinogenicity; No data available There are no known carcinogenic chemicals in this product (g) reproductive toxicity; No data available (h) STOT-single exposure; No data available (i) STOT-repeated exposure; No data available (i) aspiration hazard; No data available (j) aspiration hazard; No data available Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Speci pre-treatment is necessary Persistence Degradability Persistence and Degradability Product contains heavy metals. Discharge into the environment or not degradable in w water treatment plant. Bioaccumulative Potential May have some potential to bioaccumulate	Respiratory	No data available					
There are no known carcinogenic chemicals in this product (g) reproductive toxicity; No data available (h) STOT-single exposure; No data available (i) STOT-repeated exposure; No data available Target Organs No information available. (j) aspiration hazard; No data available Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Section 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence Degradability Presistence Degradability Product contains heavy metals. Discharge into the environment must be avoided. Specing pre-treatment is necessary Persistence Degradability Persistence Degradability Product contains heavy metals. Discharge into the environment or not degradable in w water treatment plants. Bioaccumulative Potential May have some potential to bioaccumulate	(e) germ cell mutagenicity;	No data available					
(g) reproductive toxicity; No data available (h) STOT-single exposure; No data available (i) STOT-repeated exposure; No data available (i) STOT-repeated exposure; No data available (j) aspiration hazard; No data available Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence Degradability Product contains heavy metals. Discharge into the environment must be avoided. Speci pre-treatment is necessary based on information available, May persist. Contains substances known to be hazardous to the environment or not degradable in w water treatment plants. Bioaccumulative Potential May have some potential to bioaccumulate	(f) carcinogenicity;	No data available					
(h) STOT-single exposure; No data available (i) STOT-repeated exposure; No data available Target Organs No information available. (j) aspiration hazard; No data available Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Speci pre-treatment is necessary based on information available, May persist. Contains substances known to be hazardous to the environment or not degradable in w water treatment plants. Bioaccumulative Potential May have some potential to bioaccumulate		There are no known carcinoge	enic chemicals ir	this product			
(i) STOT-repeated exposure; No data available Target Organs No information available. (j) aspiration hazard; No data available Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Speci pre-treatment is necessary based on information available, May persist. Contains substances known to be hazardous to the environment or not degradable in w water treatment plant. Bioaccumulative Potential May have some potential to bioaccumulate	(g) reproductive toxicity;	No data available					
Target OrgansNo information available.(j) aspiration hazard;No data availableSymptoms / effects,both acute and delayedProduct is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforationEcotoxicity effectsMay cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.Persistence and Degradability Degradation in sewage treatment plantProduct contains heavy metals. Discharge into the environment must be avoided. Speci pre-treatment is necessary based on information available, May persist. Contains substances known to be hazardous to the environment or not degradable in w water treatment plants.Bioaccumulative PotentialMay have some potential to bioaccumulate	(h) STOT-single exposure;	No data available					
(i) aspiration hazard; No data available Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Speci pre-treatment is necessary based on information available, May persist. Contains substances known to be hazardous to the environment or not degradable in w water treatment plant Bioaccumulative Potential May have some potential to bioaccumulate	(i) STOT-repeated exposure;	No data available					
Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Specific pre-treatment is necessary based on information available, May persist. Contains substances known to be hazardous to the environment or not degradable in w water treatment plant. Bioaccumulative Potential May have some potential to bioaccumulate	Target Organs	No information available.					
delayed Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Specific pre-treatment is necessary based on information available, May persist. Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in w water treatment plants. Bioaccumulative Potential May have some potential to bioaccumulate	(j) aspiration hazard;	No data available					
Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Speci pre-treatment is necessary based on information available, May persist. Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in w water treatment plants. Bioaccumulative Potential May have some potential to bioaccumulate		Possible perforation of stomad	ch or esophagus	should be inve	estigated: Ingestion causes		
Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Specing pre-treatment is necessary based on information available, May persist. Contains substances known to be hazardous to the environment or not degradable in w water treatment plant Bioaccumulative Potential May have some potential to bioaccumulate		SECTION 12. ECOLOGIC	AL INFORMA	TION			
Persistence Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in w Bioaccumulative Potential May have some potential to bioaccumulate	Ecotoxicity effects						
· · ·	Persistence Degradation in sewage	pre-treatment is necessary based on information available Contains substances known to	e, May persist.				
Component log Pow Bioconcentration factor (BCF)	Bioaccumulative Potential	May have some potential to bi	oaccumulate				
	Component	log Pow		Bioco	ncentration factor (BCF)		

SAFETY DATA SHEET

Samarium, AAS standard solution, Specpure®, Sm 1000µg/ml

Nitric acid …% [C ≤ 70 %]	-2.3	No data available
Mobility in soil	The product is water soluble, and may spread environment due to its water solubility Highly	
Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or se This product does not contain any known or se This product does not contain any known or se	uspected substance
	SECTION 13. DISPOSAL CONSIDERAT	IONS
Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of i on waste and hazardous waste. Dispose of in	
Contaminated Packaging	Dispose of this container to hazardous or spec	cial waste collection point.
Other Information	Waste codes should be assigned by the user was used. Do not empty into drains. Do not flu and harm aquatic organisms.	based on the application for which the product ish to sewer. Large amounts will affect pH
	SECTION 14. TRANSPORT INFORMA	ΓΙΟΝ

Road and Rail Transport

UN-No	UN3264
Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s.
Technical Shipping Name	(NITRIC ACID)
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN3264
Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s.
Technical Shipping Name	(NITRIC ACID)
Hazard Class	8
Packing Group	III
IATA	
UN-No	UN3264
Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s.
Technical Shipping Name	(NITRIC ACID)
Hazard Class	8
Packing Group	III
• · · • · · · ·	N N N

Special Precautions for User

No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Inventory of Hazardous	•										
	Chemicals	ັ12268 -										

SAFETY DATA SHEET

Samarium, AAS standard solution, Specpure®, Sm 1000µg/ml

	(2015 Edition)	2012										
Water	-	-	Х	Х	231-791-2	Х	Х	Х	Х		Х	KE-35400
Nitric acid …% [C ≤ 70 %]	Х	Х	Х	Х	231-714-2	Х	Х	Х	Х	Х	Х	KE-25911
Samarium oxide (Sm2O3)	-	-	Х	Х	235-043-6	Х	Х	-	X	X	Х	KE-30864

National Regulations

SECTION 16. OTHER INFORMATION

Prepared By	Health, Safety and Environmental Department
Revision Date	09-May-2024
Revision Summary	New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Legend

CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer PNEC - Predicted No Effect Concentration LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative
ICAO/IATA - International Civil Aviation Organization/International Air Transport Association ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data	IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Physical hazards
Health Hazards
Environmental hazards

On basis of test data Calculation method Calculation method

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet