# Thermo Fisher SCIENTIFIC

## SAFETY DATA SHEET

Page 1/8
Revision Date 26-Apr-2024
Version 3

ALFAAA12113

## 3-Octanone

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 3-辛酮, 98% Product Description: 3-Octanone

Cat No.: A12113

**Synonyms** n-Amyl ethyl ketone; EAK

CAS No 106-68-3 Molecular Formula C8 H16 O

**Supplier** Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US:**001-800-424-9300 / **Europe:**001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

## **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorLiquidLight yellowsweet

**Emergency Overview** 

Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation.

## Classification of the substance or mixture

| Flammable liquids.                | Category 3 |
|-----------------------------------|------------|
| Skin Corrosion/Irritation         | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2 |

#### **Label Elements**



Signal Word Warning

Page 2/8 Revision Date 26-Apr-2024

#### 3-Octanone

#### **Hazard Statements**

H226 - Flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

### **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Flammable liquid.

#### **Health Hazards**

Causes skin irritation. Causes serious eye irritation.

### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component         | CAS No   | Weight % |  |
|-------------------|----------|----------|--|
| Ethyl amyl ketone | 106-68-3 | 99       |  |

## **SECTION 4. FIRST AID MEASURES**

## **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### **Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention.

#### Inhalation

Remove from exposure, lie down. Remove to fresh air.

#### Ingestion

Clean mouth with water. Get medical attention.

#### Most important symptoms and effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Page 3/8 Revision Date 26-Apr-2024

#### 3-Octanone

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### **Notes to Physician**

Treat symptomatically. Symptoms may be delayed.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Flammable. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7. HANDLING AND STORAGE**

#### Handling

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.

#### Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and well-ventilated place.

### Specific Use(s)

Use in laboratories

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Page 4/8 Revision Date 26-Apr-2024

#### 3-Octanone

| Ethyl amyl ketone | (Vacated) TWA: 25         | - |  |
|-------------------|---------------------------|---|--|
|                   | ppm<br>(Vacated) TWA: 130 |   |  |
|                   | mg/m³                     |   |  |

#### Legend

OSHA - Occupational Safety and Health Administration

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

### **Exposure Controls**

#### **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

| - | Glove material | Breakthrough time | Glove thickness EU standard |        | Glove comments        |
|---|----------------|-------------------|-----------------------------|--------|-----------------------|
| - | Viton (R)      | See manufacturers | -                           | EN 374 | (minimum requirement) |
| - |                | recommendations   |                             |        |                       |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Small scale/Laboratory use Maintain adequate ventilation

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Light yellow Physical State Liquid

**Odor** sweet

Odor Threshold No data available

Page 5 / 8 Revision Date 26-Apr-2024

#### 3-Octanone

Liquid

pH No information available

Melting Point/Range -23 °C / -9.4 °F
Softening Point No data available

**Boiling Point/Range** 167 - 168 °C / 332.6 - 334.4 °F @ 760 mmHg

Flash Point 46 °C / 114.8 °F Method - No information available

Evaporation Rate
No data available
Flammability (solid,gas)
Not applicable

Explosion Limits No data available

Vapor Pressure 0.1 kPa @ 20 °C

Vapor Density 4.4 (Air = 1.0)

Specific Gravity / Density 0.822
Bulk Density Not applicable Liquid

Water Solubility 0.7 g/l water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)
Component log Pow
Ethyl amyl ketone 2.9

Autoignition Temperature

Decomposition Temperature

Viscosity

330 °C / 626 °F

No data available

0.9 mPa s at 20 °C

**Explosive Properties** explosive air/vapour mixtures possible

Oxidizing Properties No information available

Molecular FormulaC8 H16 OMolecular Weight128.21

## **SECTION 10. STABILITY AND REACTIVITY**

**Stability** Stable under normal conditions.

Hazardous Reactions
Hazardous Polymerization
No information available.
No information available.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Materials to avoid Strong oxidizing agents. Strong bases. Strong reducing agents.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

| Component         | LD50 Oral           | LD50 Dermal            | LC50 Inhalation |
|-------------------|---------------------|------------------------|-----------------|
| Ethyl amyl ketone | LD50 > 5 g/kg (Rat) | LD50 > 5 g/kg (Rabbit) |                 |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

Page 6/8 Revision Date 26-Apr-2024

3-Octanone

(e) germ cell mutagenicity; No data available

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

No data available (h) STOT-single exposure;

No data available (i) STOT-repeated exposure;

No information available. **Target Organs** 

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

Persistence and Degradability

**Persistence** 

Soluble in water, Persistence is unlikely, based on information available.

**Bioaccumulative Potential** Bioaccumulation is unlikely

| Component         | log Pow | Bioconcentration factor (BCF) |  |  |  |  |
|-------------------|---------|-------------------------------|--|--|--|--|
| Ethyl amyl ketone | 2.9     | No data available             |  |  |  |  |

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

**Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with

local regulations.

Page 7/8 Revision Date 26-Apr-2024

3-Octanone

## **SECTION 14. TRANSPORT INFORMATION**

## Road and Rail Transport

UN-No UN2271

Proper Shipping Name ETHYL AMYL KETONE

Hazard Class 3
Packing Group III

IMDG/IMO

**UN-No** UN2271

Proper Shipping Name ETHYL AMYL KETONES

Hazard Class 3
Packing Group III

**IATA** 

**UN-No** UN2271

Proper Shipping Name ETHYL AMYL KETONE

Hazard Class 3
Packing Group III

Special Precautions for User No special precautions required

## **SECTION 15. REGULATORY INFORMATION**

#### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component         | The<br>Inventory of<br>Hazardous<br>Chemicals<br>(2015<br>Edition) | , – , | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|-------------------|--|-------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Ethyl amyl ketone | Х  | Х     | X    | Х     | 203-423-0 | Х    | Χ   | Х     | Х    | Х    | Χ    | KE-26666 |

### **National Regulations**

## **SECTION 16. OTHER INFORMATION**

Prepared By Health, Safety and Environmental Department

Revision Date 26-Apr-2024

**Revision Summary** New emergency telephone response service provider.

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Page 8/8 Revision Date 26-Apr-2024

#### 3-Octanone

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**