# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/8 Creation Date 14-May-2010 Revision Date 22-Apr-2024 Version 3

ALFAAA12876

## **Phenylselenol**

#### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 苯硒醇

Product Description: Phenylselenol

Cat No.: A12876

Synonyms Benzeneselenol; Selenophenol

CAS No 645-96-5 Molecular Formula C6 H6 Se

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals. Uses advised against No Information available

## **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorLiquidYellowpungent

## **Emergency Overview**

Combustible liquid. Toxic if swallowed. Toxic if inhaled. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects. Air sensitive. Lachrymator (substance which increases the flow of tears).

#### Classification of the substance or mixture

Flammable liquids.	Category 4
Acute Oral Toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 3
Specific target organ toxicity - (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

#### **Label Elements**

Page 2/8 Revision Date 22-Apr-2024

#### **Phenylselenol**



## Signal Word

#### Danger

#### **Hazard Statements**

H227 - Combustible liquid

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

H301 + H331 - Toxic if swallowed or if inhaled

#### **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P270 - Do not eat, drink or smoke when using this product

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor

P330 - Rinse mouth

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

Combustible material.

## **Health Hazards**

Toxic if swallowed. Toxic if inhaled. May cause damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

Very toxic to aquatic life with long lasting effects.

#### **Other Hazards**

Lachrymator (substance which increases the flow of tears)

This product does not contain any known or suspected endocrine disruptors.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Benzeneselenol	645-96-5	<100

## **SECTION 4. FIRST AID MEASURES**

## **Eye Contact**

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

#### **Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.

Page 3/8 Revision Date 22-Apr-2024

#### **Phenylselenol**

#### Inhalation

Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Immediate medical attention is required.

#### Ingestion

Call a physician immediately. Clean mouth with water.

#### Most important symptoms and effects

Difficulty in breathing. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### **Notes to Physician**

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Combustible material. Flammable. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

## Methods for Containment and Clean Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not let this chemical enter the environment. Remove all sources of ignition.

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7. HANDLING AND STORAGE**

#### Handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle product only in closed system or provide appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition.

#### Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame.

Page 4/8 Revision Date 22-Apr-2024

#### **Phenylselenol**

Specific Use(s)
Use in laboratories

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	China	Taiwan	Thailand	Hong Kong	
Benzeneselenol	-	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	-	

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Benzeneselenol	TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 0.2	IDLH: 1 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup> 15	
	_	mg/m³	TWA: 0.2 mg/m <sup>3</sup>	min	
			-	TWA: 0.1 mg/m <sup>3</sup> 8 hr	

## Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

#### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours

#### **Exposure Controls**

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
Neoprene	recommendations			
Natural rubber				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Organic gases and vapours filter Type A Brown conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

Page 5/8 Revision Date 22-Apr-2024

#### **Phenylselenol**

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Liquid

(Air = 1.0)

explosive air/vapour mixtures possible

Liquid

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** Yellow **Physical State** Liquid

Odor pungent

**Odor Threshold** No data available No information available pН

No data available Melting Point/Range

**Softening Point** No data available Boiling Point/Range 183 °C / 361.4 °F

@ 760 mmHa Flash Point

70 °C / 158 °F Method - No information available

**Evaporation Rate** No data available Flammability (solid,gas) Not applicable

**Explosion Limits** No data available

**Vapor Pressure** No data available

**Vapor Density** No data available

Specific Gravity / Density 1.4865 Not applicable **Bulk Density** 

Water Solubility No information available

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

No data available **Autoignition Temperature Decomposition Temperature** No data available **Viscosity** No data available

**Explosive Properties** 

**Oxidizing Properties** No information available

C6 H6 Se Molecular Formula **Molecular Weight** 157

#### **SECTION 10. STABILITY AND REACTIVITY**

Stable under normal conditions. Air sensitive. Stability

**Hazardous Reactions** No information available. **Hazardous Polymerization** No information available.

**Conditions to Avoid** Exposure to air. Incompatible products. Keep away from open flames, hot surfaces and

sources of ignition.

Materials to avoid Strong oxidizing agents.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Page 6/8 Revision Date 22-Apr-2024

#### **Phenylselenol**

**Product Information** 

(a) acute toxicity;

No data available (b) skin corrosion/irritation;

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

No data available (e) germ cell mutagenicity;

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; Category 2

**Target Organs** Liver.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Persistence and Degradability

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**Bioaccumulative Potential** No information available

Mobility in soil No information available

**Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Page 7/8 Revision Date 22-Apr-2024

#### **Phenylselenol**

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

## **SECTION 14. TRANSPORT INFORMATION**

#### **Road and Rail Transport**

UN-No UN3440

Proper Shipping Name SELENIUM COMPOUND, LIQUID, N.O.S.

Technical Shipping Name Benzeneselenol

Hazard Class 6.1 Packing Group II

#### IMDG/IMO

UN-No UN3440

Proper Shipping Name SELENIUM COMPOUND, LIQUID, N.O.S.

Technical Shipping Name Benzeneselenol

Hazard Class 6.1
Packing Group

IATA

UN-No UN3440

Proper Shipping Name SELENIUM COMPOUND, LIQUID, N.O.S.

Technical Shipping Name Benzeneselenol

Hazard Class 6.1
Packing Group

Special Precautions for User No special precautions required

## **SECTION 15. REGULATORY INFORMATION**

#### **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	,	List of dangerous goods GB 12268 - 2012	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Edition)											
Benzeneselenol	_	X	X	-	211-457-2	X	-	-	-	Х	-	-

#### **National Regulations**

**Page** 8/8 Revision Date 22-Apr-2024

**Phenylselenol** 

## **SECTION 16. OTHER INFORMATION**

**Prepared By** Health, Safety and Environmental Department

**Creation Date** 14-May-2010 **Revision Date** 22-Apr-2024

**Revision Summary** New emergency telephone response service provider.

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical incident response training.

#### Legend

**CAS** - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**