

ALFAAA13113

Chlorodimethylsilane

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	二甲基氯硅烷
Product Description:	Chlorodimethylsilane
Cat No. :	A13113
CAS No	1066-35-9
Molecular Formula	C2 H7 CISi
Supplier	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US: 001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US: 001-800-424-9300 / Europe: 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical State	Appearance	Odor
Liquid	No information available	Acrid
Extremely flammable liquid and vapor. In	Emergency Overview contact with water releases flammable gas. Caus Toxic if inhaled. Moisture sensitive.	

Classification of the substance or mixture

Flammable liquids.	Category 1
Substances/mixtures which, in contact with water, emit flammable gases	Category 3
Acute Inhalation Toxicity - Vapors	Category 3
Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1

Label Elements



Chlorodimethylsilane

Signal Word

Danger

Hazard Statements

H224 - Extremely flammable liquid and vapor

- H261 In contact with water releases flammable gases
- H314 Causes severe skin burns and eye damage

H331 - Toxic if inhaled

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

- P231 + P232 Handle and store contents under inert gas. Protect from moisture
- P240 Ground and bond container and receiving equipment
- P242 Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P402 + P404 - Store in a dry place. Store in a closed container

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Extremely flammable. Vapors may cause flash fire or explosion. In contact with water releases flammable gas.

Health Hazards

Corrosive. Causes skin and eye burns. Toxic if inhaled.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its volatility. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

Other Hazards

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Silane, chlorodimethyl-	1066-35-9	<=100

SECTION 4. FIRST AID MEASURES

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Chlorodimethylsilane

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry sand. Carbon dioxide (CO₂). Powder. Do not use water or foam. CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Extremely flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Should not be released into the environment.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

Chlorodimethylsilane

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Storage

Keep refrigerated. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)
----------------	--------------------------------------

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Viton (R)	480 minutes	0.7 mm	EN 374	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	In case of insufficient ventilation, wear suitable respiratory equipment Recommended Filter type: Multi-purpose/ABEK conforming to EN14387

Chlorodimethylsilane

Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State	Liquid	
Odor	Acrid	
Odor Threshold	No data available	
рН	No information available	
Melting Point/Range	-111 °C / -167.8 °F	
Softening Point	No data available	
Boiling Point/Range	34 - 36 °C / 93.2 - 96.8 °F	
Flash Point	-28 °C / -18.4 °F	Method - No information available
Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 3 Vol %	
	Upper 20 Vol %	
Vapor Pressure	23 hPa @ 20 °C	
Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	0.869 g/cm3	@ 20 °C
Bulk Density	Not applicable	Liquid
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wat		
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	Vanara may form avalagiya miyturga with air
Explosive Properties	No information available	Vapors may form explosive mixtures with air
Oxidizing Properties	No mormation available	
Molecular Formula	C2 H7 CISi	
Molecular Weight	94.62	

SECTION 10. STABILITY AND REACTIVITY

Moisture sensitive.
None under normal processing. No information available.
Keep away from open flames, hot surfaces and sources of ignition.
Strong bases. Oxidizing agent.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrogen chloride. Silicon dioxide.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

Chlorodimethylsilane

Component Silane, chlorodimethyl- (b) skin corrosion/irritation; (c) serious eye damage/irritation;	LD50 Oral Category 1 A Category 1	LD50 Dermal	LC50 Inhalation LC50 = 8.7 mg/L (Rat) 4 h
(c) serious eye damage/irritation;	Category 1		
(c) serious eye damage/irritation;	Category 1		
(d) respiratory or skin sensitization;			
Respiratory Skin	No data available No data available		
SKIII	NU Uala avaliable		
(e) germ cell mutagenicity;	No data available		
(f) carcinogenicity;	No data available		
	There are no known carcino	genic chemicals in this product	
(g) reproductive toxicity;	No data available		
(g) reproductive toxicity,			
(h) STOT-single exposure;	No data available		
(1) • • • • • • • • • • • • • • • • • • •			
(i) STOT-repeated exposure;	No data available		
Target Organs	None known.		
(j) aspiration hazard;	No data available		
Symptoms / effects,both acute and	Inhalation of high vanor con	centrations may cause symptom	ne like headache, dizziness
delayed		ting: Product is a corrosive mate	
		Possible perforation of stomach	
		es severe swelling, severe dama	age to the delicate tissue and
	danger of perforation		
	SECTION 12. ECOLOG	ICAL INFORMATION	
Ecotoxicity effects			
Persistence and Degradability	No information available		
Persistence	Persistence is unlikely, base	ed on information available.	
Bioaccumulative Potential	Bioaccumulation is unlikely		
Mobility in soil	The product contains volatil	e organic compounds (VOC) wh	ich will evenorate easily from a
Mobility in soil		e organic compounds (VOC) wh le in the environment due to its v	
	,		
Endocrine Disruptor Information		in any known or suspected endo	
Persistent Organic Pollutant		in any known or suspected subs	

Chlorodimethylsilane

Ozone Depletion Potential	tial This product does not contain any known or suspected substance	
	SECTION 13. DISPOSAL CONSIDERATIONS	
Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.	
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.	
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.	
	SECTION 14. TRANSPORT INFORMATION	
<u>Road and Rail Transport</u> UN-No Proper Shipping Name Technical Shipping Name Hazard Class Subsidiary Hazard Class Packing Group	UN2988 CHLOROSILANES, WATER-REACTIVE, FLAMMABLE, CORROSIVE, N.O.S. Chlorodimethylsilane 4.3 3, 8 I	
IMDG/IMO		
UN-No Proper Shipping Name Technical Shipping Name Hazard Class Subsidiary Hazard Class Packing Group	UN2988 CHLOROSILANES, WATER-REACTIVE, FLAMMABLE, CORROSIVE, N.O.S. Chlorodimethylsilane 4.3 3, 8 I	
IATA		
UN-No Proper Shipping Name Technical Shipping Name Hazard Class Subsidiary Hazard Class Packing Group	UN2988 CHLOROSILANES, WATER-REACTIVE, FLAMMABLE, CORROSIVE, N.O.S. Chlorodimethylsilane 4.3 3, 8 I	
Special Precautions for User	No special precautions required	
	SECTION 15. REGULATORY INFORMATION	

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Inventory of	dangerous										
	Hazardous	goods GB										
	Chemicals	12268 -										
	(2015	2012										
	Edition)											

Chlorodimethylsilane

Silane, chlorodimethyl	-	Х	Х	213-912-0	Х	-	Х	Х	Х	Х	-

National Regulations

SECTION 16. OTHER INFORMATION							
Prepared By Revision Date Revision Summary	Health, Safety and Environmental Department 01-May-2024 New emergency telephone response service provider.						
Training Advice Chemical hazard awareness training hygiene.	g, incorporating labelling, Saf	ety Data Sheets (SDS), Personal Protective Equipment (PPE) and					
Legend							
CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Substances/EU List of Notified Chemica PICCS - Philippines Inventory of Chemic IECSC - Chinese Inventory of Existing C KECL - Korean Existing and Evaluated of	l Substances cals and Chemical Substances Chemical Substances	 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory al DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals 					
WEL - Workplace Exposure Limit ACGIH - American Conference of Gover DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentrat PBT - Persistent, Bioaccumulative, Toxic	t	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer PNEC - Predicted No Effect Concentration LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative 					
ICAO/IATA - International Civil Aviation Transport Association ADR - European Agreement Concerning Dangerous Goods by Road OECD - Organisation for Economic Co-o BCF - Bioconcentration factor	g the International Carriage of	IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)					
Key literature references and sou	rces for data						

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet