# Thermo Fisher

### SAFETY DATA SHEET

Page 1/9 Creation Date 23-Mar-2012 Revision Date 27-Apr-2024 Version 5

ALFAAA13556

## 1,1,1-Trifluoroacetone

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 1,1,1-三氟丙酮

**Product Description:** 1,1,1-Trifluoroacetone

Cat No.:

**Synonyms** 1,1,1-Trifluoro-2-propanone

CAS No 421-50-1 C3 H3 F3 O **Molecular Formula** 

Avocado Research Chemicals Ltd. **Supplier** 

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY. United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

**Emergency Telephone Number** For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Laboratory chemicals. **Recommended Use** Uses advised against No Information available

### **SECTION 2. HAZARD IDENTIFICATION**

**Physical State** Odor **Appearance** Liquid Colorless Characteristic

**Emergency Overview** 

Extremely flammable liquid and vapor. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects

Hygroscopic. Lachrymator (substance which increases the flow of tears).

### Classification of the substance or mixture

| Flammable liquids.                | Category 1   |
|-----------------------------------|--------------|
| Skin Corrosion/Irritation         | Category 1 B |
| Serious Eye Damage/Eye Irritation | Category 1   |
| Chronic aquatic toxicity          | Category 3   |

### **Label Elements**



Page 2/9 Revision Date 27-Apr-2024

### 1,1,1-Trifluoroacetone

\_\_\_\_\_

### Signal Word

### **Danger**

#### **Hazard Statements**

- H224 Extremely flammable liquid and vapor
- H314 Causes severe skin burns and eye damage
- H412 Harmful to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention

- P241 Use explosion-proof electrical/ ventilating/ lighting equipment
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P240 Ground and bond container and receiving equipment
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P242 Use non-sparking tools
- P243 Take action to prevent static discharges
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area

#### Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

### **Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

### **Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Extremely flammable. Hygroscopic.

### **Health Hazards**

Corrosive. Causes skin and eye burns.

### **Environmental hazards**

Harmful to aquatic life with long lasting effects. Will likely be mobile in the environment due to its volatility. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

### Other Hazards

Lachrymator (substance which increases the flow of tears)

This product does not contain any known or suspected endocrine disruptors.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component                     | CAS No   | Weight % |
|-------------------------------|----------|----------|
| 2-Propanone, 1,1,1-trifluoro- | 421-50-1 | >95      |

### **SECTION 4. FIRST AID MEASURES**

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.

Page 3/9 Revision Date 27-Apr-2024

1,1,1-Trifluoroacetone

Inhalation

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

### Ingestion

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.

#### Most important symptoms and effects

Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### Self-Protection of the First Aider

Use personal protective equipment as required.

### **Notes to Physician**

Treat symptomatically.

### **SECTION 5. FIRE-FIGHTING MEASURES**

### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Extremely flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions**

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### **Environmental Precautions**

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

### Methods for Containment and Clean Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7. HANDLING AND STORAGE**

### Handling

Page 4/9 Revision Date 27-Apr-2024

1,1,1-Trifluoroacetone

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Storage

Keep away from heat, sparks and flame. Keep under nitrogen. Protect from moisture. Keep refrigerated. Keep container tightly closed in a dry and well-ventilated place.

### Specific Use(s)

Use in laboratories

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

### **Exposure Controls**

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

| l PVC |
|-------|
|-------|

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

Page 5/9 Revision Date 27-Apr-2024

1,1,1-Trifluoroacetone

EN14387

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

Vapors may form explosive mixtures with air

141

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Colorless **Appearance Physical State** Liquid

Odor Characteristic **Odor Threshold** No data available рΗ Approximately neutral -78 °C / -108.4 °F Melting Point/Range **Softening Point** No data available **Boiling Point/Range** 22 °C / 71.6 °F

@ 760 mmHg -30 °C / -22 °F **Flash Point** Method - No information available

**Evaporation Rate** No data available Liquid

Flammability (solid,gas) Not applicable **Explosion Limits** No data available

> 1.75 bar @ 50 °C **Vapor Pressure** 

**Vapor Density** No data available (Air = 1.0)

Specific Gravity / Density 1.250

Not applicable **Bulk Density** Liquid

Water Solubility No information available Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component 2-Propanone, 1,1,1-trifluoro-0.2

**Autoignition Temperature** No data available **Decomposition Temperature** No data available 3.28 mPa.s at 15 °C **Viscosity** 

**Explosive Properties** 

No information available

**Oxidizing Properties** 

C3 H3 F3 O Molecular Formula **Molecular Weight** 112.05

### **SECTION 10. STABILITY AND REACTIVITY**

**Stability** Hygroscopic.

**Hazardous Reactions** None under normal processing. No information available. **Hazardous Polymerization** 

**Conditions to Avoid** Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water.

Materials to avoid Strong bases. Alkali metals. Finely powdered metals. . Oxidizing agent.

Page 6/9 Revision Date 27-Apr-2024

1,1,1-Trifluoroacetone

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen fluoride.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

**Product Information** No acute toxicity information is available for this product

(a) acute toxicity;

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available No data available Skin

(e) germ cell mutagenicity; No data available

(f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure;

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

**Target Organs** None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and

danger of perforation

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

| Component                     | Component Freshwater Fish |                   | Freshwater Algae | Microtox |  |  |
|-------------------------------|---------------------------|-------------------|------------------|----------|--|--|
| 2-Propanone, 1,1,1-trifluoro- |                           | EC50: 46 mg/l/48h |                  |          |  |  |

Persistence and Degradability

**Persistence** 

Not readily biodegradable

Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Page 7/9 Revision Date 27-Apr-2024

### 1,1,1-Trifluoroacetone

| Bioaccumu | lative | Potential |
|-----------|--------|-----------|
|-----------|--------|-----------|

Bioaccumulation is unlikely

| Component                     | log Pow | Bioconcentration factor (BCF) |  |  |  |
|-------------------------------|---------|-------------------------------|--|--|--|
| 2-Propanone, 1,1,1-trifluoro- | 0.2     | No data available             |  |  |  |

Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces Will likely be mobile in the environment due to its volatility Disperses rapidly in air

**Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains, Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

### **SECTION 14. TRANSPORT INFORMATION**

### **Road and Rail Transport**

UN2924 **UN-No** 

**Proper Shipping Name** Flammable liquid, corrosive, n.o.s. 1,1,1-Trifluoroacetone **Technical Shipping Name** 

**Hazard Class Subsidiary Hazard Class** 

8 **Packing Group** 

### IMDG/IMO

**UN-No** UN2924

Flammable liquid, corrosive, n.o.s. **Proper Shipping Name** 

3

**Technical Shipping Name** 1,1,1-Trifluoroacetone 3

**Hazard Class Subsidiary Hazard Class** 

8 **Packing Group** 

### IATA

**UN-No** UN2924

**Proper Shipping Name** Flammable liquid, corrosive, n.o.s.

**Technical Shipping Name** 1,1,1-Trifluoroacetone

**Hazard Class** 3 **Subsidiary Hazard Class** 8

**Packing Group** 

No special precautions required **Special Precautions for User** 

Page 8/9 Revision Date 27-Apr-2024

1,1,1-Trifluoroacetone

### **SECTION 15. REGULATORY INFORMATION**

#### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component                        | The<br>Inventory of<br>Hazardous<br>Chemicals<br>(2015<br>Edition) |   | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL |
|----------------------------------|--|---|------|-------|-----------|------|-----|-------|------|------|------|------|
| 2-Propanone,<br>1,1,1-trifluoro- | Х  | - | Х    | -     | 207-005-9 | Х    | -   | Х     | -    | Х    | -    | -    |

### **National Regulations**

### **SECTION 16. OTHER INFORMATION**

**Prepared By** Health, Safety and Environmental Department

**Creation Date** 23-Mar-2012 **Revision Date** 27-Apr-2024

**Revision Summary** New emergency telephone response service provider.

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

ALFAAA13556

### **SAFETY DATA SHEET**

Page 9/9 Revision Date 27-Apr-2024

1,1,1-Trifluoroacetone

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**