Thermo Fisher SCIENTIFIC

SAFETY DATA SHEET

Page 1/9 Revision Date 29-Apr-2024 Version 4

ALFAAA13602

o-Toluidine

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Cat No. : A13602

Synonyms 2-Aminotoluene; 2-Methylaniline

CAS No 95-53-4 Molecular Formula C7 H9 N

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals. Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical StateAppearanceOdorLiquidLight yellowRotten-egg like

Emergency Overview

Toxic if swallowed. Toxic if inhaled. May cause cancer. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Combustible liquid. Harmful in contact with skin. Causes skin irritation. Causes serious eye damage. Suspected of causing genetic defects. Sensitivity to light. Air sensitive.

Classification of the substance or mixture

Flammable liquids.	Category 4
Acute Oral Toxicity	Category 3
Acute Dermal Toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 3
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 2

Label Elements

Page 2/9 Revision Date 29-Apr-2024

o-Toluidine



Signal Word

Danger

Hazard Statements

- H227 Combustible liquid
- H350 May cause cancer
- H400 Very toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H318 Causes serious eye damage
- H341 Suspected of causing genetic defects
- H301 + H331 Toxic if swallowed or if inhaled

Precautionary Statements

Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection

Response

- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P362 + P364 Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Combustible material.

Health Hazards

Toxic if swallowed. Toxic if inhaled. Harmful if inhaled. May cause cancer. Harmful in contact with skin. Causes skin irritation. Suspected of causing genetic defects.

Environmental hazards

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. . Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

_			
	Component	CAS No	Weight %
Г	o-Toluidine	95-53-4	<= 100

Page 3/9 Revision Date 29-Apr-2024

o-Toluidine

SECTION 4. FIRST AID MEASURES

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

Difficulty in breathing. Causes eye burns. Causes severe eye damage. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Combustible material. Flammable. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Page 4/9 Revision Date 29-Apr-2024

o-Toluidine

Methods for Containment and Clean Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Protect from direct sunlight. Keep locked up. Keep under nitrogen. Keep containers tightly closed in a dry, cool and well-ventilated place.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	China	Taiwan	Thailand	Hong Kong
o-Toluidine	TWA: 2 mg/m ³	TWA: 5 ppm	TWA: 5 ppm	TWA: 2 ppm
	Skin	TWA: 22 mg/m ³		TWA: 8.8 mg/m ³

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
o-Toluidine	TWA: 2 ppm	(Vacated) TWA: 5 ppm	IDLH: 50 ppm	STEL: 0.3 ppm 15 min	TWA: 0.5 mg/m ³ (8h)
	Skin	(Vacated) TWA: 22		STEL: 0.15 mg/m ³ 15	TWA: 0.1 ppm (8h)
		mg/m³		min	Skin
		Skin		TWA: 0.1 ppm 8 hr	
		TWA: 5 ppm		TWA: 0.5 mg/m ³ 8 hr	
		TWA: 22 mg/m ³		Carc.	
				Skin	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eve Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Page 5/9 Revision Date 29-Apr-2024

o-Toluidine

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber Nitrile rubber Neoprene PVC	See manufacturers recommendations	-	EN 374	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 Ammonia and organic

ammonia derivatives filter Type K Green conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

AppearanceLight yellowPhysical StateLiquid

Odor Rotten-egg like
Odor Threshold No data available

pH 7.5 8 g/l aq. sol

Melting Point/Range -23 °C / -9.4 °F Softening Point No data available

Boiling Point/Range 199 - 200 °C / 390.2 - 392 °F

Flash Point 85 °C / 185 °F Method - No information available

Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 1.5 Upper 7.5

Vapor Pressure 0.3 mbar @ 20 °C

Vapor Density 3.7 (Air = 1.0) (Air = 1.0)

Specific Gravity / Density 1.000

Bulk Density Not applicable Liquid

Water Solubility 1.5 G/100ML (25°C)
Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component o-Toluidine log Pow o-Toluidine 1.4

Page 6/9 Revision Date 29-Apr-2024

explosive air/vapour mixtures possible

o-Toluidine

Autoignition Temperature

Oxidizing Properties

Decomposition Temperature

Viscosity

Explosive Properties

480 °C / 896 °F

> 200°C

No data available

No information available

Molecular Formula C7 H9 N **Molecular Weight** 107.15

SECTION 10. STABILITY AND REACTIVITY

Stability Stable under normal conditions. Light sensitive. Air sensitive.

None under normal processing. **Hazardous Reactions Hazardous Polymerization** No information available.

Conditions to Avoid Exposure to air. Exposure to light. Incompatible products. Keep away from open flames, hot

surfaces and sources of ignition.

Materials to avoid Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity:

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
o-Toluidine	LD50 = 670 mg/kg (Rat)	LD50 = 3235 mg/kg (Rabbit)	LC50 = 862 ppm (Rat) 4 h		

(b) skin corrosion/irritation; Category 2

Category 1 (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

No data available Respiratory No data available Skin

(e) germ cell mutagenicity; Category 2

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
o-Toluidine	Carc Cat. 1B		Cat. 1	Group 1

No data available (g) reproductive toxicity;

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Page 7/9 Revision Date 29-Apr-2024

o-Toluidine

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects The product contains following substances which are hazardous for the environment. Very

toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
o-Toluidine			EC50: = 3.7 mg/L, 96h	EC50 = 13.2 mg/L 30
			static (Desmodesmus	min
			subspicatus)	
			EC50: = 3.9 mg/L, 72h	
			(Desmodesmus	
			subspicatus)	

Persistence and Degradability

Persistence

Degradation in sewage treatment plant

Persistence is unlikely. Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
o-Toluidine	1.4	No data available

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused

Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Do not flush to sewer. Waste codes should be assigned by the user based on the Other Information

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

UN1708 **UN-No**

Proper Shipping Name TOLUIDINES, LIQUID

Page 8/9 Revision Date 29-Apr-2024

o-Toluidine

Hazard Class 6.1 **Packing Group** Ш

IMDG/IMO

UN-No UN1708

Proper Shipping Name TOLUIDINES, LIQUID

Hazard Class 6.1 **Packing Group** Ш

<u>IATA</u>

UN-No UN1708

Proper Shipping Name TOLUIDINES, LIQUID

Hazard Class 6.1 **Packing Group** Ш

Special Precautions for User No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	1	List of dangerous goods GB 12268 - 2012	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
o-Toluidine	X	-	Х	X	202-429-0	X	X	X	X	X	X	KE-23446

National Regulations

Component	Toxic Chemical Substances Control Act
o-Toluidine	Class I (1 wt%)
95-53-4 (<= 100)	TRQ = 50 kg

SECTION 16. OTHER INFORMATION

Prepared By Health, Safety and Environmental Department

Revision Date 29-Apr-2024

Revision Summary New emergency telephone response service provider.

Training Advice

Chemical incident response training.

Legend

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

> **ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

Page 9/9 Revision Date 29-Apr-2024

o-Toluidine

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% **POW** - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet