# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/9 Creation Date 23-Sep-2008 Revision Date 22-Apr-2024 Version 3

ALFAAA14107

## Benzoyl chloride

#### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 苯甲酰氯, 99+% Product Description: Benzoyl chloride

Cat No. : A14107

Synonyms Benzoic acid, chloride; alpha-Chlorobenzaldehyde; Benzene carbonyl chloride

CAS No 98-88-4 Molecular Formula C7 H5 CI O

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals. Uses advised against No Information available

## **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorLiquidColorlesspungent

#### **Emergency Overview**

Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful to aquatic life. Combustible liquid. Harmful if swallowed. Harmful in contact with skin. Toxic if inhaled. Moisture sensitive. Air sensitive. Lachrymator (substance which increases the flow of tears).

## Classification of the substance or mixture

Flammable liquids.	Category 4
Acute Oral Toxicity	Category 4
Acute Dermal Toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 3
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Skin Sensitization	Category 1
Acute aquatic toxicity	Category 3

## **Label Elements**

Page 2/9 Revision Date 22-Apr-2024

#### Benzoyl chloride



#### Signal Word

#### Danger

#### **Hazard Statements**

H227 - Combustible liquid

H302 + H312 - Harmful if swallowed or in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H331 - Toxic if inhaled

H402 - Harmful to aquatic life

#### **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

Combustible material. Water reactive.

#### **Health Hazards**

Corrosive. Causes skin and eye burns. May cause an allergic skin reaction. Causes serious eye damage. Harmful if swallowed. Harmful in contact with skin. Toxic if inhaled.

#### **Environmental hazards**

Harmful to aquatic life. Decomposes in contact with water.

#### Other Hazards

Lachrymator (substance which increases the flow of tears)

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Benzoyl chloride	98-88-4	>95

## **SECTION 4. FIRST AID MEASURES**

Page 3/9 Revision Date 22-Apr-2024

#### Benzoyl chloride

\_\_\_\_\_

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Most important symptoms and effects

Causes burns by all exposure routes. May cause allergic skin reaction. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

#### Self-Protection of the First Aider

Use personal protective equipment as required.

#### Notes to Physician

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

## **Suitable Extinguishing Media**

Use:. Carbon dioxide (CO2), Dry chemical, soda ash or lime. Water mist may be used to cool closed containers.

## Extinguishing media which must not be used for safety reasons

Water. Foam.

## **Specific Hazards Arising from the Chemical**

Combustible material. Corrosive material. Water reactive. Contact with water liberates toxic gas. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

## **Personal Precautions**

Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not get in eyes, on skin, or on clothing.

## **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Wear self-contained breathing apparatus and protective suit. Remove all sources of ignition. Do not expose spill to water. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Page 4/9 Revision Date 22-Apr-2024

#### Benzoyl chloride

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7. HANDLING AND STORAGE**

#### Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Do not allow contact with water.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Keep away from water or moist air. Store under an inert atmosphere.

#### Specific Use(s)

Use in laboratories

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	China	Taiwan	Thailand	Hong Kong
Benzoyl chloride	-	-		Ceiling: 0.5 ppm

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Benzoyl chloride	Ceiling: 0.5 ppm			-	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

## **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours

#### **Exposure Controls**

## **Engineering Measures**

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

### Personal protective equipment

**Eve Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Butyl rubber	recommendations			
Nitrile rubber				
Neoprene				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Page 5/9 Revision Date 22-Apr-2024

#### Benzoyl chloride

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type

E Yellow conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

explosive air/vapour mixtures possible

141

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Colorless Physical State Liquid

**Odor** pungent

Odor Threshold No data available

**pH** 2 1 g/L (20°C)

Melting Point/Range -1 °C / 30.2 °F Softening Point No data available Boiling Point/Range 198 °C / 388.4 °F

Flash Point 93 °C / 199.4 °F Method - No information available

Evaporation Rate No data available Flammability (solid, gas) Not applicable

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 2.5 vol% Upper 27 vol%

 Vapor Pressure
 0.5 hPa @ 20 °C

 Vapor Density
 4.88
 (Air = 1.0)

Specific Gravity / Density 1.210

Bulk Density Not applicable Liquid

Water Solubility Reacts with water
Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposition Temperature

Viscosity

600 °C / 1112 °F

No data available

0.0012 Pa.s at 30 °C

Explosive Properties

Oxidizing Properties No information available

Molecular FormulaC7 H5 Cl OMolecular Weight140.57

## **SECTION 10. STABILITY AND REACTIVITY**

**Stability** Water reactive. Air sensitive. Moisture sensitive.

-----<u>-</u>-----

Page 6/9 Revision Date 22-Apr-2024

#### Benzoyl chloride

Hazardous ReactionsContact with water liberates toxic gas.Hazardous PolymerizationHazardous polymerization does not occur.

Conditions to Avoid Excess heat. Incompatible products. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to air. Exposure to moist air or water.

Materials to avoid Water. Strong oxidizing agents. Strong bases. Alcohols. Amines. Metals.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Thermal decomposition can lead to release

of irritating gases and vapors. Phosgene. Hydrogen chloride gas.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

(a) acute toxicity:

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Benzoyl chloride	LD50 = 1920 mg/kg (Rat)	LD50 = 1112 mg/kg (Rabbit)	LC50 = 3.03 mg/L (Rat) 4 h		

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory** Based on available data, the classification criteria are not met

Skin Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Benzoyl chloride				Group 2A

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects, both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

delayed

perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle

pain or flushing

#### **SECTION 12. ECOLOGICAL INFORMATION**

Page 7/9 Revision Date 22-Apr-2024

#### Benzoyl chloride

**Ecotoxicity effects** 

Do not allow material to contaminate ground water system. Discharge to water will affect pH and harm aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Benzoyl chloride	LC50: 28.5 - 45.3 mg/L,			EC50 = 10.4 mg/L 5 min
	96h static (Pimephales			EC50 = 11.7 mg/L 15
	promelas)			min
				EC50 = 12.2 mg/L 30
				min

Persistence and Degradability

**Persistence** 

Degradation in sewage

treatment plant

Readily biodegradable

Decomposes in contact with water.

Neutralization is normally necessary before waste water is discharged into water treatment

plants.

**Bioaccumulative Potential** Bioaccumulation is unlikely

Mobility in soil Decomposes in contact with water

**Endocrine Disruptor Information Persistent Organic Pollutant** 

**Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized

before discharge.

## **SECTION 14. TRANSPORT INFORMATION**

#### **Road and Rail Transport**

UN1736 **UN-No** 

**Proper Shipping Name** Benzoyl chloride

**Hazard Class** 8 **Packing Group** Ш

IMDG/IMO

**UN-No** UN1736

**Proper Shipping Name** Benzoyl chloride

**Hazard Class** 8 **Packing Group** Ш

IATA

UN1736 **UN-No** 

Benzoyl chloride **Proper Shipping Name** 

Page 8/9 Revision Date 22-Apr-2024

#### Benzoyl chloride

**Hazard Class** 8 **Packing Group** Ш

**Special Precautions for User** No special precautions required

#### **SECTION 15. REGULATORY INFORMATION**

#### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

•	The Inventory of Hazardous Chemicals (2015 Edition)	-	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Benzoyl chloride	X	Х	Х	Х	202-710-8	Х	Х	Х	Х	Х	Х	KE-02765

## **National Regulations**

## **SECTION 16. OTHER INFORMATION**

**Prepared By** Health, Safety and Environmental Department

**Creation Date** 23-Sep-2008 **Revision Date** 22-Apr-2024

**Revision Summary** New emergency telephone response service provider.

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ALFAAA14107

## SAFETY DATA SHEET

Page 9/9 Revision Date 22-Apr-2024

## Benzoyl chloride

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**