

Page 1 / 8 Creation Date 17-Nov-2005 Revision Date 23-Apr-2024 Version 3

ALFAAA15765

trans-Crotonic acid

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| 产品说明: | 反-巴豆酸 |
|----------------------------|---|
| Product Description: | trans-Crotonic acid |
| Cat No. : | A15765 |
| Synonyms | trans-2-Butenoic acid; trans-3-Methylacrylic acid |
| CAS No | 107-93-7 |
| Molecular Formula | C4 H6 O2 |
| Supplier | Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608 |
| Emergency Telephone Number | For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe: 001-703-527-3887 |
| E-mail address | begel.sdsdesk@thermofisher.com |
| Recommended Use | Laboratory chemicals. |
| Uses advised against | No Information available |

| ses auviseu against | | |
|-------------------------|----------------------------------|------------------------|
| | SECTION 2. HAZARD IDENTIFICATION | |
| Physical State Solid | Appearance Off-white | Odor pungent |
| | Emergency Overview | |

Classification of the substance or mixture

Serious Eye Damage/Eye Irritation

Label Elements



Signal Word

Danger

Hazard Statements H318 - Causes serious eye damage Causes serious eye damage.

Category 1

trans-Crotonic acid

Precautionary Statements

Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

Storage

P403 - Store in a well-ventilated place

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards None identified. Health Hazards Causes eye burns.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS No | Weight % |
|---------------|----------|----------|
| Crotonic acid | 107-93-7 | >95 |

SECTION 4. FIRST AID MEASURES

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.

Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Call a physician or poison control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Ingestion

Do NOT induce vomiting. Immediate medical attention is required. Never give anything by mouth to an unconscious person. Drink plenty of water.

Most important symptoms and effects

Causes burns by all exposure routes. Causes eye burns. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

trans-Crotonic acid

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Avoid dust formation. Sweep up and shovel into suitable containers for disposal. Remove all sources of ignition.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Keep away from open flames, hot surfaces and sources of ignition.

Storage

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS70 General methods for sampling airborne gases and vapours

trans-Crotonic acid

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

| Eye Protection | Goggles | (European standard | 1 - EN 166) | |
|---|---|--------------------|-----------------------|---|
| Hand Protection | Protectiv | ve gloves | | |
| Glove material Natural rubber Butyl rubber Nitrile rubber Neoprene PVC | Breakthrough time See manufacturers recommendations | Glove thickness | EU standard EN 374 | Glove comments (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Skin and body protection | Long sleeved clothing |
|---------------------------------|---|
| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted |
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. |
| Environmental exposure controls | No information available. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance Physical State | Off-white Solid | |
|------------------------------|-------------------------------|-----------------------------------|
| Odor | pungent | |
| Odor Threshold | No data available | |
| рН | 3 | 1% aq. solution |
| Melting Point/Range | 72 - 73 °C / 161.6 - 163.4 °F | |
| Softening Point | No data available | |
| Boiling Point/Range | 185 - 199 °C / 365 - 390.2 °F | @ 760 mmHg |
| Flash Point | 88 °C / 190.4 °F | Method - No information available |

trans-Crotonic acid

| Evaporation Rate | Not applicable | Solid |
|------------------------------------|--------------------------|--|
| Flammability (solid,gas) | No information available | |
| Explosion Limits | No data available | |
| Vapor Pressure | 0.25 mbar @ 20 °C | |
| Vapor Density | Not applicable | Solid |
| Specific Gravity / Density | No data available | |
| Bulk Density | No data available | |
| Water Solubility | 94 g/L (25°C) | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/w | vater) | |
| Autoignition Temperature | 396 °C / 745 °F | |
| Decomposition Temperature | 210 °C | |
| Viscosity | Not applicable | Solid |
| Explosive Properties | | explosive air/vapour mixtures possible |
| Oxidizing Properties | No information available | |
| Molecular Formula | C4 H6 O2 | |
| Molecular Weight | 86.09 | |

SECTION 10. STABILITY AND REACTIVITY

| Stability | Stable under normal conditions. |
|---|---|
| Hazardous Reactions Hazardous Polymerization | None under normal processing. Hazardous polymerization does not occur. |
| Conditions to Avoid | Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. |
| Materials to avoid | Strong oxidizing agents. Strong bases. Peroxides. Reducing Agent. |

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO₂). Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--|--------------------------------|--|-----------------|
| Crotonic acid | 2610 mg/kg (Rat) | > 2000 mg/kg (Rat) | |
| (b) skin corrosion/irritation; | No data available | | |
| c) serious eye damage/irritation; | Category 1 | | |
| (d) respiratory or skin sensitization Respiratory Skin | Based on available data, the o | classification criteria are not met classification criteria are not met | |
| (e) germ cell mutagenicity; | Based on available data, the | classification criteria are not me | t |
| (f) carcinogenicity; | Based on available data, the | classification criteria are not me | t |
| | There are no known carcinoge | enic chemicals in this product | |

trans-Crotonic acid

| (g) reproductive toxicity; | Based on available data, the classification criteria are not met |
|---|--|
| (h) STOT-single exposure; | Based on available data, the classification criteria are not met |
| (i) STOT-repeated exposure; | Based on available data, the classification criteria are not met |
| Target Organs | None known. |
| (j) aspiration hazard; | Not applicable Solid |
| Other Adverse Effects | The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information |
| Symptoms / effects,both acute and delayed | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| | SECTION 12. ECOLOGICAL INFORMATION |

Ecotoxicity effects

Do not empty into drains.

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|---------------|---|------------|------------------|----------|
| Crotonic acid | LC50: = 31 mg/L, 96h flow-through (Pimephales promelas) | | | |

| Persistence and Degradability Persistence | Soluble in water, Persistence is unlikely, based on information available. |
|--|---|
| Bioaccumulative Potential | Bioaccumulation is unlikely |
| Mobility in soil | The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils |
| Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential | This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance |
| | SECTION 13. DISPOSAL CONSIDERATIONS |
| | |
| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. |
| Other Information | Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms. |

trans-Crotonic acid

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

| UN-No | UN2823 |
|------------------------------|---------------------------------|
| Proper Shipping Name | Crotonic acid, solid |
| Hazard Class | 8 |
| Packing Group | III |
| IMDG/IMO | |
| UN-No | UN2823 |
| Proper Shipping Name | Crotonic acid, solid |
| Hazard Class | 8 |
| Packing Group | III |
| IATA | |
| UN-No | UN2823 |
| Proper Shipping Name | Crotonic acid, solid |
| Hazard Class | 8 |
| Packing Group | III |
| Special Precautions for User | No special precautions required |

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component | The | List of | TCSI | IECSC | EINECS | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL |
|---------------|---|----------|------|-------|-----------|------|-----|-------|------|------|------|------------|
| | Inventory of Hazardous Chemicals (2015 Edition) | goods GB | | | | | | | | | | |
| Crotonic acid | - | - | Х | Х | 203-533-9 | - | - | - | Х | Х | - | KE-05-0371 |

National Regulations

SECTION 16. OTHER INFORMATION

| Prepared By |
|-------------------------|
| Creation Date |
| Revision Date |
| Revision Summary |

Health, Safety and Environmental Department 17-Nov-2005 23-Apr-2024 New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

trans-Crotonic acid

Legend

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances Substances List ENCS - Japanese Existing and New Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances NZIOC - New Zealand Inventory of Chemicals WEL - Workplace Exposure Limit TWA - Time Weighted Average ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer **DNEL** - Derived No Effect Level PNEC - Predicted No Effect Concentration **RPE** - Respiratory Protective Equipment LD50 - Lethal Dose 50% LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50% NOEC - No Observed Effect Concentration POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative PBT - Persistent, Bioaccumulative, Toxic ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road Ships **OECD** - Organisation for Economic Co-operation and Development ATE - Acute Toxicity Estimate BCF - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

IMO/IMDG - International Maritime Organization/International Maritime

VOC - (Volatile Organic Compound)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet