# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/8 Creation Date 23-Mar-2012 Revision Date 26-Apr-2024 Version 4

ALFAAA17478

## Diethylene glycol diethyl ether

#### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 二乙二醇二乙醚, 99%

Product Description: Diethylene glycol diethyl ether

Cat No.: A17478

Synonyms Diethyl Carbitol®; Bis(2-ethoxyethyl) ether; Diethylene glycol diethyl ether

CAS No 112-36-7 Molecular Formula C8 H18 O3

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US:**001-800-424-9300 / **Europe:**001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

## **SECTION 2. HAZARD IDENTIFICATION**

Physical State Appearance Odor

Liquid Colorless No information available

**Emergency Overview** 

Combustible liquid. May be harmful if swallowed. Causes skin irritation.

## Classification of the substance or mixture

| Flammable liquids.        | Category 4 |
|---------------------------|------------|
| Acute Oral Toxicity       | Category 5 |
| Skin Corrosion/Irritation | Category 2 |

#### **Label Elements**



Signal Word Warning

Page 2/8 Revision Date 26-Apr-2024

## Diethylene glycol diethyl ether

#### **Hazard Statements**

H227 - Combustible liquid

H303 - May be harmful if swallowed

H315 - Causes skin irritation

#### **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

#### Response

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

Combustible material.

#### **Health Hazards**

May be harmful if swallowed. Causes skin irritation.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component                       | CAS No   | Weight % |  |  |
|---------------------------------|----------|----------|--|--|
| Diethylene glycol diethyl ether | 112-36-7 | > 95     |  |  |

## **SECTION 4. FIRST AID MEASURES**

#### **General Advice**

If symptoms persist, call a physician.

#### **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects

. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Page 3/8 Revision Date 26-Apr-2024

#### Diethylene glycol diethyl ether

\_\_\_\_\_

#### Self-Protection of the First Aider

No special precautions required.

#### **Notes to Physician**

Treat symptomatically. Symptoms may be delayed.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Combustible material. Flammable. Containers may explode when heated.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Should not be released into the environment.

## Methods for Containment and Clean Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition.

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition.

## Storage

Containers should be dated when opened and tested periodically for the presence of peroxides. Keep under nitrogen. Purge open drums with nitrogen before resealing. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### Specific Use(s)

Use in laboratories

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control Parameters**

Page 4/8 Revision Date 26-Apr-2024

## Diethylene glycol diethyl ether

**Monitoring methods** 

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours

#### **Exposure Controls**

#### **Engineering Measures**

None under normal use conditions. Ensure adequate ventilation, especially in confined areas. .

#### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

| Glove materia | I Breakthrough time | Glove thickness | EU standard | Glove comments        |
|---------------|---------------------|-----------------|-------------|-----------------------|
| Viton (R)     | See manufacturers   | -               | EN 374      | (minimum requirement) |
|               | recommendations     |                 |             |                       |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Colorless
Physical State Liquid

Odor No information available

Odor Threshold No data available

pH No information available
Melting Point/Range -44.3 °C / -47.7 °F
Softening Point No data available

Boiling Point/Range 180 - 190 °C / 356 - 374 °F @ 760 mmHg

Flash Point 82 °C / 179.6 °F Method - No information available

Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure 0.48 mmHg @ 20 °C

Vapor Density 5.6 (Air = 1.0)

Specific Gravity / Density 0.900

Bulk Density Not applicable Liquid

Page 5/8 Revision Date 26-Apr-2024

#### Diethylene glycol diethyl ether

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Component** log Pow Diethylene glycol diethyl ether 0.39

Autoignition Temperature 215 °C / 419 °F Decomposition Temperature No data available Viscosity 1.4 cP at 20 °C

**Explosive Properties Oxidizing Properties** 

No information available

explosive air/vapour mixtures possible

Molecular FormulaC8 H18 O3Molecular Weight162.23

#### **SECTION 10. STABILITY AND REACTIVITY**

**Stability** No information available.

Hazardous ReactionsNo information available.Hazardous PolymerizationNo information available.

Conditions to Avoid Excess heat. Exposure to air. Incompatible products. Keep away from open flames, hot

surfaces and sources of ignition.

Materials to avoid Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

| <br>(a) abate texter();         |                         |             |                 |  |  |  |  |  |  |  |
|---------------------------------|-------------------------|-------------|-----------------|--|--|--|--|--|--|--|
| Component                       | LD50 Oral               | LD50 Dermal | LC50 Inhalation |  |  |  |  |  |  |  |
| Diethylene glycol diethyl ether | LD50 = 4970 mg/kg (Rat) |             |                 |  |  |  |  |  |  |  |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory**Skin
No data available
No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

Page 6/8 Revision Date 26-Apr-2024

Diethylene glycol diethyl ether

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

Persistence and Degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

**Bioaccumulative Potential** Bioaccumulation is unlikely

| Component                       | log Pow | Bioconcentration factor (BCF) |
|---------------------------------|---------|-------------------------------|
| Diethylene glycol diethyl ether | 0.39    | No data available             |

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

**Endocrine Disruptor Information Persistent Organic Pollutant** 

**Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

#### **SECTION 14. TRANSPORT INFORMATION**

Not Regulated Road and Rail Transport

Not regulated IMDG/IMO

IATA Not regulated

Page 7/8 Revision Date 26-Apr-2024

## Diethylene glycol diethyl ether

Special Precautions for User No special precautions required

## **SECTION 15. REGULATORY INFORMATION**

#### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component                       | The<br>Inventory of<br>Hazardous<br>Chemicals<br>(2015<br>Edition) | goods GB | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|---------------------------------|--|----------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Diethylene glycol diethyl ether | -  | -        | Х    | Х     | 203-963-7 | Х    | Х   | Х     | Х    | Х    | Х    | KE-03123 |

## **National Regulations**

## **SECTION 16. OTHER INFORMATION**

Prepared By Health, Safety and Environmental Department

Creation Date23-Mar-2012Revision Date26-Apr-2024

**Revision Summary** New emergency telephone response service provider.

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

#### Legend

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

**ENCS** - Japanese Existing and New Chemical Substances

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

Substances List

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ALFAAA17478

## **SAFETY DATA SHEET**

Page 8 / 8 Revision Date 26-Apr-2024

Diethylene glycol diethyl ether

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**