

Page 1/8 Creation Date 07-Mar-2012 Revision Date 23-Apr-2024 Version 4

ALFAAB22480

# Cesium hydroxide monohydrate

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	一水合氢氧化铯, 96%; 碳酸铯 <5%
Product Description:	Cesium hydroxide monohydrate
Cat No. :	<b>B22480</b>
CAS No	35103-79-8
Molecular Formula	H Cs O . H2 O
Supplier	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	For information <b>US</b> call: 001-800-227-6701 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US</b> :001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99 <b>CHEMTREC</b> Tel. No. <b>US</b> :001-800-424-9300 / <b>Europe:</b> 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical State Powder Solid	<b>Appearance</b> White	<b>Odor</b> Odorless
	Emergency Overview	
Harmful if swallowed. Causes severe skin bu	rns and eye damage. Suspected of dama	iging fertility or the unborn child. May cause
damage to organs through prolon	ged or repeated exposure. Corrosive to th	e respiratory tract. Hygroscopic.

#### Classification of the substance or mixture

Acute Oral Toxicity	Category 4
Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1
Reproductive Toxicity	Category 2
Specific target organ toxicity - (repeated exposure)	Category 2

Label Elements



# Cesium hydroxide monohydrate

## Signal Word

Danger

## Hazard Statements

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H361 - Suspected of damaging fertility or the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

## **Precautionary Statements**

#### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P284 - Wear respiratory protection

P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Physical and Chemical Hazards

Hygroscopic.

#### **Health Hazards**

Harmful if swallowed. Corrosive. Causes skin and eye burns. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Cesium hydroxide, monohydrate	35103-79-8	>95
Cesium hydroxide	21351-79-1	-

## SECTION 4. FIRST AID MEASURES

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.

#### Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician

## Cesium hydroxide monohydrate

## immediately.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

#### Ingestion

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### Notes to Physician

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons No information available.

## **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

#### **Environmental Precautions**

Should not be released into the environment. Do not allow material to contaminate ground water system.

#### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7. HANDLING AND STORAGE

#### Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

## Cesium hydroxide monohydrate

# Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Protect from moisture.

#### Specific Use(s)

Use in laboratories

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control Parameters**

Component	China	Taiwan	Thailand	Hong Kong
Cesium hydroxide	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	-

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Cesium hydroxide	TWA: 2 mg/m <sup>3</sup>	(Vacated) TWA: 2	TWA: 2 mg/m <sup>3</sup>	STEL: 6 mg/m <sup>3</sup> 15 min	
		mg/m <sup>3</sup>		TWA: 2 mg/m <sup>3</sup> 8 hr	

#### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

#### Exposure Controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

Eye ProtectionGoggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Neoprene	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143

## Cesium hydroxide monohydrate

Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Physical State	White Powder Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	Odorless No data available No information available 205 - 208 °C / 401 - 406.4 °F No data available No information available No information available No tapplicable No information available No data available	<b>Method -</b> No information available Solid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility	No information available Not applicable No data available No data available soluble in water with exothermic reaction	Solid
Solubility in other solvents Partition Coefficient (n-octanol/wat Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	No information available	Solid
Molecular Formula Molecular Weight	H Cs O . H2 O 167.93	

SECTION 10. STABILITY AND REACTIVITY

Stable under normal conditions. Hygroscopic.
None under normal processing. No information available.
Incompatible products. Exposure to moist air or water.
Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

# SECTION 11. TOXICOLOGICAL INFORMATION

# Cesium hydroxide monohydrate

# **Product Information**

(a) acute toxicity; Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Cesium hydroxide	1026 mg/kg (Rat)			
b) skin corrosion/irritation;	Category 1 A			
c) serious eye damage/irritation;	Category 1			
d) respiratory or skin sensitization; Respiratory Skin	Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met			
(e) germ cell mutagenicity;		lassification criteria are not met		
	Not mutagenic in AMES Test			
(f) carcinogenicity;	Based on available data, the c	lassification criteria are not met		
	There are no known carcinoge	nic chemicals in this product		
g) reproductive toxicity;	Category 2			
h) STOT-single exposure;	Based on available data, the classification criteria are not met			
i) STOT-repeated exposure;	Category 2			
Target Organs	None known.			
(j) aspiration hazard;	Not applicable Solid			
Other Adverse Effects	The toxicological properties ha	ve not been fully investigated.		
Symptoms / effects,both acute and delayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation			
	SECTION 12. ECOLOGIC	AL INFORMATION		
Ecotoxicity effects	Do not empty into drains			
Persistence and Degradability Persistence	Soluble in water, Persistence i	s unlikely, based on informatior	n available.	
Bioaccumulative Potential	Bioaccumulation is unlikely			
Mobility in soil	The product is water soluble, a environment due to its water so	ind may spread in water system olubility Highly mobile in soils	ns Will likely be mobile in th	

# Cesium hydroxide monohydrate

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance					
SECTION 13. DISPOSAL CONSIDERATIONS						
Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.					
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.					
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms.					
SECTION 14. TRANSPORT INFORMATION						
<u>Road and Rail Transport</u> UN-No Proper Shipping Name Hazard Class Packing Group	UN2682 CAESIUM HYDROXIDE 8 II					
IMDG/IMO						
UN-No Proper Shipping Name Hazard Class	UN2682 CAESIUM HYDROXIDE 8					

8 Ш

## <u>IATA</u>

**Packing Group** 

UN2682 CAESIUM HYDROXIDE
8
11

**Special Precautions for User** 

No special precautions required

# **SECTION 15. REGULATORY INFORMATION**

## International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)	goods GB	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Cesium hydroxide, monohydrate	-	-	Х	-	-	-	-	-	Х		Х	-
Cesium hydroxide	Х	Х	Х	Х	244-344-1	Х	Х	Х	Х	Х	Х	KE-05440

## National Regulations

# **SECTION 16. OTHER INFORMATION**

Prepared By	Health, Safety and Environmental Department
Creation Date	07-Mar-2012
Revision Date	23-Apr-2024
Revision Summary	New emergency telephone response service provider.

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

#### Legend

#### CAS - Chemical Abstracts Service

CAS - Chemical Abstracts Service	ISCA - United States Toxic Substances Control Act Section 8(b)
<b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances <b>IECSC</b> - Chinese Inventory of Existing Chemical Substances	Inventory <b>DSL/NDSL</b> - Canadian Domestic Substances List/Non-Domestic Substances List <b>ENCS</b> - Japanese Existing and New Chemical Substances <b>AICS</b> - Australian Inventory of Chemical Substances <b>NZIOC</b> - New Zealand Inventory of Chemicals
ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration	<ul> <li>TWA - Time Weighted Average</li> <li>IARC - International Agency for Research on Cancer</li> <li>PNEC - Predicted No Effect Concentration</li> <li>LD50 - Lethal Dose 50%</li> <li>EC50 - Effective Concentration 50%</li> <li>POW - Partition coefficient Octanol:Water</li> <li>vPvB - very Persistent, very Bioaccumulative</li> </ul>

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate

TECA United States Taxis Substances Control Act Section 9(b)

VOC - (Volatile Organic Compound)

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**