

ALFAAL01966

# Cyclopentylamine

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	环戊胺
Product Description:	Cyclopentylamine
Cat No. :	<b>L01966</b>
CAS No	1003-03-8
Molecular Formula	C5 H11 N
Supplier	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	For information <b>US</b> call: 001-800-227-6701 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US:</b> 001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99 <b>CHEMTREC</b> Tel. No. <b>US:</b> 001-800-424-9300 / <b>Europe:</b> 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

	Physical State	Appearance	<b>Odor</b>
	Liquid	No information available	No information available
<b>Emergency Overview</b> Highly flammable liquid and vapor. Toxic if swallowed. Causes severe skin burns and eye damage. May cause an allergic ski reaction. Harmful if inhaled.			

# Classification of the substance or mixture

Flammable liquids.	Category 2
Acute Oral Toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 4
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Skin Sensitization	Category 1

## Label Elements

Г

## Cyclopentylamine



### Signal Word

Danger

## Hazard Statements

- H225 Highly flammable liquid and vapor
- H301 Toxic if swallowed
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H332 Harmful if inhaled

#### Precautionary Statements Prevention

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P240 Ground and bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting equipment
- P242 Use non-sparking tools
- P243 Take action to prevent static discharges
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves/protective clothing/eye protection/face protection

### Response

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P331 Do NOT induce vomiting
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### **Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Highly flammable.

### Health Hazards

Toxic if swallowed. Corrosive. Causes skin and eye burns. May cause an allergic skin reaction. Harmful if inhaled.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Cyclopentanamine	1003-03-8	> 99

## Cyclopentylamine

## SECTION 4. FIRST AID MEASURES

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Most important symptoms and effects

Causes burns by all exposure routes. Difficulty in breathing. May cause allergic skin reaction. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

## Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Notes to Physician

Treat symptomatically.

# **SECTION 5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

Water may be ineffective.

## **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

## Cyclopentylamine

### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

## Specific Use(s)

Use in laboratories

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control Parameters**

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

### Exposure Controls

### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

### Personal protective equipment

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
---	---	----------------------	-----------------------	---

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

## Cyclopentylamine

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143 Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	No information available	
Physical State	Liquid	
Odor	No information available	
Odor Threshold	No data available	
рН	No information available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	106 - 108 °C / 222.8 - 226.4 °F	
Flash Point	17 °C / 62.6 °F	Method - No information available
Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 1.3	
-	Upper 9.4	
Vapor Pressure	No data available	
Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	0.860	
Bulk Density	Not applicable	Liquid
Water Solubility	COMPLETELY MISCIBLE WITH	
····· · · · · · · · · · · · · · · · ·	WATER	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wat	er)	
Component	log Pow	
Cyclopentanamine	0.83	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties		Vapors may form explosive mixtures with air
Oxidizing Properties	No information available	· · · · · · · · · · · · · · · · · · ·
Molecular Formula	C5 H11 N	
Molecular Weight	85.15	

# SECTION 10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Hazardous Reactions Hazardous Polymerization	None under normal processing. Hazardous polymerization does not occur.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.
Materials to avoid	Acids. Strong oxidizing agents. Acid chlorides. Carbon dioxide (CO2).

Hazardous Decomposition Products Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

# **SECTION 11. TOXICOLOGICAL INFORMATION**

# **Product Information**

(a) acute toxicity,	(	(a)	acute	toxicity;
---------------------	---	-----	-------	-----------

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cyclopentanamine			LC50 = 7.7 mg/L (Rat)4 h
(b) skin corrosion/irritation;	Category 1 B		
(c) serious eye damage/irritation;	Category 1		
(d) respiratory or skin sensitization; Respiratory Skin	No data available Category 1		
	No information available		
(e) germ cell mutagenicity;	No data available		
	Not mutagenic in AMES Test		
(f) carcinogenicity;	No data available		
	There are no known carcinoge	enic chemicals in this product	
(g) reproductive toxicity;	No data available		
(h) STOT-single exposure;	No data available		
(i) STOT-repeated exposure;	No data available		
Target Organs	No information available.		
(j) aspiration hazard;	No data available		
Other Adverse Effects	The toxicological properties ha	ave not been fully investigated	
Symptoms / effects,both acute and	Inhalation of high vapor conce	ntrations may cause symptom	s like headache, dizziness,

## Cyclopentylamine

delayed tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing **SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects** Persistence and Degradability Persistence Soluble in water, Persistence is unlikely, based on information available. Bioaccumulation is unlikely **Bioaccumulative Potential Bioconcentration factor (BCF)** Component log Pow Cyclopentanamine 0.83 No data available The product is water soluble, and may spread in water systems Will likely be mobile in the Mobility in soil environment due to its water solubility Highly mobile in soils **Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors **Persistent Organic Pollutant** This product does not contain any known or suspected substance **Ozone Depletion Potential** This product does not contain any known or suspected substance SECTION 13. DISPOSAL CONSIDERATIONS Waste from Residues/Unused Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Products **Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition. **Other Information** Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. **SECTION 14. TRANSPORT INFORMATION Road and Rail Transport UN-No** UN3286 **Proper Shipping Name** Flammable liquid, toxic, corrosive, n.o.s. **Technical Shipping Name** Cyclopentylamine 3 Hazard Class **Subsidiary Hazard Class** 6.1, 8 **Packing Group** П

## IMDG/IMO

UN-No Proper Shipping Name UN3286 Flammable liquid, toxic, corrosive, n.o.s.

## Cyclopentylamine

Technical Shipping Name	Cyclopentylamine
Hazard Class	3
Subsidiary Hazard Class	6.1, 8
Packing Group	11

IATA

UN-No Proper Shipping Name	UN3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.*
Technical Shipping Name	Cyclopentylamine
Hazard Class	3
Subsidiary Hazard Class	6.1, 8
Packing Group	II
<b>-</b> .	

Special Precautions for User

No special precautions required

## **SECTION 15. REGULATORY INFORMATION**

### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)		TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Cyclopentanamine	X	-	Х	Х	213-697-3	Х	-	X	-	Х	-	KE-09296

# **National Regulations**

# **SECTION 16. OTHER INFORMATION**

Prepared ByHealth, Safety and Environmental DepartmentRevision Date26-Apr-2024Revision SummaryNew emergency telephone response service provider.

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

## Legend

CAS - Chemical Abstracts Service	<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory
<b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances <b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances <b>IECSC</b> - Chinese Inventory of Existing Chemical Substances <b>KECL</b> - Korean Existing and Evaluated Chemical Substances	

WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

## Cyclopentylamine

DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

PNEC - Predicted No Effect Concentration
LD50 - Lethal Dose 50%
EC50 - Effective Concentration 50%
POW - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**PVB** - Very Persistent, Very Bioaccum

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**