

Page 1/9 Creation Date 18-May-2010 Revision Date 27-Apr-2024 Version 3

ALFAAL09658

Tetramethylammonium hydroxide pentahydrate

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	四甲基氢氧化铵五水合物
Product Description:	Tetramethylammonium hydroxide pentahydrate
Cat No. :	L09658
Synonyms	N,N,N-Trimethylmethanaminium hydroxide pentahydrate.
CAS No	10424-65-4
Molecular Formula	C4 H13 N O . 5 H2 O
Supplier	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe: 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical State	Appearance	Odor
Solid	White	Ammonia-like
Fatal if swallowed. Fatal in contact with skir damage to organs through prolonged or	Emergency Overview n. Causes severe skin burns and eye dar r repeated exposure. Toxic to aquatic life Hygroscopic.	

Classification of the substance or mixture

Acute Oral Toxicity	Category 2
Acute Dermal Toxicity	Category 1
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity - (single exposure)	Category 1
Specific target organ toxicity - (repeated exposure)	Category 1
Chronic aquatic toxicity	Category 2

Label Elements

Tetramethylammonium hydroxide pentahydrate



Signal Word

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

H300 + H310 - Fatal if swallowed or in contact with skin

Precautionary Statements

Prevention

P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Hygroscopic.

Health Hazards

Very toxic if swallowed. Fatal in contact with skin. Corrosive. Causes skin and eye burns. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

Environmental hazards

Toxic to aquatic life with long lasting effects. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Methanaminium, N,N,N-trimethyl-, hydroxide, pentahydrate	10424-65-4	>95
Tetramethylammonium hydroxide	75-59-2	-

SECTION 4. FIRST AID MEASURES

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Tetramethylammonium hydroxide pentahydrate

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Corrosive material. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Tetramethylammonium hydroxide pentahydrate

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Corrosives area.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)
Hand Protection	Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Tetramethylammonium hydroxide pentahydrate

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State	White Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas)	Ammonia-like No data available No information available 62 - 71 °C / 143.6 - 159.8 °F No data available No information available No information available Not applicable No information available	Method - No information available Solid
Explosion Limits	Lower 6.7 Vol% Upper 36 Vol%	
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility	No information available Not applicable No data available No data available Soluble	Solid
Solubility in other solvents Partition Coefficient (n-octanol/wate	No information available er)	
Component Tetramethylammonium hydroxide Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	log Pow -1.4 470 °C / 878 °F No data available Not applicable No information available No information available	Solid
Molecular Formula Molecular Weight	C4 H13 N O . 5 H2 O 181.23	

SECTION 10. STABILITY AND REACTIVITY

Stability	Hygroscopic. Air sensitive.
Hazardous Reactions Hazardous Polymerization	None under normal processing. Hazardous polymerization does not occur.
Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat. Exposure to air. Exposure to moisture.
Materials to avoid	Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx).

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

Tetramethylammonium hydroxide pentahydrate

Tetramethylammonium hydroxide LD50: 34 - 50 mg/kg (Rat) 25-50 mg/kg (Rabbit) (b) skin corrosion/irritation; Category 1 B (c) serious eye damage/irritation; Category 1 (d) respiratory or skin sensitization; Respiratory Skin Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met (e) germ cell mutagenicity; Based on available data, the classification criteria are not met There are no known carcinogenic chemicals in this product (g) reproductive toxicity; Based on available data, the classification criteria are not met (h) STOT-single exposure; Category 1 Results / Target organs Central nervous system (CNS) (i) aspiration hazard; Dermal Liver, Thymus. (j) aspiration hazard; Not applicable Solid Other Adverse Effects The toxicological properties have not been fully investigated. Symptoms / effects,both acute and Possible perforation of somach or escophagus should be investigated: ingestion causes severe severe axelling, severe damage to the delicate lissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Persistence Expected to be biodegradable Soluble in water, Persiste	Component	LD50 Oral	LD50 D	ermal	LC50 Inhalation
(c) serious eye damage/irritation; Category 1 (d) respiratory or skin sensitization; Respiratory Skin Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met (e) germ cell mutagenicity; Based on available data, the classification criteria are not met There are no known carcinogenic chemicals in this product (g) reproductive toxicity; Based on available data, the classification criteria are not met There are no known carcinogenic chemicals in this product (g) reproductive toxicity; Based on available data, the classification criteria are not met (h) STOT-single exposure; Category 1 Results / Target organs Central nervous system (CNS) (i) STOT-repeated exposure; Category 1 Route of exposure Dermal Target Organs Liver, Thymus. (i) aspiration hazard; Not applicable Symptoms / offects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esponyneus which are hazardous for the environment. The product contains following substances which are hazardous for the environment. The product contains following substances which are hazardous for the environment. The product contains following substances which are hazardous for the environment. The product contains following substances which are hazardous for the environment. Persisten		LD50 34 - 50 mg/kg (Rat)	25-50 mg/kg	(Rabbit)	
(d) respiratory or skin sensitization; Respiratory Based on available data, the classification criteria are not met (e) germ cell mutagenicity; Based on available data, the classification criteria are not met (f) carcinogenicity; Based on available data, the classification criteria are not met (f) carcinogenicity; Based on available data, the classification criteria are not met (g) reproductive toxicity; Based on available data, the classification criteria are not met (h) STOT-single exposure; Category 1 Results / Target organs Central nervous system (CNS) (i) STOT-repeated exposure; Category 1 Route of exposure; Dermal Liver, Thymus. Uiver, Thymus. (ii) aspiration hazard; Not applicable Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate lissue and danger of perforation Section 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence Soluble in water, Persistence is unilikely, based on information available. Contains	(b) skin corrosion/irritation;	Category 1 B			
Respiratory Skin Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met (e) gern cell mutagenicity: Based on available data, the classification criteria are not met (f) carcinogenicity: Based on available data, the classification criteria are not met (f) carcinogenicity: Based on available data, the classification criteria are not met (g) reproductive toxicity: Based on available data, the classification criteria are not met (h) STOT-single exposure; Category 1 Results / Target organs Central nervous system (CNS) (i) STOT-repeated exposure; Category 1 Route of exposure Dermal Liver, Thymus. Liver, Thymus. (j) aspiration hazard; Not applicable Solid Other Adverse Effects Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe dermage to the delicate tissue and danger of perforation cuses severe e dermage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following	(c) serious eye damage/irritation;	Category 1			
(f) carcinogenicity; Based on available data, the classification criteria are not met There are no known carcinogenic chemicals in this product (g) reproductive toxicity; Based on available data, the classification criteria are not met (h) STOT-single exposure; Category 1 Results / Target organs Central nervous system (CNS) (i) STOT-repeated exposure; Category 1 Route of exposure Dermal Liver, Thymus. (j) aspiration hazard; Not applicable Solid Other Adverse Effects The toxicological properties have not been fully investigated. Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated'. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Section 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Persistence Degradability Persistence Degradability Persistence and Degradability Persistence Degradability Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in water treatment plants. Bloaccumulative Potential Bioaccumulation is unlikely	Respiratory				
(g) reproductive toxicity; Based on available data, the classification criteria are not met (h) STOT-single exposure; Category 1 Results / Target organs Central nervous system (CNS) (i) STOT-repeated exposure; Category 1 Route of exposure Category 1 Interest of exposure; Dermal Liver, Thymus. Liver, Thymus. (i) aspiration hazard; Not applicable Solid The toxicological properties have not been fully investigated. Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	(e) germ cell mutagenicity;	Based on available data, the cla	ssification crite	eria are not met	
(g) reproductive toxicity; Based on available data, the classification criteria are not met (h) STOT-single exposure; Category 1 Results / Target organs Central nervous system (CNS) (i) STOT-repeated exposure; Category 1 Route of exposure; Category 1 Image: Target Organs Dermal Liver, Thymus. Liver, Thymus. (i) aspiration hazard; Not applicable Solid The toxicological properties have not been fully investigated. Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: lingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Section 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence Degradability Persistence is unlikely. Expected to be biodegradable soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in water treatment plants. Bloaccumulative Potential Bioconcentration is unlikely Component Iog Pow Bioconcentrati	(f) carcinogenicity;	Based on available data, the cla	ssification crite	eria are not met	
(h) STOT-single exposure; Category 1 Results / Target organs Central nervous system (CNS) (i) STOT-repeated exposure; Category 1 Route of exposure Dermal Target Organs Liver, Thymus. (i) aspiration hazard; Not applicable Solid The toxicological properties have not been fully investigated. Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence Degradability Expected to be biodegradable Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in water treatment plants. Blocaccumulative Potential Biocaccumulation is unlikely		There are no known carcinogen	ic chemicals ir	this product	
Results / Target organs Central nervous system (CNS) (i) STOT-repeated exposure; Category 1 Route of exposure Dermal Target Organs Liver, Thymus. (j) aspiration hazard; Not applicable Solid The toxicological properties have not been fully investigated. Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence and Degradability Persistence Begradation in sewage treatment plant Expected to be biodegradable Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in water water treatment plants. Bioaccumulatiove Potential Bioaccumulation is unlikely Component Iog Pow Bioconcentration factor (BCF)	(g) reproductive toxicity;	Based on available data, the cla	ssification crite	eria are not met	
(i) STOT-repeated exposure; Category 1 Route of exposure Target Organs Dermal Liver, Thymus. (j) aspiration hazard; Not applicable Solid Other Adverse Effects The toxicological properties have not been fully investigated. Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence and Degradability Degradation in sewage treatment plant Expected to be biodegradable Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in was water treatment plants. Bioaccumulative Potential Bioaccumulation is unlikely Component tog Pow	(h) STOT-single exposure;	Category 1			
Route of exposure Target Organs Dermal Liver, Thymus. (j) aspiration hazard; Not applicable Solid Other Adverse Effects The toxicological properties have not been fully investigated. Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence and Degradability Persistence Degradation in sewage treatment plant Expected to be biodegradable Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in was water treatment plants. Bioaccumulative Potential Biocaccumulation is unlikely Component Iog Pow Bioconcentration factor (BCF)	Results / Target organs	Central nervous system (CNS)			
Target Organs Liver, Thymus. (j) aspiration hazard; Not applicable Solid Other Adverse Effects The toxicological properties have not been fully investigated. Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence and Degradability Persistence Degradation in sewage treatment plant Expected to be biodegradable Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in water water treatment plants. Bioaccumulative Potential Bioaccumulation is unlikely Component Iog Pow Bioconcentration factor (BCF)	(i) STOT-repeated exposure;	Category 1			
Solid Solid Other Adverse Effects The toxicological properties have not been fully investigated. Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Section 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence and Degradability Degradation in sewage treatment plant Expected to be biodegradable Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in was water treatment plants. Bioaccumulative Potential Bioaccumulation is unlikely Bioconcentration factor (BCF)					
Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence and Degradability Persistence Degradation in sewage treatment plant Expected to be biodegradable Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in water treatment plants. Bioaccumulative Potential Bioaccumulation is unlikely Component Iog Pow Bioconcentration factor (BCF)	(j) aspiration hazard;				
delayed Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence and Degradability Expected to be biodegradable Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in water treatment plant Bioaccumulative Potential Bioaccumulation is unlikely Component Iog Pow Bioconcentration factor (BCF)	Other Adverse Effects	The toxicological properties have not been fully investigated.			
Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Persistence and Degradability Expected to be biodegradable Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in water treatment plant Bioaccumulative Potential Bioaccumulation is unlikely Image: Note of the product contains for the environment or not degradable in water treatment plant Bioaccumulation is unlikely		Possible perforation of stomach or esophagus should be investigated: Ingestion causes			
Persistence and Degradability Expected to be biodegradable Persistence Degradation in sewage Degradation in sewage Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in water treatment plant Bioaccumulative Potential Bioaccumulation is unlikely Image: Component Iog Pow Bioconcentration factor (BCF)		SECTION 12. ECOLOGICA	L INFORMA	TION	
Persistence Degradation in sewage treatment plant Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in was water treatment plants. Bioaccumulative Potential Bioaccumulation is unlikely Component Iog Pow Bioconcentration factor (BCF)	Ecotoxicity effects	environment. The product contains following substances which are hazardous for the			
Component log Pow Bioconcentration factor (BCF)	Persistence Degradation in sewage	Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in waste			
	Bioaccumulative Potential	Bioaccumulation is unlikely			

Tetramethylammonium hydroxide pentahydrate

Mobility in soil	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils	
Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance	
	SECTION 13. DISPOSAL CONSIDERATIONS	
Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.	
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.	
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.	
	SECTION 14. TRANSPORT INFORMATION	
Road and Rail Transport	UN3423	
Proper Shipping Name Hazard Class Packing Group	TETRAMETHYLAMMONIUM HYDROXIDE, SOLID 8 II	

IMDG/IMO

UN-No	UN3423
Proper Shipping Name	TETRAMETHYLAMMONIUM HYDROXIDE, SOLID
Hazard Class	8
Packing Group	II

<u>IATA</u>

UN-No	UN3423
Proper Shipping Name	TETRAMETHYLAMMONIUM HYDROXIDE, SOLID
Hazard Class	8
Packing Group	II

Special Precautions for User

No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)		TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Methanaminium, N,N,N-trimethyl-,	-	-	Х	Х	-	-	-	Х	Х	Х	Х	-

Tetramethylammonium hydroxide pentahydrate

hydroxide, pentahydrate												
Tetramethylammonium	X	X	X	X	200-882-9	X	x	X	Х	X	Х	KE-33550
hydroxide	X	X	X	~	200 002 0		~		~		~	

National Regulations

SECTION 16. OTHER INFORMATION

Prepared By Creation Date Revision Date Revision Summary Health, Safety and Environmental Department 18-May-2010 27-Apr-2024 New emergency telephone response service provider.

Training Advice

Chemical incident response training.

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Legend

CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Existing Commercial Chemical	
Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances	Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit	TWA - Time Weighted Average
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	PNEC - Predicted No Effect Concentration
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%

NOEC - No Observed Effect Concentration

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Tetramethylammonium hydroxide pentahydrate

materials or in any process, unless specified in the text

End of Safety Data Sheet