

Page 1/9 Creation Date 09-Nov-2010 Revision Date 30-Apr-2024 Version 3

ALFAAL09773

# Isobutylene oxide

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	氧化异丁烯, 99+%
Product Description:	Isobutylene oxide
Cat No. :	<b>L09773</b>
Synonyms	2,2-Dimethyloxirane; 1,2-Epoxy-2-methylpropane
CAS No	558-30-5
Molecular Formula	C4 H8 O
Supplier	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	For information <b>US</b> call: 001-800-227-6701 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US:</b> 001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99 <b>CHEMTREC</b> Tel. No. <b>US:</b> 001-800-424-9300 / <b>Europe:</b> 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical State	Appearance	Odor
Liquid	Clear	No information available
Highly flammable liquid and vapor. May be ha	Emergency Overview armful if swallowed. May be harmful in and eye damage.	

## Classification of the substance or mixture

Flammable liquids.	Category 2
Acute Oral Toxicity	Category 5
Acute Dermal Toxicity	Category 5
Skin Corrosion/Irritation	Category 1 C
Serious Eye Damage/Eye Irritation	Category 1

Label Elements

Г

### Isobutylene oxide



# Signal Word

Danger

## Hazard Statements

H225 - Highly flammable liquid and vapor

H303 - May be harmful if swallowed

H313 - May be harmful in contact with skin

H314 - Causes severe skin burns and eye damage

## **Precautionary Statements**

#### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P240 Ground and bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting equipment
- P242 Use non-sparking tools
- P243 Take action to prevent static discharges
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves

### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

## Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Physical and Chemical Hazards

Highly flammable. Vapors may cause flash fire or explosion.

# Health Hazards

May be harmful if swallowed. May be harmful in contact with skin. Corrosive. Causes skin and eye burns.

# Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its volatility. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

This product does not contain any known or suspected endocrine disruptors.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Oxirane, 2,2-dimethyl-	558-30-5	>95

Isobutylene oxide

## SECTION 4. FIRST AID MEASURES

### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Most important symptoms and effects

Causes burns by all exposure routes. Difficulty in breathing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### Notes to Physician

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions**

Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Isobutylene oxide

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7. HANDLING AND STORAGE

#### Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Flammables area. Keep away from heat, sparks and flame.

#### Specific Use(s)

Use in laboratories

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

### Exposure Controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

Eye Protection	Goggles	(European standard	I - EN 166)		
Hand Protection	Protectiv	ve gloves			
Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)	

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Skin and body protection

ction Wear appropriate protective gloves and clothing to prevent skin exposure

# Isobutylene oxide

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
	To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
	<b>Recommended Filter type:</b> Organic gases and vapours filter Type A Brown conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
	Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141
	When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State	Clear Liquid	
Odor	No information available	
Odor Threshold	No data available	
pH	6-7	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	51 - 52 °C / 123.8 - 125.6 °F	Mathed Na information quailable
Flash Point	-32 °C / -25.6 °F	Method - No information available
Evaporation Rate	No data available	l invial
Flammability (solid,gas)	Not applicable Lower 1.5 vol%	Liquid
Explosion Limits		
Vapor Prosouro	<b>Upper</b> 13.5 vol% 313 hPa @ 20°C	
Vapor Pressure Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	0.808	(AII = 1.0)
Bulk Density	Not applicable	Liquid
Water Solubility	30 g/L (20°C)	Liquid
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wat		
Component	log Pow	
Oxirane, 2,2-dimethyl-	0.83	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	0.513 mm2/s @ 20 °C	
Explosive Properties		Vapors may form explosive mixtures with air
Oxidizing Properties	No information available	
Molecular Formula	C4 H8 O	
Molecular Weight	72.11	
-		

# SECTION 10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions.

# Isobutylene oxide

Hazardous Reactions Hazardous Polymerization	None under normal processing. Hazardous polymerization does not occur.
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.
Materials to avoid	Strong oxidizing agents.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

# SECTION 11. TOXICOLOGICAL INFORMATION

## **Product Information**

(a) acute toxicity;

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Oxirane, 2,2-dimethyl-	LD50 = 3890 mg/kg (Rat)	LD50 > 4000 mg/kg (Rat)		
(b) skin corrosion/irritation;	Category 1 C			
(c) serious eye damage/irritation;	Category 1			
(d) respiratory or skin sensitization Respiratory Skin	No data available No data available			
(e) germ cell mutagenicity;	No data available			
(f) carcinogenicity;	No data available			
	There are no known carcinoge	enic chemicals in this product		
(g) reproductive toxicity;	No data available			
(h) STOT-single exposure;	No data available			
(i) STOT-repeated exposure;	No data available			
Target Organs	No information available.			
(j) aspiration hazard;	No data available			
Other Adverse Effects	The toxicological properties have not been fully investigated.			
Symptoms / effects,both acute and delayed	Ind Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion cause severe swelling, severe damage to the delicate tissue and danger of perforation: Inhal of high vapor concentrations may cause symptoms like headache, dizziness, tiredness nausea and vomiting			

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

Do not empty into drains. .

# Isobutylene oxide

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Oxirane, 2,2-dimethyl-		64.8 mg/L 48h		
Persistence and Degradability Persistence	Readily biodegradable Persistence is unlikely		available.	
Bioaccumulative Potential	Bioaccumulation is unl	ikely		
Component	log	Pow	Bioconcentra	tion factor (BCF)
Oxirane, 2,2-dimethyl-	0	83	No data	a available
Mobility in soil	The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces Will likely be mobile in the environment due to its volatility Disperses rapidly in air			
Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance			
	SECTION 13. DISP	OSAL CONSIDERA	TIONS	
Waste from Residues/Unused Products			f in accordance with the n accordance with loca	
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.			
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.			

# **SECTION 14. TRANSPORT INFORMATION**

# Road and Rail Transport

UN-No	UN2924
Proper Shipping Name	Flammable liquid, corrosive, n.o.s.
Technical Shipping Name	Oxirane, 2,2-dimethyl-
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN2924
Proper Shipping Name	Flammable liquid, corrosive, n.o.s.
Technical Shipping Name	Oxirane, 2,2-dimethyl-
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II

# <u>IATA</u>

UN-No **Proper Shipping Name**  UN2924 Flammable liquid, corrosive, n.o.s.

# Isobutylene oxide

Technical Shipping Name Oxirane	, 2,2-dimethyl-
Hazard Class 3	
Subsidiary Hazard Class 8	
Packing Group II	

**Special Precautions for User** 

No special precautions required

# SECTION 15. REGULATORY INFORMATION

#### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component		List of dangerous	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Hazardous Chemicals (2015 Edition)	0										
Oxirane, 2,2-dimethyl-		-	Х	-	209-193-8	Х	-	Х	-	Х	-	2005-3-3136

## **National Regulations**

# **SECTION 16. OTHER INFORMATION**

Prepared By	Health, Safety and Environmental Department
Creation Date	09-Nov-2010
Revision Date	30-Apr-2024
Revision Summary	New emergency telephone response service provider.

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

# Legend

CAS - Chemical Abstracts Service	<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists	TWA - Time Weighted Average IARC - International Agency for Research on Cancer
<b>DNEL</b> - Derived No Effect Level	PNEC - Predicted No Effect Concentration
<b>RPE</b> - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water
PBT - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative

Isobutylene oxide

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

Key literature references and sources for data https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**