Thermo Fisher SCIENTIFIC

SAFETY DATA SHEET

Page 1/9 Creation Date 04-Mar-2010 Revision Date 26-Apr-2024 Version 6

ALFAAL11133

Glycidyl methacrylate

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 甲基丙烯酸缩水甘油酯, 97%, 100ppm 4-甲氧基苯酚稳定剂

Product Description: Glycidyl methacrylate

Cat No. : L11133

Synonyms 2,3-Epoxypropyl methacrylate

CAS No 106-91-2 Molecular Formula C7 H10 O3

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals. Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical StateAppearanceOdorLiquidCleararomatic

Emergency Overview

Combustible liquid. Harmful if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation. Suspected of causing genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

Classification of the substance or mixture

| Flammable liquids. | Category 4 |
|--|--------------|
| Acute Oral Toxicity | Category 4 |
| Acute Dermal Toxicity | Category 3 |
| Skin Corrosion/Irritation | Category 1 C |
| Serious Eye Damage/Eye Irritation | Category 1 |
| Skin Sensitization | Category 1 |
| Germ Cell Mutagenicity | Category 2 |
| Carcinogenicity | Category 1B |
| Reproductive Toxicity | Category 1B |
| Specific target organ toxicity - (single exposure) | Category 3 |
| Specific target organ toxicity - (repeated exposure) | Category 1 |

Label Elements

Page 2/9 Revision Date 26-Apr-2024

Glycidyl methacrylate



Signal Word

Danger

Hazard Statements

- H227 Combustible liquid
- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H335 May cause respiratory irritation
- H341 Suspected of causing genetic defects
- H350 May cause cancer
- H372 Causes damage to organs through prolonged or repeated exposure
- H360 May damage fertility or the unborn child

Precautionary Statements

Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves/protective clothing/eye protection/face protection

Response

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P331 Do NOT induce vomiting
- P363 Wash contaminated clothing before reuse
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Combustible material.

Health Hazards

Harmful if swallowed. Toxic in contact with skin. Corrosive. Causes skin and eye burns. May cause an allergic skin reaction. May cause respiratory irritation. Suspected of causing genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. . Is not likely mobile in the environment due its low water solubility. The product is insoluble and sinks in water. The product evaporates slowly. Spillage unlikely to penetrate soil.

No information available

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Page 3/9 Revision Date 26-Apr-2024

Glycidyl methacrylate

| | _ | 0.0.0.11 | 101 1 1 01 |
|--|---|----------|------------|
| | | | |
| | | | |
| | | | |

| Component | CAS No | Weight % |
|-----------------------|----------|----------|
| Glycidyl methacrylate | 106-91-2 | <=100 |

SECTION 4. FIRST AID MEASURES

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

Causes burns by all exposure routes. May cause allergic skin reaction. Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Self-Protection of the First Aider

Use personal protective equipment as required.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water mist may be used to cool closed containers. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away

Page 4/9 Revision Date 26-Apr-2024

Glycidyl methacrylate

from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Corrosives area. To maintain product quality: Keep refrigerated.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| Component | Component China | | Thailand | Hong Kong | |
|-----------------------|------------------------------|---|----------|-----------|--|
| Glycidyl methacrylate | Ceiling: 5 mg/m ³ | - | | - | |

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | - | EN 374 | (minimum requirement) |
| Nitrile rubber | recommendations | | | |
| Neoprene | | | | |
| PVC | | | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Page 5/9 Revision Date 26-Apr-2024

Glycidyl methacrylate

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear Physical State Liquid

Odor aromatic

Odor Threshold No data available

pH No information available

Melting Point/Range -90 °C / -130 °F Softening Point No data available Boiling Point/Range 189 °C / 372.2 °F

Boiling Point/Range 189 °C / 372.2 °F @ 760 mmHg

Flash Point 76 °C / 168.8 °F Method - No information available

Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure 4.2 mbar @ 25 °C

Vapor Density 4.90 (Air = 1.0)

Specific Gravity / Density 1.070

Bulk Density Not applicable Liquid

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowGlycidyl methacrylate0.089

Autoignition Temperature 389 °C / 732.2 °F
Decomposition Temperature No data available
Viscosity 2.5 mPa.s at 20 °C

Explosive Properties

Oxidizing Properties No information available

Molecular FormulaC7 H10 O3Molecular Weight142.15

explosive air/vapour mixtures possible

Page 6/9 Revision Date 26-Apr-2024

Glycidyl methacrylate

SECTION 10. STABILITY AND REACTIVITY

Stability Stable under normal conditions. Polymerization can occur.

Hazardous ReactionsNone under normal processing.Hazardous PolymerizationPolymerization can occur.

Conditions to Avoid Incompatible products. Excess heat. Exposure to light. Keep away from open flames, hot

surfaces and sources of ignition.

Materials to avoid Strong oxidizing agents. Peroxides. Strong acids. Strong bases.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO₂). Thermal decomposition can lead to release

of irritating gases and vapors.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | | |
|-----------------------|-----------------|--------------------|-----------------------|--|--|
| Glycidyl methacrylate | 597 mg/kg (Rat) | 480 mg/kg (Rabbit) | >2.4 mg/L (Rat) 4 h | | |

(b) skin corrosion/irritation; Category 1 C

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory SkinNo data available
Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Category 2

Possible risk of irreversible effects

(f) carcinogenicity; Category 1B

The European Union classifies this product as a carcinogen

| Component EU | | UK | Germany | IARC |
|-----------------------|--------------|----|---------|----------|
| Glycidyl methacrylate | Carc Cat. 1B | | | Group 2A |

(g) reproductive toxicity; Category 1B
Reproductive Effects May impair fertility.

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system

(i) STOT-repeated exposure; Category 1

Target Organs Respiratory system.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Page 7/9 Revision Date 26-Apr-2024

Glycidyl methacrylate

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Do not empty into drains. .

| | Component Freshwater Fish | | Water Flea | Freshwater Algae | Microtox |
|---|---------------------------|-----------------------|----------------------|---------------------|----------|
| Ī | Glycidyl methacrylate | LC50 = 2.8 mg/L 96h | EC50 = 24.9 mg/L 48h | EC50 = 14. mg/L 72h | |

Persistence and Degradability

Persistence

Readily biodegradable Persistence is unlikely.

Bioaccumulative Potential Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-----------------------|---------|-------------------------------|
| Glycidyl methacrylate | 0.089 | No data available |

The product is insoluble and sinks in water The product evaporates slowly Spillage unlikely Mobility in soil

to penetrate soil Is not likely mobile in the environment due its low water solubility Spillage

unlikely to penetrate soil

Endocrine Disruptor Information

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH

and harm aquatic organisms.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

UN2922 **UN-No**

Proper Shipping Name Corrosive liquid, toxic, n.o.s. **Technical Shipping Name** Glycidyl methacrylate

Hazard Class

6.1 Ш

Subsidiary Hazard Class Packing Group

IMDG/IMO

UN-No UN2922

Page 8/9 Revision Date 26-Apr-2024

Glycidyl methacrylate

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Technical Shipping Name Glycidyl methacrylate
Hazard Class 8

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group

IATA

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Technical Shipping Name Glycidyl methacrylate

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group III

Special Precautions for User No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| ſ | Component | The | List of | TCSI | IECSC | EINECS | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL |
|---|-----------------------|---|---------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| | | Inventory of Hazardous Chemicals (2015 Edition) | | | | | | | | | | | |
| - | Glycidyl methacrylate | - | - | X | X | 203-441-9 | Χ | Х | Х | Х | Х | Χ | KE-25148 |

National Regulations

SECTION 16. OTHER INFORMATION

Prepared By Health, Safety and Environmental Department

Creation Date 04-Mar-2010 Revision Date 04-Apr-2024

Revision Summary New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards

First aid for chemical exposure, including the use of eye wash and safety showers.

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)
Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
NZIOC - New Zealand Inventory of Chemicals

Page 9/9 Revision Date 26-Apr-2024

Glycidyl methacrylate

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment **LC50** - Lethal Concentration 50%

NOEC - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% **POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet