

Page 1/9 Creation Date 19-Nov-2010 Revision Date 22-Apr-2024 Version 3

ALFAAL13278

Sodium cyanide

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	氰化钠, 颗粒
Product Description:	Sodium cyanide
Cat No. :	L13278
Synonyms	Hydrocyanic acid, sodium salt; Prussiate of soda; Cyanide of sodium
CAS No	143-33-9
Molecular Formula	C N Na
Supplier	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
Emergency Telephone Number	For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US: 001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US: 001-800-424-9300 / Europe: 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical State	Appearance	Odor
Solid	White	bitter almonds
Fatal in contact with skin. Causes serious e organs through prolonged or repeated expos corrosive to metals. Fatal if swallow		

Classification of the substance or mixture

Substances/mixtures corrosive to metal	Category 1
Acute Oral Toxicity	Category 1
Acute Dermal Toxicity	Category 1
Acute Inhalation Toxicity - Dusts and Mists	Category 1
Serious Eye Damage/Eye Irritation	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity - (repeated exposure)	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Label Elements

Sodium cyanide



Signal Word

Danger

Hazard Statements

- H290 May be corrosive to metals
- H319 Causes serious eye irritation
- H361 Suspected of damaging fertility or the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects
- H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled

Precautionary Statements

Prevention

- P234 Keep only in original packaging
- P262 Do not get in eyes, on skin, or on clothing
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P284 Wear respiratory protection

Response

- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P390 Absorb spillage to prevent material damage
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P361 + P364 Take off immediately all contaminated clothing and wash it before reuse

Storage

- P402 Store in a dry place
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P406 Store in corrosion resistant polypropylene container with a resistant inliner
- P405 Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

May be corrosive to metals. Contact with acids liberates very toxic gas. Hygroscopic.

Health Hazards

Fatal in contact with skin. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Very toxic if swallowed. Fatal if inhaled.

Environmental hazards

Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

Toxic to terrestrial invertebrates. Toxicity to Soil Dwelling Organisms. Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Sodium cyanide	143-33-9	>95

SECTION 4. FIRST AID MEASURES

Sodium cyanide

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

None reasonably foreseeable. Systemic Toxicity: Respiratory disorders: Symptoms may include tightness in the chest, flushing, headache, nausea, vomiting, respiratory depression, weakness, irregular heartbeat, abdominal pain, convulsions, and shock: May cause cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood): Exposure may result in death

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Symptoms may be delayed. Treat as cyanide poisoning. Exposure may result in death. The effects may be delayed therefore medical observation is essential.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

Do not use water or foam.

Specific Hazards Arising from the Chemical

Non-combustible. Do not allow run-off from fire-fighting to enter drains or water courses.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Up

Sodium cyanide

Provide adequate ventilation. Wear self-contained breathing apparatus and protective suit. Avoid dust formation. Sweep up and shovel into suitable containers for disposal. Do not expose spill to water. Keep in suitable, closed containers for disposal: Prevent contact with water. Do NOT use water for clean-up: Use personal protective equipment as required

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep locked up. Keep away from acids. Keep away from combustible material. Do not store in aluminum containers.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	China	Taiwan	Thailand	Hong Kong
Sodium cyanide	-	TWA: 5 mg/m ³		Ceiling: 5 mg/m ³
•		•	•	

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Sodium cyanide	Ceiling: 5 mg/m³ Skin	(Vacated) TWA: 5 mg/m³	IDLH: 25 mg/m ³ Ceiling: 4.7 ppm Ceiling: 5 mg/m ³	STEL: 5 mg/m³ 15 min TWA: 1 mg/m³ 8 hr Skin	TWA: 1 mg/m ³ (8h) STEL: 5 mg/m ³ (15min) Skin

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)			
Hand Protection	Protectiv	re gloves		
Glove material Butyl rubber Viton (R)	Breakthrough time > 480 minutes > 480 minutes	Glove thickness 0.35 mm 0.5mm	EU standard EN 374 Level 6	Glove comments As tested under EN374-3 Determination of Resistance to Permeation by Chemicals

Sodium cyanide

Ī	Neoprene gloves	> 60 minutes	0.45mm
	PVC	< 60 minutes	0.18mm

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State	White Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range	bitter almonds No data available 11-12 562 °C / 1043.6 °F No data available 1497 °C / 2726.6 °F	20 g/l aq. sol
Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	No information available Not applicable No information available No data available	Method - No information available Solid
Vapor Pressure Vapor Density Specific Gravity / Density	1 hPa @ 817 °C Not applicable	Solid
Bulk Density Water Solubility Solubility in other solvents	750 - 950 kg/m³ 370 g/l (20°C) No information available	
Partition Coefficient (n-octanol/wat Component	er) log Pow	
Sodium cyanide Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	-0.44 No data available No data available Not applicable No information available No information available	Solid

Sodium cyanide

Molecular Formula	C N Na
Molecular Weight	49

SECTION 10. STABILITY AND REACTIVITY

Stable under normal conditions. Hygroscopic.
None under normal processing. Hazardous polymerization does not occur.
Incompatible products. Exposure to moist air or water.
Acids. Strong oxidizing agents. Carbon dioxide (CO2). Metals.

Hazardous Decomposition Products Nitrogen oxides (NOx). Hydrogen cyanide (hydrocyanic acid).

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Sodium cyanide	LD50 = 5.733 mg/kg (Rat)	LD50 = 14.602 mg/kg (Rabbit)	LC50 = 0.16 mg/L (Rat) 1 h	
(b) skin corrosion/irritation;	Based on available data, the classification criteria are not met			
(c) serious eye damage/irritation;	Based on available data, the classification criteria are not met			
(d) respiratory or skin sensitization; Respiratory Skin	Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met			
(e) germ cell mutagenicity;	Based on available data, the classification criteria are not met			
	Not mutagenic in AMES Test			
(f) carcinogenicity;	Based on available data, the classification criteria are not met			
	There are no known carcinoge	enic chemicals in this product		
(g) reproductive toxicity;	Based on available data, the classification criteria are not met			
(h) STOT-single exposure;	Based on available data, the classification criteria are not met			
(i) STOT-repeated exposure;	Category 1			
Target Organs	Thyroid, Blood.			
(j) aspiration hazard;	Not applicable Solid			

Sodium cyanide

Symptoms / effects,both acute and Systemic Toxicity: Respiratory disorders: Symptoms may include tightness in the chest, flushing, headache, nausea, vomiting, respiratory depression, weakness, irregular heartbeat, abdominal pain, convulsions, and shock: May cause cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood): Exposure may result in death

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sodium cyanide	LC50: 0.0558 - 0.0586 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.0391 - 0.0548 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.15 mg/L, 96h static (Lepomis macrochirus) LC50: 0.0712 - 0.0936 mg/L, 96h flow-through (Pimephales promelas) LC50: = 0.17 mg/L, 96h static (Pimephales promelas) LC50: 0.066 - 0.0852 mg/L, 96h flow-through (Lepomis macrochirus)			

Persistence and Degradability	Expected to be biodegradable
Persistence	Soluble in water, Persistence is unlikely, based on information available.
Degradability	Not relevant for inorganic substances.
Degradation in sewage	Contains substances known to be hazardous to the environment or not degradable in waste
treatment plant	water treatment plants.

Bioaccumulative Potential B

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Sodium cyanide	-0.44	No data available

Mobility in soil	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils
Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance
	SECTION 13. DISPOSAL CONSIDERATIONS
Waste from Residues/Unused Products	Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the

Sodium cyanide

application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

UN-No	UN1689
Proper Shipping Name	SODIUM CYANIDE, SOLID
Hazard Class	6.1
Packing Group	I

IMDG/IMO

UN-No	UN1689
Proper Shipping Name	SODIUM CYANIDE, SOLID
Hazard Class	6.1
Subsidiary Hazard Class	Р
Packing Group	I

<u>IATA</u>

UN-No	UN1689
Proper Shipping Name	SODIUM CYANIDE, SOLID
Hazard Class	6.1
Packing Group	I

Special Precautions for User

No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)	goods GB	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Sodium cyanide	X	Х	Х	X	205-599-4	Х	Х	Х	Х	Х	Х	KE-31401

National Regulations

Component	Toxic Chemical Substances Control Act
Sodium cyanide	Class III (1 wt%)
143-33-9 (>95)	TRQ = 500 kg

SECTION 16. OTHER INFORMATION

Prepared By	Health, Safety and Environmental Department
Creation Date	19-Nov-2010
Revision Date	22-Apr-2024
Revision Summary	New emergency telephone response service provider.

Page 8

Sodium cyanide

Training Advice

Chemical incident response training.

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	
 WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic 	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer PNEC - Predicted No Effect Concentration LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative
ICAO/IATA - International Civil Aviation Organization/International Air Transport Association ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data	IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)
https://echa.europa.eu/information-on-chemicals	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet