# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/9 Creation Date 10-Nov-2010 Revision Date 29-Apr-2024 Version 3

AI FAAI 14521

## N,N-Dimethylcyclohexylamine

#### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: N,N-二甲基环己胺, 98+% Product Description: N,N-Dimethylcyclohexylamine

Cat No. : L14521

**Synonyms** Dimethylcyclohexylamine.

CAS No 98-94-2 Molecular Formula C8 H17 N

**Supplier** Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals. Uses advised against No Information available

## **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorLiquidColorlessAmmonia-like

## **Emergency Overview**

Flammable liquid and vapor. Fatal if inhaled. Toxic if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes damage to organs. May cause respiratory irritation. Very toxic to aquatic life with long lasting effects.

#### Classification of the substance or mixture

Flammable liquids.	Category 3
Acute Oral Toxicity	Category 3
Acute Dermal Toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 2
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity - (single exposure)	Category 1 Category 3
Acute aquatic toxicity	Category 1 Category 3
Chronic aquatic toxicity	Category 1

#### **Label Elements**

Page 2/9 Revision Date 29-Apr-2024

## N,N-Dimethylcyclohexylamine



Signal Word

**Danger** 

#### **Hazard Statements**

- H226 Flammable liquid and vapor
- H330 Fatal if inhaled
- H314 Causes severe skin burns and eye damage
- H370 Causes damage to organs
- H335 May cause respiratory irritation
- H410 Very toxic to aquatic life with long lasting effects
- H301 + H311 Toxic if swallowed or in contact with skin

#### **Precautionary Statements**

#### Prevention

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P240 Ground and bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting equipment
- P242 Use non-sparking tools
- P243 Take action to prevent static discharges
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection

#### Response

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P331 Do NOT induce vomiting
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P362 + P364 Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

## Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### **Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Flammable liquid.

#### **Health Hazards**

Toxic in contact with skin. Corrosive. Causes skin and eye burns. Causes serious eye damage. Causes damage to organs. May cause respiratory irritation. Toxic if swallowed. Toxic if inhaled.

## **Environmental hazards**

Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. . Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

-		
Component	CAS No	Weight %
N.N-Dimethylcyclohexylamine	98-94-2	>95

Page 3/9 Revision Date 29-Apr-2024

N,N-Dimethylcyclohexylamine

\_\_\_\_\_

#### **SECTION 4. FIRST AID MEASURES**

#### **General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. If not breathing, give artificial respiration.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Most important symptoms and effects

Causes burns by all exposure routes. Difficulty in breathing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### Notes to Physician

Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

## **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

## Extinguishing media which must not be used for safety reasons

Water may be ineffective.

## **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

Page 4/9 Revision Date 29-Apr-2024

#### N,N-Dimethylcyclohexylamine

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

#### **SECTION 7. HANDLING AND STORAGE**

#### Handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Store under an inert atmosphere.

#### Specific Use(s)

Use in laboratories

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

## **Exposure Controls**

## **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

## Personal protective equipment

Eye Protection Face protection shield and Tight sealing safety goggles (European standard - EN

166)

Hand Protection Protective gloves

Glove material Natural rubber	Breakthrough time See manufacturers	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
Nitrile rubber	recommendations		2.1.07.1	(miniman regaliente)
Neoprene				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g.

Page 5/9 Revision Date 29-Apr-2024

N,N-Dimethylcyclohexylamine

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Apron Wear rubber boots if needed to prevent skin contact with liquid material

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection** 

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits Large scale/emergency use

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Ammonia and organic ammonia derivatives filter Type K

Green conforming to EN14387 Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. Keep working **Hygiene Measures** 

clothes separately.

Prevent product from entering drains. Do not allow material to contaminate ground water **Environmental exposure controls** 

system. Local authorities should be advised if significant spillages cannot be contained.

5 g/L aq. solution

(Air = 1.0)

explosive air/vapour mixtures possible

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Colorless **Appearance** Liquid **Physical State** 

Ammonia-like **Odor Threshold** No data available 12 @ 20°C

На -60 °C / -76 °F Melting Point/Range No data available

**Softening Point Boiling Point/Range** 160 °C / 320 °F

@ 760 mmHg Flash Point 37 °C / 98.6 °F Method - No information available

No data available **Evaporation Rate** 

Flammability (solid,gas) Not applicable Liquid

**Explosion Limits** Lower 3.6 Upper 19

3.6 mmHg @ 20 °C

**Vapor Pressure Vapor Density** 4.93

Specific Gravity / Density 0.840

**Bulk Density** Not applicable Liquid Water Solubility 13 g/L (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow N,N-Dimethylcyclohexylamine 2.01

215 - °C / 419 - °F **Autoignition Temperature Decomposition Temperature** No data available 1.16 mPa.s @ 25°C

**Explosive Properties** 

**Viscosity** 

No information available

**Oxidizing Properties** 

C8 H17 N **Molecular Formula Molecular Weight** 127.23

Page 6/9 Revision Date 29-Apr-2024

N,N-Dimethylcyclohexylamine

## **SECTION 10. STABILITY AND REACTIVITY**

**Stability** Stable under normal conditions.

Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Materials to avoid Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2). Thermal

decomposition can lead to release of irritating gases and vapors.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

(a) acute toxicity;

Component LD50 Oral		LD50 Dermal	LC50 Inhalation			
N,N-Dimethylcyclohexylamine	N,N-Dimethylcyclohexylamine LD50 = 272 mg/kg ( Rat )		1.7-5.8 mg/L/4h			

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory**Based on available data, the classification criteria are not met

Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects, both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

**delayed** Possible perforation of stomach or esophagus should be investigated: Ingestion causes

Page 7/9 Revision Date 29-Apr-2024

### N,N-Dimethylcyclohexylamine

severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

The product contains following substances which are hazardous for the environment.

Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox	
N,N-Dimethylcyclohexylamine		75 mg/L EC50 48 h	>2 mg/L EC50 72 h	EC50 = 206 mg/L 17 h	

Persistence and Degradability

**Persistence** 

Readily biodegradable Persistence is unlikely.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**Bioaccumulative Potential** Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)				
N,N-Dimethylcyclohexylamine	2.01	No data available				

Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

**Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Contaminated Packaging** 

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

> application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains, Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before

discharge. Do not let this chemical enter the environment.

## **SECTION 14. TRANSPORT INFORMATION**

#### **Road and Rail Transport**

**UN-No** UN2264

**Proper Shipping Name** N,N-Dimethylcyclohexylamine 8

**Hazard Class Subsidiary Hazard Class** 

3 **Packing Group** Ш

IMDG/IMO

UN2264 **UN-No** 

Page 8/9 Revision Date 29-Apr-2024

## N,N-Dimethylcyclohexylamine

**Proper Shipping Name** N,N-Dimethylcyclohexylamine

**Hazard Class Subsidiary Hazard Class** 3 Ш **Packing Group** 

IATA

**UN-No** UN2264

**Proper Shipping Name** N,N-Dimethylcyclohexylamine

**Hazard Class Subsidiary Hazard Class** 3 **Packing Group** Ш

**Special Precautions for User** No special precautions required

#### **SECTION 15. REGULATORY INFORMATION**

#### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	<b>ENCS</b>	ISHL	AICS	KECL
	Inventory of Hazardous Chemicals (2015 Edition)	dangerous goods GB 12268 - 2012										
N,N-Dimethylcyclohex ylamine	Х	Х	Х	Х	202-715-5	Х	Х	Х	Х	Х	Х	KE-11282

#### **National Regulations**

#### **SECTION 16. OTHER INFORMATION**

Health, Safety and Environmental Department **Prepared By** 

**Creation Date** 10-Nov-2010 29-Apr-2024 **Revision Date** 

**Revision Summary** New emergency telephone response service provider.

**Training Advice** 

Chemical incident response training.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

Inventory

Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ALFAAL14521

## SAFETY DATA SHEET

Page 9/9 Revision Date 29-Apr-2024

### N,N-Dimethylcyclohexylamine

NOEC - No Observed Effect Concentration PBT - Persistent. Bioaccumulative. Toxic

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**