# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/9 Creation Date 13-May-2009 Revision Date 08-May-2024 Version 5

ALFAAL14582

# (R)-2-Methyl-CBS-oxazaborolidine, 1M soln. in toluene

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: (R)-2-甲基-CBS-氧杂硼啶

Product Description: (R)-2-Methyl-CBS-oxazaborolidine, 1M soln. in toluene

Cat No. : L14582

**Synonyms** (R)-3,3-Diphenyl-1-methylpyrrolidino[1,2-c]-1,3,2-oxazaborole

Molecular Formula C18 H20 B N O

**Supplier** Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical State Appearance Odor

Liquid No information available No information available

# **Emergency Overview**

Highly flammable liquid and vapor. May be fatal if swallowed and enters airways. Causes skin irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness and dizziness. Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Harmful if swallowed. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure. Moisture sensitive.

## Classification of the substance or mixture

Flammable liquids.	Category 2
Aspiration Toxicity	Category 1
Acute Oral Toxicity	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Reproductive Toxicity	Category 2
Specific target organ toxicity - (single exposure)	Category 3
Specific target organ toxicity - (repeated exposure)	Category 2
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 3

# **Label Elements**

(R)-2-Methyl-CBS-oxazaborolidine, 1M soln. in toluene



# Signal Word

# Danger

#### **Hazard Statements**

- H225 Highly flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H336 May cause drowsiness or dizziness
- H401 Toxic to aquatic life
- H412 Harmful to aquatic life with long lasting effects
- H302 Harmful if swallowed
- H318 Causes serious eye damage
- H373 May cause damage to organs through prolonged or repeated exposure
- H361 Suspected of damaging fertility or the unborn child

#### **Precautionary Statements**

#### Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P240 Ground and bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting equipment
- P242 Use non-sparking tools
- P243 Take action to prevent static discharges
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection

#### Response

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P331 Do NOT induce vomiting
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P362 + P364 Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

# **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

# **Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Highly flammable.

#### **Health Hazards**

Aspiration hazard if swallowed - can enter lungs and cause damage. Causes skin irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure.

# **Environmental hazards**

Toxic to aquatic life. Harmful to aquatic life with long lasting effects. .

# Other Hazards

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

Page 3/9 Revision Date 08-May-2024

(R)-2-Methyl-CBS-oxazaborolidine, 1M soln. in toluene

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Toluene	108-88-3	62-76
(R)-2-Methyl-CBS-oxazaborolidine	112022-83-0	24-38

# **SECTION 4. FIRST AID MEASURES**

# **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

#### Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Risk of serious damage to the lungs (by aspiration).

### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.

#### Most important symptoms and effects

Difficulty in breathing. Causes eye burns. . Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### **Notes to Physician**

Treat symptomatically.

# **SECTION 5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Water mist may be used to cool closed containers. Dry chemical. Carbon dioxide (CO2). Alcohol resistant foam.

# Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

# **Personal Precautions**

Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

Page 4/9 Revision Date 08-May-2024

(R)-2-Methyl-CBS-oxazaborolidine, 1M soln. in toluene

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame. Keep under nitrogen.

# Specific Use(s)

Use in laboratories

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	China	Taiwan	Thailand	Hong Kong
Toluene	TWA: 50 mg/m <sup>3</sup>	TWA: 100 ppm	Ceiling: 300 ppm	TWA: 50 ppm
	STEL: 100 mg/m <sup>3</sup>	TWA: 376 mg/m <sup>3</sup>	STEL: 500 ppm	TWA: 188 mg/m <sup>3</sup>
	Skin		TWA: 200 ppm	

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Toluene	TWA: 20 ppm	(Vacated) TWA: 100	IDLH: 500 ppm	STEL: 100 ppm 15 min	TWA: 50 ppm (8hr)
		ppm	TWA: 100 ppm	STEL: 384 mg/m <sup>3</sup> 15	TWA: 192 mg/m <sup>3</sup> (8hr)
		(Vacated) TWA: 375	TWA: 375 mg/m <sup>3</sup>	min	STEL: 100 ppm
		mg/m³	STEL: 150 ppm	TWA: 50 ppm 8 hr	(15min)
		Ceiling: 300 ppm	STEL: 560 mg/m <sup>3</sup>	TWA: 191 mg/m <sup>3</sup> 8 hr	STEL: 384 mg/m <sup>3</sup>
		(Vacated) STEL: 150		Skin	(15min)
		ppm			Skin
		(Vacated) STEL: 560			
		mg/m³			
		TWA: 200 ppm			

#### **Legend**

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

# **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

#### **Exposure Controls**

Page 5 / 9 Revision Date 08-May-2024

(R)-2-Methyl-CBS-oxazaborolidine, 1M soln. in toluene

# **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

# Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber	Breakthrough time See manufacturers	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
Nitrile rubber	recommendations		211 01 1	(minimani roquiromont)
Neoprene PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

Method - No information available

141

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance

Physical State Liquid

Odor No information available

Odor Threshold No data available

**pH** No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/Range111 °C / 231.8 °F

Flash Point 4 °C / 39.2 °F
Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid

ALFAAL14582

# SAFETY DATA SHEET

Page 6 / 9 Revision Date 08-May-2024

Vapors may form explosive mixtures with air

(R)-2-Methyl-CBS-oxazaborolidine, 1M soln. in toluene

Explosion Limits No data available

Vapor Pressure No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density 0.95

Bulk Density Not applicable Liquid

Water Solubility No information available Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowToluene2.73

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data available

Explosive Properties

Outdising Properties

No information available

Oxidizing Properties No information available

Molecular Formula C18 H20 B N O

Molecular Weight 277.17

# **SECTION 10. STABILITY AND REACTIVITY**

**Stability** Moisture sensitive.

Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moisture.

Materials to avoid Strong oxidizing agents. Bases. Strong acids.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NOx). Oxides of boron.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

# (a) acute toxicity;

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Toluene	> 5000 mg/kg (Rat)	LD50 = 12000 mg/kg ( Rabbit )	26700 ppm (Rat) 1 h		
(R)-2-Methyl-CBS-oxazaborolidine	200-2000 mg/kg (Rat)				

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

Page 7/9 Revision Date 08-May-2024

(R)-2-Methyl-CBS-oxazaborolidine, 1M soln. in toluene

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 2

**Reproductive Effects** SUSPECT REPRODUCTIVE HAZARD - CONTAINS MATERIAL WHICH MAY INJURE

UNBORN CHILD (CAUSE BIRTH DEFECTS) (BASED ON ANIMAL DATA).

Possible risk of harm to the unborn child. **Teratogenicity** 

Category 3 (h) STOT-single exposure;

Respiratory system Results / Target organs

Central nervous system (CNS)

(i) STOT-repeated exposure; Category 2

Central nervous system (CNS), Neuropsychological effects, Eyes, Ears. **Target Organs** 

(j) aspiration hazard; Category 1

Other Adverse Effects See actual entry in RTECS for complete information The toxicological properties have not

been fully investigated.

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

# **SECTION 12. ECOLOGICAL INFORMATION**

Do not empty into drains. **Ecotoxicity effects** 

Component	Freshwater Fish	Water Flea	Water Flea Freshwater Algae		
Toluene	50-70 mg/L LC50 96 h	EC50: = 11.5 mg/L, 48h	EC50: = 12.5 mg/L, 72h	EC50 = 19.7  mg/L  30	
	5-7 mg/L LC50 96 h	(Daphnia magna)	static	min	
	15-19 mg/L LC50 96 h	EC50: 5.46 - 9.83 mg/L,	(Pseudokirchneriella		
	28 mg/L LC50 96 h	48h Static (Daphnia	subcapitata)		
	12 mg/L LC50 96 h	magna)	EC50: > 433 mg/L, 96h		
			(Pseudokirchneriella		
			subcapitata)		

Persistence and Degradability

Component	Degradability
Toluene	86% (20d)
108-88-3 ( 62-76 )	

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**Bioaccumulative Potential** No information available

Component	log Pow	Bioconcentration factor (BCF)
Toluene	2.73	90

Mobility in soil

**Endocrine Disruptor Information Persistent Organic Pollutant** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance

Page 8 / 9 Revision Date 08-May-2024

(R)-2-Methyl-CBS-oxazaborolidine, 1M soln. in toluene

**Ozone Depletion Potential** 

This product does not contain any known or suspected substance

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in

compliance with local regulations. Do not empty into drains.

# **SECTION 14. TRANSPORT INFORMATION**

# **Road and Rail Transport**

**UN-No** UN1294

Proper Shipping Name TOLUENE SOLUTION

Hazard Class 3
Packing Group ||

#### IMDG/IMO

**UN-No** UN1294

Proper Shipping Name TOLUENE SOLUTION

Hazard Class 3
Packing Group

IATA

**UN-No** UN1294

Proper Shipping Name TOLUENE SOLUTION

Hazard Class 3 Packing Group II

Special Precautions for User No special precautions required

# **SECTION 15. REGULATORY INFORMATION**

# **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)		TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Toluene	X	X	Χ	Х	203-625-9	Х	Χ	Х	Х	Χ	Χ	KE-33936
(R)-2-Methyl-CBS-oxa zaborolidine	-	-	Х	Х	-	-	-	-	-	Х	-	-

# **National Regulations**

(R)-2-Methyl-CBS-oxazaborolidine, 1M soln. in toluene

# **SECTION 16. OTHER INFORMATION**

**Prepared By** Health, Safety and Environmental Department

**Creation Date** 13-May-2009 **Revision Date** 08-May-2024

**Revision Summary** New emergency telephone response service provider.

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**