



# CultiMaxx shelving systems

Optimized shelving systems for Thermo Scientific™ reach-in CO<sub>2</sub> incubators to accommodate large vessels







Stainless steel shelving



Retrofittable in the field



Easy to install

Description	Vessel	No. of vessels/ incubator	Advantages compared to standard shelves	Max. weight capacity (incubator)	Max. weight capacity per shelf	Cat. No.
Thermo Scientific™ CultiMaxx™ shelving system for reach-in CO <sub>2</sub> incubators		Cell culture bags Up to 280 1 L bags*	<ul style="list-style-type: none"> <li>Up to 2.5x more culture bag capacity per unit</li> <li>Increased exposure to promote better gas exchange with rack-style design for a variety of bags</li> <li>Improved accessibility to individual bags with extending shelves</li> <li>Base set includes 14 shelves; additional shelves can be ordered (Cat. No. 332475G02)</li> </ul>	94 kg / 207 lb	3 kg / 6.6 lb	332475G01
CultiMaxx shelving system for reach-in CO <sub>2</sub> incubators		Thermo Scientific™ Nunc™ Cell Factory™ systems with 10 or 13 layers Up to 35	<ul style="list-style-type: none"> <li>17% increase in 10- or 13-layer vessel capacity, fitting five additional Nunc Cell Factory systems or similar vessels</li> <li>Reinforced to minimize deflection under maximum load</li> <li>Easy-to-clean reinforced design with wipeable surfaces</li> </ul>	193 kg / 426 lb	33 kg / 73 lb	332355G01
CultiMaxx shelving system for reach-in CO <sub>2</sub> incubators		Nunc Cell Factory systems with 4 layers Up to 59	<ul style="list-style-type: none"> <li>40% increase in 4- or 5-layer vessel capacity, fitting 17 additional Nunc Cell Factory systems or similar vessels</li> <li>Reinforced to minimize deflection under maximum load</li> <li>Easy-to-clean, reinforced design with wipeable surfaces</li> </ul>	193 kg / 426 lb	15 kg / 33 lb	332354G01
CultiMaxx shelving system for reach-in CO <sub>2</sub> incubators		G-Rex™ 500M-CS system Up to 34	<ul style="list-style-type: none"> <li>Up to 46% more capacity</li> <li>Redesigned for greater load bearing</li> <li>Easy-to-clean reinforced design</li> </ul>	227 kg / 502 lb	32 kg / 72 lb	332395G08

\* This is a single scenario. Max. configuration may vary based on brand of bag used and application needs.



Learn more at [thermofisher.com/cultimaxx](https://thermofisher.com/cultimaxx)

thermo scientific