thermo scientific

Molecular biology research essentials—discovery starts here



Six popular products selected for reliable performance and affordability





Engineered to impress


Thermo Scientific™ Maxima™ H Minus Reverse Transcriptase (RT) offers robust performance in cDNA synthesis. This RT is engineered with improved thermostability, processivity, and activity rates.

- High yields—better transcription of cDNA over a wide temperature range (up to 65°C)
- Fast results-15-30 minute reaction time
- Simplified workflow—integrated gDNA removal step
- Versatility—multiple formats available including stand-alone enzyme,
 cDNA synthesis kits, and one-tube RT master mix

thermofisher.com/maxima










Figure 1. Enhanced transcription efficiency of Thermo Scientific™ Maxima™ H Minus cDNA Synthesis Master Mix. The Maxima H Minus cDNA Synthesis Master Mix demonstrates better efficiency when compared to other suppliers' RTs over a wide range of input RNA amounts. Amplification of the human 18S RNA gene was performed on 10-fold serial dilutions of HeLa total RNA (1 μg to 0.1 pg). First-strand cDNA was generated using the Maxima H Minus cDNA Synthesis Master Mix, Thermo Scientific™ Maxima™ First Strand cDNA Synthesis Kit for RT-qPCR, and RTs from four other suppliers. cDNA was amplified using the Thermo Scientific™ Luminaris™ Probe qPCR Master Mix, low ROX on the Applied Biosystems™ ViiA™ 7 Real-Time PCR System. Amplification plots indicate variation of ΔRn with PCR cycles.

- Bio-Rad iScript Reverse Transcription Supermix
- Quanta qScript cDNA SuperMix
- NEB ProtoScript II First Strand cDNA Synthesis Kit
- TaKaRa PrimeScript RT Master Mix
- Maxima H Minus cDNA Synthesis Master Mix
- Threshold



Thermo Scientific™ DreamTaq™ DNA Polymerase offers enhanced performance compared to other standard *Taq* polymerases and is available in both standard and hot-start formats.

- Maximum convenience—multiple formats from 2x master mix to green formats for direct gel loading
- Minimal optimization—includes MgCl₂; no need for additional optimization for amplification
- Greater efficiency—higher yields and increased PCR sensitivity
- Broad compatibility—works with all routine PCR applications including colony PCR, genotyping, clone screening, and more

thermofisher.com/dreamtaq



Did you know?

Direct gel loading buffers eliminate tedious steps, helping reduce potential pipetting errors. Reagents with direct gel loading options are marked with this icon:








Figure 2. Higher yields with low amounts of DNA template. A 956 bp fragment from human genomic DNA was amplified with (A) DreamTaq DNA Polymerase and with *Taq* DNA polymerases from other suppliers: (B) NEB™ One*Taq*™ DNA Polymerase, (C) Promega™ GoTaq™ DNA Polymerase, (D) Bioline™ MyTaq™ DNA Polymerase, and (E) TaKaRa™ Taq DNA Polymerase according to suppliers' recommendations using 30 pg, 300 pg, 3 ng, and 30 ng of template DNA. Only DreamTaq DNA Polymerase was able to amplify from all template amounts giving high yields.




Figure 3. Robust amplification of human genomic DNA. Thermo Scientific[™] DreamTaq[™] Hot Start DNA Polymerase produces more product and longer amplicons than hot-start DNA polymerases from other suppliers. Amplification products (160 bp, 727 bp, 2 kb, or 5 kb) from human genomic DNA are shown in the figure above. (M) Thermo Scientific[™] GeneRuler[™] 1 kb Plus DNA Ladder; (A) DreamTaq Hot Start DNA Polymerase; (B) Promega GoTaq G2 Hot Start Polymerase; (C) NEB OneTaq Hot Start DNA Polymerase; (D) TaKaRa Taq DNA Polymerase Hot Start Version; (E) Kapa Biosystems[™] KAPA2G[™] Robust HotStart PCR Kit; (F) Bioline MyTaq HS DNA Polymerase.



Thermo Scientific™ Phusion™ high-fidelity DNA polymerases are proofreading PCR enzymes that have been referenced in thousands of publications. The latest addition, Thermo Scientific™ Phusion™ Plus DNA Polymerase, enables primer annealing at 60°C without requiring calculation of annealing temperatures, thereby simplifying PCR preparation.

- **High fidelity**—provides >100x higher sequence accuracy than *Taq* polymerase
- Convenient setup—allows a universal annealing temperature of 60°C
- **High inhibitor tolerance**—works with DNA of suboptimal purity
- Benchtop stability—helps to enable automation setup due to assembled reactions stable for 24 hours
- Less pipetting—master mix formats available with or without direct gel-loading dyes

thermofisher.com/phusionplus




Figure 4. Relative fidelity was calculated with reference to fidelity of *Taq* DNA polymerase. Fidelity values were determined by next-generation sequencing with molecular barcodes.




Figure 5. Specific and efficient amplification using a universal annealing temperature. 0.3–7.5 kb DNA fragments were amplified efficiently from 100 ng of human genomic DNA using Phusion Plus DNA Polymerase. The enzyme's unique buffer allows setting the annealing temperature at 60°C for all targets despite calculated annealing temperatures of the primers ranging 61–69°C.





Clear bands, clear results

Thermo Scientific™ GeneRuler™ DNA ladders contain mixtures of individual chromatography-purified DNA fragments, designed to deliver precision and ease of use for everyday DNA electrophoresis.

- Wide selection—includes popular 1 kb, 100 bp, 50 bp, low-range, and high-range ladders
- Clear results—sharp, bright reference bands
- Convenient tracking of DNA samples—three tracking dyes to easily monitor separation of a wide range of DNA fragment sizes
- Environmentally friendly— shipping at ambient temperature eliminates the need for excess packaging

thermofisher.com/generuler





TriTrack loading buffer has three convenient tracking dyes to help easily monitor separation of DNA ladders. Moreover, these dyes do not interfere with UV visualization.

Figure 6. The most commonly used GeneRuler DNA ladders (top panel); migration of dyes in Thermo Scientific™ TriTrack™ loading buffer (bottom panel).




Thermo Scientific[™] FastDigest[™] Restriction Enzymes support complete, fast digestions of DNA in a single, universal buffer.

- Easy setup—100% activity of all 176 FastDigest enzymes in one buffer
- Fast results—complete DNA digestion in 5–15 minutes
- Downstream compatibility—buffer compatibility with selected DNAand RNA-modifying enzymes such as ligases, phosphatases, kinases and mesophilic DNA polymerases

thermofisher.com/fastdigest








- 1: Undigested plasmid DNA
- 2: FastDigest Bcul
- 3: FastDigest Xbal
- 4: FastDigest Ndel
- 5: FastDigest Sall
- 6: FastDigest XmaJI 7: FastDigest Eco31I
- 8: FastDigest Eco31
- 9: FastDigest BgIII

Plasmid DNA digested with NEB enzymes



- 1: Undigested plasmid DNA
- 2: Spel-HF
- 3: Xbal
- 4: Ndel
- 5: Sall-HF
- 6: Avril
- 7: Bsal
- 8: Eaql-HF 9: Bgll
- Figure 7. Comparison of digestion efficiencies of restriction enzymes. (A) FastDigest restriction enzymes digest plasmid DNA much more efficiently compared to (B) NEB enzymes. In this experiment, using the NEB protocol, 1 μg of plasmid DNA was digested in ~15 minutes.



Quality PCR/qPCR plastics free of contaminants and inhibitors are essential to help enable optimal performance. Regardless of the plastics format you select, proper fit and uniform heat transfer during thermal cycling are essential.

High-quality— Thermo Scientific[™]
 plastic consumables are
 designed, manufactured, and
 tested to enable optimal PCR and
 qPCR performance

- Multiple formats
- 24, 32, 48, 96, and 384 wells
- Non-, semi-, and full-skirted
- Low profile and standard
- Multicolor
- Various tubes, tube strips, and sealing options available
- Sample identification standard and customized plate barcoding available

Innovative product design


High efficiency, reduced variability
Uniform, ultrathin walls enable maximum and consistent heat transfer for equally high performance from every sample.

Secure, easy sealing Specially designed caps create a tight seal that is still easy to open and close. Strip tubes are available in individually attached cap versions.

Evaporation protection Raised rim design around each well enables secure sealing and safeguards against evaporation.

Ultrathin wall technology for fast PCR Thermo Scientific™ ultrathin-walled tubes and plates represent the new generation of PCR consumables, bringing significantly improved performance in fast PCR and qPCR assays. Each well wall is approximately 50% thinner than standard thin-walled tubes and plates. This further reduces the thermal barrier to heat flow into and out of the PCR sample, resulting in faster and more robust reactions.

White plastics for enhanced qPCR detection Thermo Scientific™ white qPCR plastics are designed to provide sensitive and accurate fluorescence detection by preventing refraction out of the tube and increasing the signal-to-noise ratio.



Consistent results
from A1 to H12
Reinforced plate decks and
ultrarigid options prevent
plate warping and keep heat
transfer consistent across
the entire plate.

thermo scientific

Ordering information

Product	Quantity	Cat. No.
Maxima reverse transcriptases		
Maxima H Minus Reverse Transcriptase	10,000 units	EP0752
Maxima H Minus cDNA Synthesis Master Mix*	50 rxn	M1661
Maxima H Minus First Strand cDNA Synthesis Kit*	20 rxn	K1651

^{*} Formats with dsDNase are available.

DreamTaq DNA polymerases**		
DreamTaq DNA Polymerase	200 units	EP0701
DreamTaq PCR Master Mix	200 rxn	K1071
DreamTaq Green DNA Polymerase	200 units	EP0711
DreamTaq Green PCR Master Mix	200 rxn	K1081
DreamTaq Hot Start DNA Polymerase	200 units	EP1701
DreamTaq Hot Start PCR Master Mix	200 rxn	K9011
DreamTaq Hot Start Green DNA Polymerase	200 units	EP1711
DreamTaq Hot Start Green PCR Master Mix	200 rxn	K9021
** A delitional anadoust along and accellable		

^{**} Additional product sizes are available.

Phusion [†] DNA polymerases		
Phusion High-Fidelity DNA Polymerase	100 units	F530S
Phusion High-Fidelity PCR Master Mix with HF Buffer	100 rxn	F531S
Phusion Hot Start II DNA Polymerase	100 rxn	F549S
Phusion Hot Start II High-Fidelity PCR Master Mix	100 rxn	F565S
Phusion Plus DNA Polymerase	100 rxn	F630S
Phusion Plus PCR Master Mix	100 rxn	F631S
Phusion Plus Green PCR Master Mix	100 rxn	F632S
† Additional product sizes are available.		

For all formats of Phusion products, visit thermofisher.com/phusion

Visit our molecular biology resource library for scientific webinars, videos, articles, and more, at thermofisher.com/mbresources

Product	Quantity	Cat. No.
GeneRuler [‡] ladders		
GeneRuler 50 bp DNA Ladder, ready-to-use	50 μg	SM0373
GeneRuler 100 bp DNA Ladder, ready-to-use	50 μg/ 5 x 50 μg	SM0243/ SM0244
GeneRuler 100 bp Plus DNA Ladder, ready-to-use	50 μg/ 5 x 50 μg	SM0323/ SM0324
GeneRuler 1 kb DNA Ladder, ready-to-use	5 x 50 μg/ 25 x 50 μg	SM0314/ SM0313
GeneRuler 1 kb Plus DNA Ladder, ready-to-use	50 μg/ 5 x 50 μg	SM1334/ SM1333
GeneRuler DNA Ladder Mix, ready-to-use	50 μg/ 5 x 50 μg	SM0334/ SM0333
GeneRuler Express DNA Ladder, ready-to-use	50 μg	SM1553
Additional product sizes are available		

.

FastDigest restriction enzymes		
FastDigest Value Pack (trial sizes of 13		
of our most popular restriction enzymes	20 rxn	K1991
the theory popular room of one of the	20 rxn	K1991

and both colorless and green 10x
FastDigest buffers)

For a complete list of the 176 FastDigest enzymes, visit thermofisher.com/fastdigest

PCR/qPCR plastics		
VersiPlate PCR Strip Tube Plate, 96-well	25 plates	AB1800
VersiCap Mat, 96-well	25 mats	AB1810
Adhesive PCR Plate Seals	100 sheets	AB0558
Armadillo PCR Plate, 96-well	25 plates	AB2396
Armadillo PCR Plate, 384-well	50 plates	AB2384
EasyStrip Plus Tube Strip with Attached Flat Caps	250 strips	AB2000
EasyStrip Plus Tube Strip with Attached Ultra Clear Caps	250 strips	AB2005
PCR/qPCR Plastics Selection Tool	thermofisher.com/findplastics	

See more molecular biology products at thermofisher.com/tsmolbio



For Research Use Only. Not for use in diagnostic procedures. © 2019–2021 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. NEB, One Taq, Proto Script, and Q5 are trademarks of New England BioLabs Inc. Promega, GoTaq, and GoScript are trademarks of Promega Corporation. Bioline and MyTaq are trademarks of Bioline Inc. TaKaRa, PrimeScript, and PrimeSTAR are trademarks of Takara Holdings Inc. KAPA and KAPA2G are trademarks of Roche. Qiagen is a trademark of Qiagen GmbH. Bio-Rad and iScript are trademarks of Bio-Rad Laboratories, Inc. Quanta and qScript are trademarks of Quanta BioSciences, Inc. COL113881 0221