

The world leader in serving science

## CERTIFICATE OF ANALYSIS

PRODUCT NAME: Slide-A-Lyzer® Dialysis Cassette G2

## PRODUCT NUMBER: 87737

LOT NUMBER: 00600245

## SPECIFICATIONS:

VISUAL: Membrane free of fingerprints and holes Casing clean and free of flash Cassette chamber free of particulates

LEAK TEST: Cassette must hold 38 mls of Blue Dextran solution (1 mg/ml) without leaking

## **RESULTS:**

VISUAL: Membrane free of fingerprints and holes Casing clean and free of flash Cassette chamber free of particulates

LEAK TEST: Cassette holds 38 mls of Blue Dextran solution (1mg/ml) without leaking

Publish Date: 6/24/2013

Liam F. Garrity, Ph.D., Manager, ASL

Min F. Com

[Rev.001]

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Product documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than Buyer. Any model or sample. No OTHER WARRANTIES, EXPRESS OR IMPUED, ARE GRANTED, INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S SOLE OPTION, THERE IS NO BULGATION TO REPAR, REPLACED ON CONFORMING PRODUCTS DURING THE WARRANTY PEROD IS UNITED TO REPAR, REPLACCEMENT OF OR REFUND FOR THE HON-CONFORMING PRODUCTS) IN ALMANTES, FOR WHOLT ON REPAR, REPLACCEMENT OF OR REFUND FOR THE MON-CONFORMING PRODUCTS DURING THE WARRANTY PEROD IS UNITED TO REPAR, REPLACCEMENT OF OR REFUND FOR THE MON-CONFORMING PRODUCTS) IN A MANNER FOR WHCH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unlies otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is invited dor research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to humans or animals.

Pierce Biotechnology	PO Box 117	(800) 874-3723 tel	(815) 968-7316 fax
3747 N. Meridian Road	Rockford, IL 61105 USA	(815) 968-0747 tel	www.thermoscientific.com/pierce