

CERTIFICATE OF ANALYSIS

PRODUCT PP1360P90
YERSINIA AGAR

LOT NUMBER 1190158

EXPIRY DATE 21.06.2012

Physical Characteristics	Results	Specification
Appearance	Red-orange, clear to trace hazy gel	Red-orange, clear to trace hazy gel
pH	7.40	7.20 - 7.60

Sterility: Samples of this batch have been incubated at 35°C and room temperature to ensure product meets acceptable levels of sterility.

Microbiological Characteristics	Results	Specification Quantitative Tests
O2, 35°C, 24hr		
<i>Yersinia enterocolitica</i> ATCC®23715	1-2mm colonies with red centres	
<i>Staphylococcus aureus</i> ATCC®25923	Complete inhibition	
<i>Escherichia coli</i> ATCC®25922	Complete inhibition	

Released By



Nurliyana binti Nazri

MANUFACTURED AND TESTED BY: Thermo Scientific Microbiology Sdn Bhd (409466A)

(Formerly known as Biomedica Laboratories Sdn Bhd)

6 Jalan TTC 6 Cheng Technology Park, Cheng, Malacca 75250 Malaysia

Tel: (60)6 334-0975, Fax : (60)6 334-1927 QC Email: oxid.myqcbml@thermofisher.com