

Website: thermofisher.com Customer Service(US): 1 800 955 6288 ext. 1 Technical Support (US): 1 800 955 6288 ext. 441 thermofisher.com/contactus

Performance guaranteed

Phospho-Tau (Ser202, Thr205) Monoclonal Antibody (8TA)

Catalog Number: MN1020 **Product Data Sheet**

Details	
Size	100 ug
Host / Isotype	Mouse / IgG1
Class	Monoclonal
Туре	Antibody
Clone	AT8
Immunogen	Partially purified human PHF-Tau
Form	Liquid
Concentration	0.2mg/ml
Purification	Protein A
Storage Buffer	PBS
Contains	no preservative
Storage Conditions	-20° C, Avoid Freeze/Thaw Cycles

Species Reactivity	
Tested species reactivity	Human
Published Species Reactivity	Canine, Drosophila, Hamster, Human, Mouse, Not Applicable, Non-human primate, Rabbit, Rat
Tested Applications	Dilution *
Western Blot (WB)	Assay Dependent
Immunofluorescence (IF)	Assay Dependent
Immunohistochemistry (Paraffin) (IHC (P))	Assay Dependent
ELISA (ELISA)	Assay Dependent
Published Applications	
ELISA (ELISA)	See 2 publications below
Immunocytochemistry (ICC)	See 22 publications below
Immunohistochemistry (IHC)	See 212 publications below
Immunohistochemistry - Free Floating (IHC (Free))	See 13 publications below
Immunohistochemistry (Frozen) (IHC (F))	See 2 publications below
Immunohistochemistry (Paraffin) (IHC (P))	See 24 publications below
Miscellaneous (Misc)	See 19 publications below
Western Blot (WB)	See 137 publications below

Suggested working dilutions are given as a guide only. It is recommended that the user titrate the product for use in their own experiment using appropriate negative and positive controls

Product Specific Information

MN1020 targets PHF-tau (Ser202/Thr205)a in ELISA, IF, IHC(P), and WB applications and shows reactivity with Human samples.

The MN1020 immunogen is partially purified human PHF-Tau.

MN1020 detects PHF-tau (Ser202/Thr205)a which has a predicted molecular weight of approximately 79 kDa.

This product is a Low Endotoxin formulation.

Background/Target Information

Paired helical filament (PHF) is a major component of the neurofibrillary tangles involved in the pathology of Alzheimer's disease. PHFs are composed of the microtubule-associated protein tau in a hyper-phosphorylated state (ref1). Tau protein is produced by a single gene expressed predominantly in neurons. The Tau gene undergoes complex alternative splicing, yielding six different isoforms of tau in the adult brain. Following translation, the tau protein can be further modified by phosphorylation at several different sites

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization.

oducts are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than 8 buyer. Any mode of sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not present that any protocut will conform to such model or sample.

Thermo Fisher Scientific 3747 N. Meridian Road Rockford, IL 61105 USA