



Certificate of Analysis

Novex[®] 10–20% Tris–Glycine Gel

Product No. EC6135BOX
Lot No. 13102543
Date of Manufacture 25Oct2013
Expiration Date 03Jan2014

Testing Conditions

Gels were run using Novex[®] Tris–Glycine SDS Running Buffer and unstained protein markers. The gels were electrophoresed at 225V until the dye front reached the bottom of the gel.

Migration

Reduced Myosin migrated to 0.100 ± 0.050 Rf, reduced Carbonic Anhydrase to 0.570 ± 0.050 Rf, and reduced Aprotinin to 0.880 ± 0.050 Rf.

Straightness

Across the gel, the migration of a given protein did not vary more than 3% of the length of the gel.

Curvature

In each of the two outermost lanes, the migration of a given protein did not vary more than 2% of the length of the gel.

Appearance

Gels run were free of swirls, bubbles, and debris. Bands were sharp and flat.

Overall Result

PASS

For Research Use Only. Not for use in diagnostic procedures. If you have any further questions about this Certificate of Analysis, please contact Technical Services at 1–800–955–6288 (US and Canada) or 1–760–603–7200, x2 (all other countries).

Life Technologies
5791 Van Allen Way
Carlsbad, CA, USA 92008
www.lifetechnologies.com
For inquiries, contact us at cofarequests@lifetech.com

Rick Fletcher
Director, Quality
Issued on 28 Oct 2013