

POROS XS 1000ML BULK PK

Product No. 4404336
Lot No. XS-390
Date of Manufacture 16JUL2023

TEST	SPECIFICATION	RESULT
PHYSICAL INSPECTION		
Labels Correct and Intact		Pass
Caps Sealed with Tamper Proof Seal		Pass
PRODUCT APPEARANCE		
White to Off-White, Slurry		Pass
FRONTAL CAPACITY SOP 4399009		
5% Breakthrough with h-IgG	≥ 102.0 mg/mL	128.88 mg/mL
IONIC CAPACITY SOP 4389080		
Ionic Capacity	88.0 - 120.0 μ mo/mL	97.05 μ mo/mL
PROTEIN SEPARATION SOP 4404896		
Chymotrypsinogen Retention	12.8 - 15.6 min	14.61 min

Pharmaceutical Grade Reagent. For Manufacturing and Laboratory Use only.

**Manufactured in compliance with our ISO 13485 certified quality management system.
Site 2 Preston Court Bedford, MA, USA**

Corporate Legal Entity
Life Technologies
5781 Van Allen Way
Carlsbad, CA, USA 92008
www.thermofisher.com
For inquiries, contact us at cofarequests@thermofisher.com

Janella Him
Quality Assurance
Issued 01AUG2023

POROS XS 1000ML BULK PK

Product No. **4404336**
Lot No. **XS-390**
Date of Manufacture **16JUL2023**

TEST	SPECIFICATION	RESULT
Cytochrome C Retention	20.0 - 24.6 min	22.30 min
Lysozyme Retention	29.6 - 36.7 min	32.36 min

FTIR ANALYSIS

SOP BED3019

Compares to reference spectrum Pass

TOTAL BIOBURDEN

SOP 4371392

Total Bioburden ≤ 100 CFU/mL <10 CFU/mL

ENDOTOXIN

SOP BED3069

Endotoxin (EU/mL) ≤ 1.0 EU/mL <0.500 EU/mL

Pharmaceutical Grade Reagent. For Manufacturing and Laboratory Use only.

**Manufactured in compliance with our ISO 13485 certified quality management system.
Site 2 Preston Court Bedford, MA, USA**

Corporate Legal Entity
Life Technologies
5781 Van Allen Way
Carlsbad, CA, USA 92008
www.thermofisher.com
For inquiries, contact us at cofarequests@thermofisher.com

Janella Him
Quality Assurance
Issued 01AUG2023