

Certificate of Conformance

This certifies that the product detailed below has been processed according to our Quality System (ISO 9001:2015) and conforms to the agreed specifications in effect at the time of manufacture.

PRODUCT CODE : LBS60060X
GRADUATION : N/A
SODIUM THIOSULPHATE : N/A
GAMMA STERILISED : 152852/ 152864/ 153324 (Refer to attached sheet)
BATCH NO. : S6499
EXPIRY DATE : 03/2023
MANUFACTURER : Labserv Division of Thermo Fisher Scientific NZ Ltd
ORIGIN : New Zealand
DATE : 25/06/2021

Conformed by:



Flordeliza Angeles
QA Technician

LS-032
Issue 06/ 0718

5 Allens Road
East Tamaki
Auckland 2013
New Zealand

PO Box 51481
Pakuranga
Auckland 2140
New Zealand

+64 (09) 265 3320
+64 (09) 274 4174 fax

www.thermofisher.co.nz

<p>LOT NO : 152852</p> <p>DATE : 3/05/2021</p> <p>CUSTOMER NUMBER : VA1130</p> <p>CUSTOMER NAME : THERMO FISHER SCIENTIFIC NEW ZEALAND LTD</p> <p>PURCHASE ORDERS : PO00020806</p> <p>OTHER REFERENCE : S6536, S6538, S6546, S6548, S6557, S6562, S6563, S6564, S6565, S6570</p>	<p style="text-align: center;">STERITECH PTY. LTD.</p> <p style="text-align: center;">CERTIFICATE OF IRRADIATION</p> <p>160 SOUTH GIPPSLAND HWY Telephone: (03) 8726-5566 DANDENONG VIC. 3175 Fax: (03) 9701-3158</p>	<p style="text-align: center;">CUSTOMER COPY</p> <p>Released By: QA / Manager</p> <p>Dose Meets Requirements: <input checked="" type="radio"/> Yes / No</p> <p>Process Complete: <input checked="" type="radio"/> Yes / No</p> <p>Released: 7 MAY 2021 732 Qty Signed <i>ll</i></p> <p>Date 7 MAY 2021 732</p> <p>Date</p> <p>Date</p> <p>Date</p> <p>Despatched: Qty Signed</p> <p>Date 7 MAY 2021 732 <i>ll</i></p> <p>Date</p> <p>Date</p>	<p>Routine Do:</p> <p>12-3</p> <p>12-7</p> <p>12-6</p> <p>12-5</p> <p>12-8</p> <p>12-7</p> <p>12-6</p> <p>12-8</p> <p>12-5</p> <p>12-7</p> <p>12-7</p> <p>12-7</p> <p>12-6</p> <p>12-9</p> <p>13-3</p> <p>13-1</p> <p>13-2</p> <p>12-7</p> <p>12-6</p>																																																																																																																														
<p>PALLETS: 20</p> <p>PALLET CHIEP: 20</p> <p>PALLET LOSCAM: 0</p> <p>PALLET PLAIN: 0</p> <p>PALLET EXPORT: 0</p> <p>LOOSE: 0</p> <p>PALLET SKID: 0</p> <p>STRETCH WRAP: Y</p> <p>SEG. BATCHES: N</p>		<p style="text-align: center;">ROUTINE IRRADIATION 12-4, 12-6, 12-7, 12-6, 12-6</p> <p style="text-align: center;">DOSES - KILOGRAY'S</p>																																																																																																																															
<p>Special Comments: S6488, S6522, S6549, S6542, S6512, S6521, S6499, S6570, S6579,</p>		<p style="text-align: center;">ROUTINE IRRADIATION 13-8, 13-6, 12-3, 11-9, 11-8, 12-3</p> <p style="text-align: center;">DOSES - KILOGRAY'S 12-9, 12-6, 13-2, 12-6, 12-6, 12-4,</p>																																																																																																																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>PRODUCT CODE</th> <th>QTY</th> <th>LENGTH x</th> <th>WIDTH</th> <th>HEIGHT</th> <th>cm</th> <th>WEIGHT</th> <th>g</th> <th>DENSITY</th> </tr> </thead> <tbody> <tr><td>LBS30123X</td><td>1</td><td>27</td><td>38</td><td>68</td><td>7880</td><td>0.11</td><td></td><td></td></tr> <tr><td>LBS33036W</td><td>50</td><td>43</td><td>38</td><td>28</td><td>3000</td><td>0.07</td><td></td><td></td></tr> <tr><td>LBS60001X</td><td>194</td><td>46</td><td>31</td><td>46</td><td>8780</td><td>0.13</td><td></td><td></td></tr> <tr><td>LBS60060X</td><td>52</td><td>46</td><td>31</td><td>46</td><td>8600</td><td>0.13</td><td></td><td></td></tr> <tr><td>LBST1203X</td><td>30</td><td>43</td><td>38</td><td>28</td><td>58000</td><td>1.27</td><td></td><td></td></tr> <tr><td>LBSF001BX/10</td><td>2</td><td>39</td><td>28</td><td>43</td><td>5140</td><td>0.11</td><td></td><td></td></tr> <tr><td>LBSSLP7202</td><td>2</td><td>38</td><td>28</td><td>43</td><td>7500</td><td>0.16</td><td></td><td></td></tr> <tr><td>LBSSPR001X</td><td>44</td><td>28</td><td>38</td><td>43</td><td>4760</td><td>0.10</td><td></td><td></td></tr> <tr><td>LBSSPROO2X</td><td>40</td><td>28</td><td>38</td><td>43</td><td>4760</td><td>0.10</td><td></td><td></td></tr> <tr><td>LBSS120X</td><td>40</td><td>30</td><td>38</td><td>44</td><td>5660</td><td>0.11</td><td></td><td></td></tr> <tr><td>LBSS1200X</td><td>50</td><td>30</td><td>44</td><td>38</td><td>4400</td><td>0.09</td><td></td><td></td></tr> <tr><td>LBSS1250PWX</td><td>147</td><td>43</td><td>28</td><td>38</td><td>1700</td><td>0.04</td><td></td><td></td></tr> <tr><td>LBSS1250X</td><td>80</td><td>38</td><td>28</td><td>43</td><td>1600</td><td>0.03</td><td></td><td></td></tr> </tbody> </table>				PRODUCT CODE	QTY	LENGTH x	WIDTH	HEIGHT	cm	WEIGHT	g	DENSITY	LBS30123X	1	27	38	68	7880	0.11			LBS33036W	50	43	38	28	3000	0.07			LBS60001X	194	46	31	46	8780	0.13			LBS60060X	52	46	31	46	8600	0.13			LBST1203X	30	43	38	28	58000	1.27			LBSF001BX/10	2	39	28	43	5140	0.11			LBSSLP7202	2	38	28	43	7500	0.16			LBSSPR001X	44	28	38	43	4760	0.10			LBSSPROO2X	40	28	38	43	4760	0.10			LBSS120X	40	30	38	44	5660	0.11			LBSS1200X	50	30	44	38	4400	0.09			LBSS1250PWX	147	43	28	38	1700	0.04			LBSS1250X	80	38	28	43	1600	0.03		
PRODUCT CODE	QTY	LENGTH x	WIDTH	HEIGHT	cm	WEIGHT	g	DENSITY																																																																																																																									
LBS30123X	1	27	38	68	7880	0.11																																																																																																																											
LBS33036W	50	43	38	28	3000	0.07																																																																																																																											
LBS60001X	194	46	31	46	8780	0.13																																																																																																																											
LBS60060X	52	46	31	46	8600	0.13																																																																																																																											
LBST1203X	30	43	38	28	58000	1.27																																																																																																																											
LBSF001BX/10	2	39	28	43	5140	0.11																																																																																																																											
LBSSLP7202	2	38	28	43	7500	0.16																																																																																																																											
LBSSPR001X	44	28	38	43	4760	0.10																																																																																																																											
LBSSPROO2X	40	28	38	43	4760	0.10																																																																																																																											
LBSS120X	40	30	38	44	5660	0.11																																																																																																																											
LBSS1200X	50	30	44	38	4400	0.09																																																																																																																											
LBSS1250PWX	147	43	28	38	1700	0.04																																																																																																																											
LBSS1250X	80	38	28	43	1600	0.03																																																																																																																											
<p>TOTAL: 732 CTNS: 38.795 M³ 5297.8 kg</p> <p>REQUIRED DOSE kGy: 10.0</p>																																																																																																																																	

<p>LOT NO : 152864</p> <p>DATE : 4/05/2021</p> <p>CUSTOMER NUMBER : VA1130</p> <p>CUSTOMER NAME : THERMO FISHER SCIENTIFIC NEW ZEALAND LTD</p> <p>PURCHASE ORDERS : PO00020739</p> <p>OTHER REFERENCE : S6490, S6498, S6523, S6499, S6470, S6501, S6519</p>	<p style="text-align: center;">STERITECH PTY. LTD.</p> <p style="text-align: center;">CERTIFICATE OF IRRADIATION</p> <p>160 SOUTH GIPPSLAND HWY Telephone: (03) 8726-5666 DANDENONG VIC. 3175 Fax: (03) 9701-3158</p>	<p style="text-align: center;">CUSTOMER COPY</p> <p>Released By: <u>QA / Manager</u></p> <p>Dose Meets Requirements: <u>Yes</u> / No</p> <p>Process Complete: <u>Yes</u> / No</p> <p>Released: Qty Signed <u>13 MAY 2021 484</u></p> <p>Date</p> <p>Despatched: Qty Signed <u>14 MAY 2021 484</u></p> <p>Date</p> <p>Date</p> <p>Date</p>	<p>Routine Dosimetry (kGy)</p> <p><u>12.4</u></p> <p><u>12.3</u></p> <p><u>12.3</u></p> <p><u>12.7</u></p> <p><u>12.6</u></p> <p><u>12.4</u></p> <p><u>12.7</u></p> <p><u>12.5</u></p> <p><u>12.3</u></p> <p><u>12.6</u></p> <p><u>12.5</u></p> <p><u>12.5</u></p> <p><u>12.6</u></p> <p><u>12.7</u></p> <p><u>12.7</u></p> <p><u>12.6</u></p> <p><u>12.7</u></p> <p><u>13.0</u></p> <p><u>12.8</u></p>																																																																																																																																		
<p>PALLETS: 22</p> <p>PALLET CHEP: 22</p> <p>PALLET LOSCAM: 0</p> <p>PALLET PLAIN: 0</p> <p>PALLET EXPORT: 0</p> <p>LOOSE: 0</p> <p>PALLET SKID: 0</p> <p>STRETCH WRAP: Y</p> <p>SEG. BATCHES: N</p>		<div style="border: 1px solid black; padding: 5px; margin: 10px auto; width: fit-content;"> <p style="text-align: center;">ROUTINE IRRADIATION</p> <p style="text-align: center;"><u>14.3, 11.7, 11.7, 11.8</u></p> <p style="text-align: center;">DOSES - KILOGRAYS</p> </div> <p>Special Comments: S6536,,S6540,S6484,S6535,S6485,S6511,S6419,S6792,S6543,S6476,S6505,S6524,S6482,S6493</p>																																																																																																																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>PRODUCT CODE</th> <th>QTY</th> <th>LENGTH x</th> <th>WIDTH</th> <th>x</th> <th>HEIGHT</th> <th>cm</th> <th>WEIGHT</th> <th>g</th> <th>DENSITY</th> </tr> </thead> <tbody> <tr><td>LBS33036W</td><td>30</td><td>43</td><td>38</td><td>28</td><td>3000</td><td>0.07</td><td></td><td></td><td></td></tr> <tr><td>LBS33550X</td><td>17</td><td>46</td><td>31</td><td>46</td><td>7850</td><td>0.12</td><td></td><td></td><td></td></tr> <tr><td>LBS35706</td><td>11</td><td>39</td><td>28</td><td>43</td><td>7000</td><td>0.15</td><td></td><td></td><td></td></tr> <tr><td>LBS60001X</td><td>235</td><td>46</td><td>31</td><td>46</td><td>8780</td><td>0.13</td><td></td><td></td><td></td></tr> <tr><td>LBS60060X</td><td>26</td><td>46</td><td>31</td><td>46</td><td>8600</td><td>0.13</td><td></td><td></td><td></td></tr> <tr><td>LBSBPC303X</td><td>58</td><td>38</td><td>28</td><td>43</td><td>3600</td><td>0.08</td><td></td><td></td><td></td></tr> <tr><td>LBSLP7201</td><td>8</td><td>28</td><td>43</td><td>38</td><td>9220</td><td>0.20</td><td></td><td></td><td></td></tr> <tr><td>LBSLP7202</td><td>10</td><td>38</td><td>28</td><td>43</td><td>7500</td><td>0.16</td><td></td><td></td><td></td></tr> <tr><td>LBSPD1002X</td><td>10</td><td>51</td><td>28</td><td>45</td><td>8320</td><td>0.13</td><td></td><td></td><td></td></tr> <tr><td>LBSSP1203X</td><td>6</td><td>28</td><td>38</td><td>43</td><td>6820</td><td>0.15</td><td></td><td></td><td></td></tr> <tr><td>LBSSPR001X</td><td>15</td><td>28</td><td>38</td><td>43</td><td>4760</td><td>0.10</td><td></td><td></td><td></td></tr> <tr><td>LBSST400X</td><td>58</td><td>28</td><td>43</td><td>38</td><td>3000</td><td>0.07</td><td></td><td></td><td></td></tr> </tbody> </table>				PRODUCT CODE	QTY	LENGTH x	WIDTH	x	HEIGHT	cm	WEIGHT	g	DENSITY	LBS33036W	30	43	38	28	3000	0.07				LBS33550X	17	46	31	46	7850	0.12				LBS35706	11	39	28	43	7000	0.15				LBS60001X	235	46	31	46	8780	0.13				LBS60060X	26	46	31	46	8600	0.13				LBSBPC303X	58	38	28	43	3600	0.08				LBSLP7201	8	28	43	38	9220	0.20				LBSLP7202	10	38	28	43	7500	0.16				LBSPD1002X	10	51	28	45	8320	0.13				LBSSP1203X	6	28	38	43	6820	0.15				LBSSPR001X	15	28	38	43	4760	0.10				LBSST400X	58	28	43	38	3000	0.07			
PRODUCT CODE	QTY	LENGTH x	WIDTH	x	HEIGHT	cm	WEIGHT	g	DENSITY																																																																																																																												
LBS33036W	30	43	38	28	3000	0.07																																																																																																																															
LBS33550X	17	46	31	46	7850	0.12																																																																																																																															
LBS35706	11	39	28	43	7000	0.15																																																																																																																															
LBS60001X	235	46	31	46	8780	0.13																																																																																																																															
LBS60060X	26	46	31	46	8600	0.13																																																																																																																															
LBSBPC303X	58	38	28	43	3600	0.08																																																																																																																															
LBSLP7201	8	28	43	38	9220	0.20																																																																																																																															
LBSLP7202	10	38	28	43	7500	0.16																																																																																																																															
LBSPD1002X	10	51	28	45	8320	0.13																																																																																																																															
LBSSP1203X	6	28	38	43	6820	0.15																																																																																																																															
LBSSPR001X	15	28	38	43	4760	0.10																																																																																																																															
LBSST400X	58	28	43	38	3000	0.07																																																																																																																															
<p>TOTAL: 484 CTNS: 27.859 M³ 3314.4 kg</p>		<p>REQUIRED DOSE <u>10.0</u> KGy</p>																																																																																																																																			

LOT NO : **153324**

DATE : **23/06/2021**

CUSTOMER NUMBER : **VA1130**

CUSTOMER NAME : **THERMO FISHER SCIENTIFIC NEW ZEALAND LTD**

PURCHASE ORDERS : **PO00020919**

OTHER REFERENCE : **S6486, S6499, S6595, S6564, S6565, S6576, S6577, S6583, S6584, S6607, S6617, S6627**

STERITECH PTY. LTD.
CERTIFICATE OF IRRADIATION
160 SOUTH GIPPSLAND HWY Telephone: (03) 8726-5566
DANDENONG VIC. 3175 Fax: (03) 9701-3158

PALLETS: **32**

PALLET CHEP: **32**

PALLET LOSCAM: **0**

PALLET PLAIN: **0**

PALLET EXPORT: **0**

LOOSE: **0**

PALLET SKID: **0**

STRETCH WRAP: **Y**

SEG. BATCHES: **N**

CUSTOMER COPY

Released By: **QA / Manager**

Dose Meets Requirements: **Yes / No**

Process Complete: **Yes / No**

Released: **Qty Signed**

Date: **25 JUN 2021 630**

Date

Despatched: **Qty Signed**

Date: **25 JUN 2021 630**

Date

Date

ROUTINE IRRADIATION
12-4, 12-6, 12-4, 12-2, 12-3,
DOSES - KILOGRAMS
12-8, 12-5, 12-3, 12-3

Special Comments:

S6565, S6577, S6603, S6602, S6634, S6546, S6523, S6623, S6562, S6452, S6518, S6544, S6547, S6570, S6550, S6549, S6529, S6635, S6545, S6594, S6552, S6630, S6467, S6528
CONTAINER bu2913148

pg 1

PRODUCT CODE	QTY	LENGTH	WIDTH	HEIGHT	cm	WEIGHT	g	DENSITY
LBS1209WX	7	43	28	38	6280	0.14		
LBS32024W	3	40	27	43	7500	0.16		
LBS33550X	4	46	31	46	7850	0.12		
LBS33550YX	15	31	46	46	7850	0.12		
LBS60001X	163	46	31	46	8780	0.13		
LBS60014X	36	31	46	46	4000	0.06		
LBS60016X	5	38	28	43	10840	0.24		
LBS60060X	17	46	31	46	8600	0.13		
LBSCT1203X	4	43	38	28	58000	1.27		
LBSF001BX/10	9	39	28	43	5140	0.11		
LBSLP7202	24	38	28	43	7500	0.16		
LBSLP7231X/50	21	38	28	43	10840	0.24		
LBS22001X10	10	29	30	44	8500	0.22		
LBS22002X	138	51	28	45	8320	0.13		
LBS22003X	5	40	28	35	7600	0.19		
LBS2210X	5	43	38	28	7500	0.16		
LBS22001X	19	28	38	43	4760	0.10		
LBS2200X	22	30	44	38	4400	0.09		
LBS2250ENVX	10	43	38	28	1700	0.04		
LBS2250PWX	40	43	28	38	1700	0.04		
LBS2250X	20	38	27	68	3050	0.04		
LBS2400X	47	28	43	38	3000	0.07		

TOTAL: **630** CTNS: **36.524** M³ **4520.0** kg

REQUIRED DOSE **kgY:** **10.0**

Routine Dosimetry (kGy)

11-5

12-5

12-3

12-7

12-5

12-6

12-1

12-3

12-1

12-8

12-4

12-4

12-6

12-4

12-4

12-3

12-8

12-4

12-4

12-7

<p>LOT NO : 153324</p> <p>DATE : 23/06/2021</p> <p>CUSTOMER NUMBER : VA1130</p> <p>CUSTOMER NAME : THERMO FISHER SCIENTIFIC NEW ZEALAND LTD</p> <p>PURCHASE ORDERS : PO00020919</p> <p>OTHER REFERENCE : S6486, S6499, S6595, S6564, S6565, S6576, S6577, S6583, S6584, S6607, S6617, S6627</p>	<p style="text-align: center;">STERITECH PTY. LTD.</p> <p style="text-align: center;">CERTIFICATE OF IRRADIATION</p> <p>160 SOUTH GIPPSLAND HWY DANDENONG VIC. 3175</p> <p>Telephone: (03) 8726-5566 Fax: (03) 9701-3156</p>	<p style="text-align: center;">CUSTOMER COPY</p> <p>Released By: QA / Manager</p> <p>Dose Meets Requirements: <input checked="" type="radio"/> Yes / <input type="radio"/> No</p> <p>Process Complete: <input checked="" type="radio"/> Yes / <input type="radio"/> No</p> <p>Released: Qty Signed</p> <p>Date: 25 JUN 2021 6:30 <i>AM</i></p> <p>Date: _____</p> <p>Date: _____</p> <p>Despatched: Qty Signed</p> <p>Date: 25 JUN 2021 6:30 <i>AM</i></p> <p>Date: _____</p> <p>Date: _____</p>	<p>Routine Dosimetry (kGy)</p> <p>11.5</p> <p>12.3</p> <p>12.3</p> <p>12.7</p> <p>12.5</p> <p>12.6</p> <p>12.1</p> <p>12.3</p> <p>12.1</p> <p>12.8</p> <p>12.4</p> <p>12.4</p> <p>12.6</p> <p>12.4</p> <p>12.4</p> <p>12.3</p> <p>12.8</p> <p>12.4</p> <p>12.4</p> <p>12.7</p>
<p>PALLETS: 32</p> <p>PALLET CHEP: 32</p> <p>PALLET LOSCAM: 0</p> <p>PALLET PLAIN: 0</p> <p>PALLET EXPORT: 0</p> <p>LOOSE: 0</p> <p>PALLET SKID: 0</p> <p>STRETCH WRAP: Y</p> <p>SEG. BATCHES: N</p>		<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p style="text-align: center;">ROUTINE IRRADIATION</p> <p style="text-align: center;">12-4, 12-6, 12-4, 12-2, 12-3</p> <p style="text-align: center;">DOSES - KILOGRAY'S</p> <p style="text-align: center;">12-8, 12-5, 12-3, 12-3</p> </div> <p>Special Comments:</p> <p>S6565, S6577, S6603, S6602, S6634, S6546, S6523, S6623, S6562, S6452, S6518, S6544, S6547, S6570, S6550, S6549, S6529, S6635, S6545, S6594, S6552, S6630, S6467, S6528</p> <p>CONTAINER bu2913148</p>	
<p>TOTAL: 630 CTNS: 36.524 M³ 4520.0 kg</p> <p>REQUIRED DOSE kGy: 10.0</p>		<p>Pg 2</p>	