

Certificate of Conformance

This certifies that the product detailed below has been processed according to our Quality System (ISO 9001:2015) and conforms to the agreed specifications in effect at the time of manufacture.

PRODUCT CODE : LBSCT250X
GRADUATION : 5mL to 250mL accurate to within \pm 2%
SODIUM THIOSULPHATE : N/A
GAMMA STERILISED : 152137/ 152942 (Refer to attached sheet)
BATCH NO. : S6467
EXPIRY DATE : 02/2023
MANUFACTURER : Labserv Division of Thermo Fisher Scientific NZ Ltd
ORIGIN : New Zealand
DATE : 03/06/2021

Conformed by:



Flordeliza Angeles
QA Technician

LS-032
Issue 06/0718

5 Allens Road
East Tamaki
Auckland 2013
New Zealand

PO Box 51481
Pakuranga
Auckland 2140
New Zealand

+64 (09) 265 3320
+64 (09) 274 4174 fax

www.thermofisher.co.nz

<p>LOT NO : 152137</p> <p>DATE : 23/02/2021</p> <p>CUSTOMER NUMBER : VA1130</p> <p>CUSTOMER NAME : THERMO FISHER SCIENTIFIC NEW ZEALAND LTD</p> <p>PURCHASE ORDERS : PO00020660</p> <p>OTHER REFERENCE : S6397, S6399, S6416, S6429, S6430, S6433, S6444, S6458, S6467, S6434, S6469, S6487, S6492</p>	<p style="text-align: center;">STERITECH PTY. LTD.</p> <p style="text-align: center;">CERTIFICATE OF IRRADIATION</p> <p>160 SOUTH GIPPSLAND HWY Telephone: (03) 8726-5566 DANDENONG VIC. 3175 Fax: (03) 9701-3158</p>	<p style="text-align: center;">CUSTOMER COPY</p> <p>Released By: QA / Manager</p> <p>Dose Meets Requirements: Yes / No</p> <p>Process Complete: Yes / No</p> <p>Released: Qty Signed</p> <p>Date: 12 Mar 2021 742</p> <p>Date: _____</p> <p>Date: _____</p> <p>Despatched: Qty Signed</p> <p>Date: _____</p> <p>Date: _____</p> <p>Date: _____</p> <p>Date: _____</p>	<p>Routine Dosimetry (kGy)</p> <p>13-6</p> <p>13-7</p> <p>13-0</p> <p>14-1</p> <p>12-6</p> <p>13-6</p> <p>13-2</p> <p>13-4</p> <p>13-4</p> <p>13-5</p> <p>13-7</p> <p>13-1</p> <p>13-6</p> <p>13-0</p> <p>13-2</p> <p>12-3</p>																																																																																																																																																
<p>PALLETS: 29</p> <p>PALLET CHEP: 29</p> <p>PALLET LOSCAM: 0</p> <p>PALLET PLAIN: 0</p> <p>PALLET EXPORT: 0</p> <p>LOOSE: 0</p> <p>PALLET SKID: 0</p> <p>STRETCH WRAP: Y</p> <p>SEG. BATCHES: N</p>		<p>Special Comments: S6446, S6460, S6394, S6392, S6454, S6453, S6448, S6428, S6490, S6496</p>																																																																																																																																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>PRODUCT CODE</th> <th>QTY</th> <th>LENGTH</th> <th>x</th> <th>WIDTH</th> <th>x</th> <th>HEIGHT</th> <th>cm</th> <th>WEIGHT</th> <th>g</th> <th>DENSITY</th> </tr> </thead> <tbody> <tr><td>LBS30121X</td><td>80</td><td>27</td><td>38</td><td>68</td><td>9380</td><td>0.13</td></tr> <tr><td>LBS30221YX</td><td>26</td><td>28</td><td>66</td><td>39</td><td>7140</td><td>0.10</td></tr> <tr><td>LBS32002YX</td><td>25</td><td>34</td><td>68</td><td>32</td><td>10300</td><td>0.14</td></tr> <tr><td>LBS32005YX</td><td>28</td><td>32</td><td>34</td><td>68</td><td>10300</td><td>0.14</td></tr> <tr><td>LBS32250X</td><td>8</td><td>27</td><td>68</td><td>38</td><td>9500</td><td>0.14</td></tr> <tr><td>LBS32252X</td><td>12</td><td>27</td><td>38</td><td>68</td><td>9500</td><td>0.14</td></tr> <tr><td>LBS35706</td><td>10</td><td>39</td><td>28</td><td>43</td><td>7000</td><td>0.15</td></tr> <tr><td>LBS3713RX</td><td>33</td><td>40</td><td>46</td><td>50</td><td>8540</td><td>0.09</td></tr> <tr><td>LBS60001X</td><td>55</td><td>46</td><td>31</td><td>46</td><td>8780</td><td>0.13</td></tr> <tr><td>LBSCT250X</td><td>36</td><td>68</td><td>27</td><td>38</td><td>3500</td><td>0.05</td></tr> <tr><td>LBSF001BX/10</td><td>5</td><td>39</td><td>28</td><td>43</td><td>5140</td><td>0.11</td></tr> <tr><td>LBSLP7201</td><td>13</td><td>28</td><td>43</td><td>38</td><td>9220</td><td>0.20</td></tr> <tr><td>LBSMC00013X</td><td>30</td><td>50</td><td>46</td><td>40</td><td>8940</td><td>0.10</td></tr> <tr><td>LBSMC0202YX</td><td>21</td><td>46</td><td>40</td><td>50</td><td>8200</td><td>0.09</td></tr> <tr><td>LBSspr001X</td><td>37</td><td>28</td><td>38</td><td>43</td><td>4760</td><td>0.10</td></tr> <tr><td>LBSST120X</td><td>20</td><td>30</td><td>38</td><td>44</td><td>5660</td><td>0.11</td></tr> <tr><td>LBSST250QHx</td><td>40</td><td>38</td><td>28</td><td>43</td><td>1700</td><td>0.04</td></tr> <tr><td>LBSST250X</td><td>208</td><td>38</td><td>28</td><td>43</td><td>1600</td><td>0.03</td></tr> <tr><td>LBSST400X</td><td>55</td><td>28</td><td>43</td><td>38</td><td>3000</td><td>0.07</td></tr> </tbody> </table>				PRODUCT CODE	QTY	LENGTH	x	WIDTH	x	HEIGHT	cm	WEIGHT	g	DENSITY	LBS30121X	80	27	38	68	9380	0.13	LBS30221YX	26	28	66	39	7140	0.10	LBS32002YX	25	34	68	32	10300	0.14	LBS32005YX	28	32	34	68	10300	0.14	LBS32250X	8	27	68	38	9500	0.14	LBS32252X	12	27	38	68	9500	0.14	LBS35706	10	39	28	43	7000	0.15	LBS3713RX	33	40	46	50	8540	0.09	LBS60001X	55	46	31	46	8780	0.13	LBSCT250X	36	68	27	38	3500	0.05	LBSF001BX/10	5	39	28	43	5140	0.11	LBSLP7201	13	28	43	38	9220	0.20	LBSMC00013X	30	50	46	40	8940	0.10	LBSMC0202YX	21	46	40	50	8200	0.09	LBSspr001X	37	28	38	43	4760	0.10	LBSST120X	20	30	38	44	5660	0.11	LBSST250QHx	40	38	28	43	1700	0.04	LBSST250X	208	38	28	43	1600	0.03	LBSST400X	55	28	43	38	3000	0.07
PRODUCT CODE	QTY	LENGTH	x	WIDTH	x	HEIGHT	cm	WEIGHT	g	DENSITY																																																																																																																																									
LBS30121X	80	27	38	68	9380	0.13																																																																																																																																													
LBS30221YX	26	28	66	39	7140	0.10																																																																																																																																													
LBS32002YX	25	34	68	32	10300	0.14																																																																																																																																													
LBS32005YX	28	32	34	68	10300	0.14																																																																																																																																													
LBS32250X	8	27	68	38	9500	0.14																																																																																																																																													
LBS32252X	12	27	38	68	9500	0.14																																																																																																																																													
LBS35706	10	39	28	43	7000	0.15																																																																																																																																													
LBS3713RX	33	40	46	50	8540	0.09																																																																																																																																													
LBS60001X	55	46	31	46	8780	0.13																																																																																																																																													
LBSCT250X	36	68	27	38	3500	0.05																																																																																																																																													
LBSF001BX/10	5	39	28	43	5140	0.11																																																																																																																																													
LBSLP7201	13	28	43	38	9220	0.20																																																																																																																																													
LBSMC00013X	30	50	46	40	8940	0.10																																																																																																																																													
LBSMC0202YX	21	46	40	50	8200	0.09																																																																																																																																													
LBSspr001X	37	28	38	43	4760	0.10																																																																																																																																													
LBSST120X	20	30	38	44	5660	0.11																																																																																																																																													
LBSST250QHx	40	38	28	43	1700	0.04																																																																																																																																													
LBSST250X	208	38	28	43	1600	0.03																																																																																																																																													
LBSST400X	55	28	43	38	3000	0.07																																																																																																																																													
<p>TOTAL: 742 CTNS: 44.477 M³</p>		<p>4073.7 kg</p>																																																																																																																																																	
<p>REQUIRED DOSE</p>		<p>KGy: 10.0</p>																																																																																																																																																	

<p>LOT NO : 152942</p> <p>DATE : 12/05/2021</p> <p>CUSTOMER NUMBER : VA1130</p> <p>CUSTOMER NAME : THERMO FISHER SCIENTIFIC NEW ZEALAND LTD</p> <p>PURCHASE ORDERS : PO00020739</p> <p>OTHER REFERENCE : S6482, S6504, S6517, S6521, S6360, S6530, S6530,, S6533, S6533, S6489, S6534, S6539</p>	<p style="text-align: center;">STERITECH PTY. LTD.</p> <p style="text-align: center;">CERTIFICATE OF IRRADIATION</p> <p>160 SOUTH GIPPSLAND HWY DANDENONG VIC. 3175</p> <p>Telephone: (03) 8726-5566 Fax: (03) 9701-3158</p>	<p style="text-align: center;">CUSTOMER COPY</p> <p>Released By: <u>QA / Manager</u></p> <p>Dose Meets Requirements: <u>Yes / No</u></p> <p>Process Complete: <u>Yes / No</u></p> <p>Released: <u>Qty Signed</u></p> <p>Date: <u>21 May 2021 34</u></p> <p>Date: _____</p> <p>Date: _____</p> <p>Despatched: <u>Qty Signed</u></p> <p>Date: <u>21 May 2021 34</u></p> <p>Date: _____</p> <p>Date: _____</p>	<p>Routine Do:</p> <p><u>12-7</u></p> <p><u>13-5</u></p>																																																																																																																																																																																											
<p>PALLETS: 23</p> <p>PALLET CHEP: 23</p> <p>PALLET LOSCAM: 0</p> <p>PALLET PLAIN: 0</p> <p>PALLET EXPORT: 0</p> <p>LOOSE: 0</p> <p>PALLET SKID: 0</p> <p>STRETCH WRAP: Y</p> <p>SEG. BATCHES: N</p>		<p>Special Comments:</p> <p>S6382,S6450,S6513,S6512,S6462,S6443,S6467,S6449,S6478,S6514,S6532,S6447,S6530,S6505</p> <p style="color: red; font-size: 2em;">E 56506</p>																																																																																																																																																																																												
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>PRODUCT CODE</th> <th>QTY</th> <th>LENGTH</th> <th>x</th> <th>WIDTH</th> <th>x</th> <th>HEIGHT</th> <th>cm</th> <th>WEIGHT</th> <th>g</th> <th>DENSITY</th> </tr> </thead> <tbody> <tr><td>LBS30002YX</td><td>30</td><td>40</td><td>46</td><td>50</td><td>7820</td><td>0.08</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBS30121X</td><td>105</td><td>27</td><td>38</td><td>68</td><td>9380</td><td>0.13</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBS32005YX</td><td>16-</td><td>32</td><td>34</td><td>68</td><td>10300</td><td>0.14</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBS32250X</td><td>104</td><td>27</td><td>68</td><td>38</td><td>9500</td><td>0.14</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBS32252X</td><td>35</td><td>27</td><td>38</td><td>68</td><td>9500</td><td>0.14</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBS33558X</td><td>19</td><td>38</td><td>27</td><td>66</td><td>6000</td><td>0.09</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBST250X</td><td>3</td><td>68</td><td>27</td><td>38</td><td>3500</td><td>0.05</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBSLB500X</td><td>8</td><td>27</td><td>38</td><td>68</td><td>2500</td><td>0.04</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBSMC0003X</td><td>50</td><td>40</td><td>50</td><td>46</td><td>8940</td><td>0.10</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBSMC0202YX</td><td>53</td><td>46</td><td>40</td><td>50</td><td>8200</td><td>0.09</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBSST120X</td><td>8</td><td>27</td><td>38</td><td>68</td><td>5660</td><td>0.08</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBSST32252X</td><td>30</td><td>38</td><td>27</td><td>68</td><td>6620</td><td>0.09</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBSST500EUX</td><td>15</td><td>66</td><td>39</td><td>27</td><td>3200</td><td>0.05</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBSST500XS</td><td>11</td><td>68</td><td>27</td><td>38</td><td>3050</td><td>0.04</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBSUC2003X</td><td>28</td><td>30</td><td>60</td><td>33</td><td>6280</td><td>0.11</td><td></td><td></td><td></td><td></td></tr> <tr><td>LBSUC2203X</td><td>49</td><td>30</td><td>33</td><td>60</td><td>5540</td><td>0.09</td><td></td><td></td><td></td><td></td></tr> </tbody> </table>				PRODUCT CODE	QTY	LENGTH	x	WIDTH	x	HEIGHT	cm	WEIGHT	g	DENSITY	LBS30002YX	30	40	46	50	7820	0.08					LBS30121X	105	27	38	68	9380	0.13					LBS32005YX	16-	32	34	68	10300	0.14					LBS32250X	104	27	68	38	9500	0.14					LBS32252X	35	27	38	68	9500	0.14					LBS33558X	19	38	27	66	6000	0.09					LBST250X	3	68	27	38	3500	0.05					LBSLB500X	8	27	38	68	2500	0.04					LBSMC0003X	50	40	50	46	8940	0.10					LBSMC0202YX	53	46	40	50	8200	0.09					LBSST120X	8	27	38	68	5660	0.08					LBSST32252X	30	38	27	68	6620	0.09					LBSST500EUX	15	66	39	27	3200	0.05					LBSST500XS	11	68	27	38	3050	0.04					LBSUC2003X	28	30	60	33	6280	0.11					LBSUC2203X	49	30	33	60	5540	0.09				
PRODUCT CODE	QTY	LENGTH	x	WIDTH	x	HEIGHT	cm	WEIGHT	g	DENSITY																																																																																																																																																																																				
LBS30002YX	30	40	46	50	7820	0.08																																																																																																																																																																																								
LBS30121X	105	27	38	68	9380	0.13																																																																																																																																																																																								
LBS32005YX	16-	32	34	68	10300	0.14																																																																																																																																																																																								
LBS32250X	104	27	68	38	9500	0.14																																																																																																																																																																																								
LBS32252X	35	27	38	68	9500	0.14																																																																																																																																																																																								
LBS33558X	19	38	27	66	6000	0.09																																																																																																																																																																																								
LBST250X	3	68	27	38	3500	0.05																																																																																																																																																																																								
LBSLB500X	8	27	38	68	2500	0.04																																																																																																																																																																																								
LBSMC0003X	50	40	50	46	8940	0.10																																																																																																																																																																																								
LBSMC0202YX	53	46	40	50	8200	0.09																																																																																																																																																																																								
LBSST120X	8	27	38	68	5660	0.08																																																																																																																																																																																								
LBSST32252X	30	38	27	68	6620	0.09																																																																																																																																																																																								
LBSST500EUX	15	66	39	27	3200	0.05																																																																																																																																																																																								
LBSST500XS	11	68	27	38	3050	0.04																																																																																																																																																																																								
LBSUC2003X	28	30	60	33	6280	0.11																																																																																																																																																																																								
LBSUC2203X	49	30	33	60	5540	0.09																																																																																																																																																																																								
<p>TOTAL: 564 CTNS: 41.532 M³</p> <p>REQUIRED DOSE KGY: 10.0</p>		<p>4503.6 kg</p>																																																																																																																																																																																												