

The world leader in serving science

CERTIFICATE OF ANALYSIS

PRODUCT NAME: Pierce® Protein L Agarose

PRODUCT NUMBER: 20512

LOT NUMBER: SD247602

SPECIFICATIONS:

VISUAL: White opaque gel slurry, free of particulate matter.

BINDING CAPACITY: 5-10 mg Human IgG bound per mL gel

RESULTS:

VISUAL: White opaque gel slurry, free of particulate matter.

BINDING CAPACITY: 8 mg Human IgG bound per mL gel

Publish Date: 5/10/2017

Brandon Smith, Senior Quality Chemist

Brondon J. Smith

[Rev.001]

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Product documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than Buyer. Any model or sample, trainished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will confirm to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED, INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT, BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING FITE WARRANTY PERIOD TO REPAIR, REPLACEMENT FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD REPAIR, REPLACEMENT OF OR REPLADED FOR THE NON-CONFORMING PRODUCTS OF NERCHANTY PERIOD REPAIR, REPLACEDENT OF OR REPLADED FOR THE NON-CONFORMING PRODUCTS ID RUBING FAULT OF REPLACEMENT OF OR REPLADED FOR THE NON-CONFORMING PRODUCTS IN THE REPLACEMENT OF OR REPLACE

 Pierce Biotechnology
 PO Box 117
 (800) 874-3723 tel

 3747 N. Meridian Road
 Rockford, IL 61105 USA
 (815) 968-0747 tel

(815) 968-7316 fax www.thermoscientific.com/pierce