thermo scientific

# **Product Specification Sheet**

Cetrimide Agar

Intended Usage: A medium for the selective isolation of *Pseudomonas aeruginosa*.

For professional use only.

	PO5076A
Version: 17	Revision Date: 12 March 2025

## thermo scientific

### Thermo Scientific™ Cetrimide Agar

Form of Product	Poured plate	
Storage	2 – 12°C, dark	
Filling weight	17 g ± 5 %	
Packaging	10 plates wrapped in film	
рН	7.1 ± 0.2	
Appearance	Oyster white, transparent	
Shelf life	14 weeks	
Intended Usage	A medium for the selective isolation of <i>Pseudomonas aeruginosa.</i> For professional use only.	
Technique	Depends on the different methods. For information see Specification Sheet for Thermo Scientific™ Oxoid™ CM0559 / SR0102.	

\*Adjusted as required to meet performance standards.

Typical formulation*	g/l
Gelatin peptone	16.0
Casein hydrolysate	10.0
Potassium sulphate	10.0
Magnesium chloride	1.4
Cetrimide	0.2
Nalidixic acid	0.015
Agar	11.5
Glycerol	10.0 ml

#### **Quality Control**

- 1. Control for general characteristics, labelling and printing.
- Contamination check
  ≥ 72 h @ 20 25 °C, aerobic
  ≥ 72 h @ 30 35 °C, aerobic
- 3. Microbiological control

Positive Controls	Growth			
Inoculum 50 – 120 colony forming units (cfu), control medium TSA Incubation conditions: 40 – 48 h @ 36 $\pm$ 2°C, aerobic Strain tested by membrane filtration method				
Pseudomonas aeruginosa ATCC <sup>®</sup> 10145™ (WDCM 00024)	Blue-green, fluorescent colonies.			
Inoculum 50 – 120 colony forming units (cfu), quantitative Incubation conditions: 40 – 48 h @ 36 ± 2°C, aerobic Strain tested by spread plate method				
Pseudomonas aeruginosa ATCC <sup>®</sup> 27853™ (WDCM 00025)	2 – 4 mm, blue-green fluorescent colonies.			
Colony counts shall be $\geq$ 50% of the control medium TSA.				

Negative Controls	Growth		
Inoculum 10 <sup>4</sup> – 10 <sup>5</sup> cfu, qualitative, control medium COL+SB Incubation conditions: 40 – 48 h @ 36 ± 2°C, aerobic			
Escherichia coli ATCC <sup>®</sup> 25922™ (WDCM 00013)	Total inhibition.		
Enterococcus faecalis ATCC <sup>®</sup> 29212™ (WDCM 00087)	Total inhibition.		

Tested in accordance with ISO 11133 The formulation of this medium conforms to ISO 16266

ATCC<sup>®</sup> registered trademark of American Type Culture Collection.

#### Note

This medium can contain particles. Those do not affect the biological performance.