

SmartNotes


Guidelines for Collecting, Handling, and Testing Clinical Respiratory Specimens

According to the World Health Organization (WHO) all testing for coronavirus and influenza should be conducted in consultation with a healthcare provider. Specimens should be collected as soon as possible once a decision has been made to pursue testing, regardless of the time of symptom onset. Proper collection, storage and transport of respiratory specimens is the essential first step for laboratory detection of influenza virus infections¹. The guidance below addresses options for collection of specimens.

At minimum, the WHO recommends that the following respiratory material should be collected:

- For Influenza or Coronavirus testing: upper respiratory specimens: nasopharyngeal and oropharyngeal swab or wash in ambulatory patients
- For Coronavirus testing: lower respiratory specimens: sputum (if produced) and/or endotracheal aspirate or bronchoalveolar lavage in patients with more severe respiratory disease.

Specimens for virus detection should reach the laboratory as soon as possible after collection. Correct handling of specimens during transportation is essential. Specimens that can be delivered promptly to the laboratory can be stored and shipped at 2-8 °C. When there is likely to be a delay in specimens reaching the laboratory, the use of viral transport medium is strongly recommended. Specimens may be frozen to -20 °C or ideally -70 °C and shipped on dry ice if further delays are expected. It is important to avoid repeated freezing and thawing of specimens².



thermo scientific

Thermo Fisher Scientific offer a portfolio of products which includes swabs, transport tubes and media, the following products are applicable to coronavirus sample collection.

Product code	Product	Pack size	
R12505	M4RT (3 mL) Tube	72/pk	(A)
R12566	M4RT (3 mL) MicroTip Flocked Swab Kit	100/pk	Company of the second
R12587	M4RT (3 mL) Tube	72/pk	
R12588	M4RT (3mL) Flock Swab Kit	100/pk	
R12700	M4RT (3 mL) without Beads Tube	72/pk	
R12705	M4RT (3 mL) without Beads NP Swab Kit	100/pk	1 to 1
SK01360	M4RT NPG Swab Kit, No Beads (3 mL)	100/pk	1
SK01361	M4RT NPG Swab Kit, No Beads (1 mL)	100/pk	ALLE S
EB1372A	InhibiSURE Viral Inactivation Medium, 1.5 mL	100 kits/pk	1 to 10.
SK01372	InhibiSURE Viral Inactivation Medium, 1.5 mL NP Swab Kit	100 kits/pk	No. of the last state of the l
R12530	M6 (1.5 mL) Tube	72 tubes/pk	
R12533	M6 (3 mL) Tube	72 tubes/pk	
R12561	M6 (1.5 mL) Microtip Flocked Swab Kit	100 kits/pk	(***** (*) ***** [1]
R12569	M6 (3 mL) Microtip Flocked Swab Kit	100 kits/pk	((1) = (2,4) = (1)



Product code	Product	Pack size
R12560	M6 (1.5 mL) Traditional Flocked Swab Kit	100 kits/pk
R12568	M6 (3 mL) Traditional Flocked Swab Kit	100 kits/pk
R12562	M6 Universal Kit w/Micro-Tipped & Traditional-Tipped Flocked Swab (1.5 mL)	100 kits/pk
R12563	M6 Universal Kit w/Micro-Tipped & Traditional-Tipped Flocked Swab (3 mL)	100 kits/pk
R12548	Polyester Tipped Oropharyngeal Swab	1000/pk
R12544	Disposable Sampling Swab, 100 mm breakpoint	100/pk
R12680	Disposable Sampling Swab, 80 mm breakpoint	100/pk

References

- WHO Influenza (Seasonal) https://www.who.int/news-room/fact-sheets/detail/influenza-geasonal/#:~:text=Patients%20with%20uncomplicated%20seasonal%20influenza,of%20influenza%20such%20as%20fever.
- 2. WHO reference number: WHO/COVID-19/laboratory/2020.5

Availability of product in each country depends on local regulatory marketing authorization status.

For product advice, please contact your local Microbiology sales representative or visit **thermofisher.com/coronaviruscare**

For more information on guidelines, refer to **World Health Organisation (WHO)** or local authorities.

