



CERTIFICATE OF ANALYSIS

PRODUCT **MP1331**
 MANNITOL SALT AGAR W/2MCG OXACILLIN

LOT NUMBER 2065

EXPIRY DATE 16.04.2012
(dd.mm.yyyy)

Delivery/Customer information

Date Printed (dd.mm.yyyy)

08.11.2013

Delivery No.

Customer

106343

ZDELETE Alpha Supplies

Customer Order number

Physical Characteristics	Results	Specification
Appearance	Clear pink	Conforms to Specification
pH	7.40	7.20 - 7.60
Packaging and Presentation	Conforms	Conforms to specification
Sterility @ 35 °C ± 2°C for 3 days	Conforms	Conforms to specification

Microbiological Performance		
Organism Tested	Expected Results	Specification
Proteus mirabilis ATCC® 12453	Partial inhibition	Conforms to Specification
Staphylococcus aureus ATCC® 25923	Inhibition	Conforms to Specification
Staphylococcus aureus ATCC® 33591	Growth; colonies have a yellow zone	Conforms to Specification
Staphylococcus aureus ATCC® 43300	Growth	Conforms to Specification

The Quality Assurance of this medium has been performed in accordance with CLSI document M22-A3. All quality control results have either met or exceeded all CLSI standards.

Karen Campbell
Quality Control Manager