



CERTIFICATE OF ANALYSIS

PRODUCT **MP2510**
 YERSINIA SELECTIVE AGAR (CIN)

LOT NUMBER 2121A

EXPIRY DATE 23.07.2012
(dd.mm.yyyy)

Delivery/Customer information

Date Printed (dd.mm.yyyy)

08.11.2013

Delivery No.

Customer

106343

ZDELETE Alpha Supplies

Customer Order number

Physical Characteristics	Results	Specification
Appearance	Clear, pale pink	Conforms to Specification
pH	7.50	7.20 - 7.60
Packaging and Presentation	Conforms	Conforms to specification
Sterility @ 35 °C ± 2°C for 3 days	Conforms	Conforms to specification

Microbiological Performance		
Organism Tested	Expected Results	Specification
Escherichia coli ATCC® 25922	Inhibition (partial to complete)	Conforms to Specification
Proteus mirabilis ATCC® 12453	Inhibition (partial to complete)	Conforms to Specification
Pseudomonas aeruginosa ATCC® 27853	Inhibition (partial to complete)	Conforms to Specification
Yersinia enterocolitica ATCC® 9610	Growth, deep red center, transparent edge	Conforms to Specification
Enterococcus faecalis ATCC® 29212	Inhibition (partial to complete)	Conforms to Specification

The Quality Assurance of this medium has been performed in accordance with CLSI document M22-A3. All quality control results have either met or exceeded all CLSI standards.

Karen Campbell
Quality Control Manager