Fisher Scientific UK Ltd.
Bishop Meadow Road
Loughborough,
LE11 5RG, United Kingdom

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global Certificate Number. QMS42099

Catalogue Number	T/3601
Lot Number	2686789
Description	2,2,4-Trimethylpentane AR For analysis
CAS Number	540-84-1
Quality Test/Release Date	31/Jul/2026
Expiry Phrase	Use with 5 years of opening.
Country of Origin	Germany

Result Name	Units	Specifications	Test Value
Acidity/alkalinity (meq/g)	meq/g	<= 0.0001	0.00004
Assay (GC)	%	>= 99.5	99.90
Calcium (Ca)	ppm	<= 0.5	<0.02
Chemical form		Mobile liquid	Mobile liquid
Colour	APHA	<= 10	<5
Copper (Cu)	ppm	<= 0.1	<0.01
Iron (Fe)	ppm	<= 0.2	<0.02
Lead (Pb)	ppm	<= 0.1	<0.005
Magnesium (Mg)	ppm	<= 0.2	<0.02
Potassium (K)	ppm	<= 0.2	<0.02
Residue after evaporation (ppm)	ppm	<= 20	2.9
Sodium (Na)	ppm	<= 0.5	<0.05
Total phosphorus (P)	ppm	<= 0.1	<0.02
Total silicon (Si)	ppm	<= 0.05	<0.05
Total sulfur (S)	ppm	<= 1	<0.05
Visual colour		Clear colourless	Clear colourless
Water	%	<= 0.02	0.004
Zinc (Zn)	ppm	<= 0.2	<0.02

A. Ganatra

Ashok Ganatra
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.