Acros Organics BV (Thermo Fisher Scientific)
Janssen Pharmaceuticalaan 3a
Geel,
2440, Belgium

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	20217
Lot Number	A0486550
Description	Amberlyst® A-21,ion-exchange resin
CAS Number	9049-93-8
Quality Test/Release Date	17/Sep/2026
Suggested retest date	17/Sep/2031
Country of Origin	FRANCE
Declaration of Origin	synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Appearance (Color)		Light brown	Light brown
Appearance (Form)		Beads	Beads
Harmonic mean size	mm	0.490 to 0.690	0.559
Particle size	%	=<1.0 (< 0.300 mm)	0.2 (< 0.300 mm)
Particle size	%	=<2.0 (> 1.180 mm)	=<2.0 (> 1.180 mm)
Uniformity coefficient		=<1.80	1.41
Total volume capacity	eq/l	>=1.3 (free base)	1.53 (free base)
Moisture holding capacity	%	52.0 to 62.0 (free base)	58.2 (free base)

Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.