

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global
Certificate Number. QMS42099

Catalogue Number	44587
Lot Number	2553713
Description	Bromine, 99.5+%, ACS reagent ACS For analysis
CAS Number	7726-95-6
Quality Test/Release Date	30/Sep/2025
Expiry Phrase	Use within 5 years of opening
Country of Origin	Israel
Declaration of Origin	Synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Assay	%	>= 99.5	>99.99
Chemical form		Mobile liquid	Mobile liquid
Chlorine (Cl) (%)	%	<= 0.05	<0.006
Heavy Metals (as Pb)	ppm	<= 2	<2
Iodine (I) (%)	%	<= 0.001	<0.00005
Nickel (Ni)	ppm	<= 5	<0.05
Residue after evaporation (%)	%	<= 0.005	0.0002
Sulfur compounds (S)	%	<= 0.001	<0.0002
Visual colour		Brown	Brown



Ashok Ganatra
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.