Fisher Scientific L.L.C. US
1 Reagent Lane
Fair Lawn,
NJ 07410, United States of America

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	C77
Lot Number	260541
Description	CALCIUM CHLORIDE, DESICCANT, 20 MESH AND FINER
CAS Number	10043-52-4
Quality Test/Release Date	13/Apr/2026
Suggested retest date	31/Jul/2030
Country of Origin	Japan
Declaration of Origin	Synthetic
BSE/TSE	This product is of synthetic origin. None of the facilities, equipment, or starting materials used to manufacture this material are used to manufacture any other materials of animal or human origin.

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Hygroscopic solid
ASSAY	%	>= 96	97.0
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
MESH SIZE, ON #20 SCREEN	%	<= 10	0.09
MESH SIZE, THROUGH #200	%	<= 30	10.24
TITRATABLE BASE	mEq/g	<= 0.006	0.002

Additional Information This product is not derived from allergens such as gluten, corn, nuts, soybeans, milk and milk products. or eggs and egg products.

Harout Sahagian
QC Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.