Thermo Fisher Scientific
Ward Hill, MA-Sites
30 Bond Street Ward Hill MA 01835
220 Neck Road Ward Hill MA 01835
38 Shelley Road Ward Hill MA 01835

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
Certificate Number. 951001163

Catalogue Number	040381
Lot Number	P13M070
Description	Silica gel desiccant, indicating, ACS
CAS Number	7631-86-9
Quality Test/Release Date	16/Mar/2026
Suggested retest date	16/Mar/2031
Country of Origin	United States
Declaration of Origin	Other
BSE/TSE	Inorganic

Result Name	Units	Specifications	Test Value
Comment		Suitability for moisture absorption: Passes Test (≥27.0% at 80% relative humidity)	Passes test



Derek Roy
Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.