Fisher Scientific UK Ltd.
Bishop Meadow Road
Loughborough,
LE11 5RG, United Kingdom

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global Certificate Number. QMS42099

Catalogue Number	S/4400
Lot Number	2681883
Description	di-Sodium hydrogen orthophosphate dodecahydrate AR For analysis
CAS Number	10039-32-4
Quality Test/Release Date	25/Jun/2026
Expiry Phrase	Use within 5 yrs of opening
Country of Origin	Germany

Result Name	Units	Specifications	Test Value
Assay	%	>= 99 and <= 102	99.78
Calcium (Ca)	ppm	<= 20	<2
Chemical form		Fine crystals (<2 mm)	Fine crystals (<2 mm)
Copper (Cu)	ppm	<= 2	<0.5
Iron (Fe)	ppm	<= 5	<1
Lead (Pb)	ppm	<= 2	<0.5
Magnesium (Mg)	ppm	<= 5	<0.5
Potassium (K)	ppm	<= 50	<20
Total chloride (Cl)	%	<= 0.002	<0.002
Total silicon (Si)	ppm	<= 50	<20
Total sulfur (S)	ppm	<= 20	<20
Visual colour		White	White
Zinc (Zn)	ppm	<= 5	<0.5
pH (5% aq. solution)		>= 9.1 and <= 9.4	9.186

Additional Information Meets the current analytical specification of BP and Ph. Eur.



Ashok Ganatra
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.