Thermo Fisher Scientific
Ward Hill, MA-Sites
30 Bond Street
Ward Hill
MA 01835

220 Neck Road
Ward Hill
MA 01835

38 Shelley Road
Ward Hill
MA 01835

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
Certificate Number. 951001163

Catalogue Number	J62337
Lot Number	P02K005
Description	^b-Nicotinamide adenine dinucleotide, 97%
CAS Number	53-84-9
Quality Test/Release Date	02/Mar/2024
Suggested retest date	02/Mar/2027
Country of Origin	Japan

Result Name	Units	Specifications	Test Value
Absorbance		A280/260 0.21+/- 0.02 at pH 7.5	0.21
Absorbance		A250/260 0.83+/- 0.03 at pH 7.5	0.82
Absorbance		340nM 6.3 +/-0.2 X 1000 L/mol/cm at pH10, reduced with alcohol dehydrogenase	6.2X 1000 L/mol/cm at pH10,reduced
Absorbance		260nM 18 +/- 0.5 X 1000 L/mole/cm	17.8 X 1000 L/mole/cm
Appearance (Color)		White to faint yellow	White to faint yellow
Form		Powder	Powder
Purity	%	≥97.0%	98.6
Water Content	%	2.3%	2.3

John Astarita

John Astarita
Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.