

Specific optical rotation

+9.5° to +10.5° (20°C, 589 (c=4, +9.8° (20°C, 589) (c=4, water)

reading after >1 hour

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	42753		
Lot Number	A0469441		
Description	N-Acetyl-D-mannosamine,98%		
CAS Number	7772-94-3		
Quality Test/Release Date	23/Jan/2025		
Suggested retest date	23/Jan/2028		
Country of Origin	CHINA		
Declaration of Origin	Animal		
	Based on	the manufacturing process and	the raw materials used, we hereby declare
BSE/TSE	that this product is free from any risk of contamination with Bovine Spongiform		
	Encephalopathy (BSE) or Transmissible Spongiform Encephalopathy (TSE).		
Result Name	Units	Specifications	Test Value
Appearance (Color)		White to off-white	Almost white
Appearance (Form)		Crystalline powder	Crystalline powder
Infrared spectrum		Conforms	Conforms
HPLC	%	>=97.5	99.9
Water	%	=<11	4

water) reading after >1 hour

nm

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.