Fisher Scientific L.L.C. US
755 US Highway
Route 202, Bridgewater,
NJ 08807, United States of America

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	A307
Lot Number	24025133
Description	SULFUROUS ACID, A.C.S. Grade
CAS Number	7782-99-2
Quality Test/Release Date	14/Oct/2025
Suggested retest date	29/Mar/2026
Country of Origin	United States

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear, colorless
ASSAY	%	>= 6.0	6.6
CHLORIDE	ppm	<= 5	<5
HEAVY METALS BY ICP-OES	ppm	<= 2	<2
IGNITION RESIDUE	%	<= 0.005	<0.005
IRON (Fe)	ppm	<= 5	<5



Ash Frey
Supervisor, Quality Control

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.